

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ» РҚБ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК РЕСПУБЛИКИ
КАЗАХСТАН»

N E W S

OF THE NATIONAL ACADEMY
OF SCIENCES OF THE REPUBLIC
OF KAZAKHSTAN

SERIES

OF GEOLOGY AND TECHNICAL SCIENCES

3 (471)

MAY – JUNE 2025

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

EDITOR-IN-CHIEF

ZHURINOV Murat Zhurinovich, Doctor of Chemical Sciences, Professor, Academician of NAS RK, President of National Academy of Sciences of the Republic of Kazakhstan, RPA, General Director of JSC "D.V. Sokolsky Institute of Fuel, Catalysis and Electrochemistry" (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

DEPUTY EDITOR-IN-CHIEF

ABSADYKOV Bakhyt Narikbayevich, Doctor of Technical Sciences, Professor, Academician of NAS RK, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

EDITORIAL BOARD:

ABSAMETOV Malis Kudysovich, (Deputy Editor-in-Chief), Doctor of Geological and Mineralogical Sciences, Professor, Academician of NAS RK, Director of the Akhmedsafin Institute of Hydrogeology and Geoecology (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ZHOLTAEV Geroy Zholtaevich, Doctor of Geological and Mineralogical Sciences, Professor, Honorary Academician of NAS RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

SNOW Daniel, PhD, Associate Professor, Director, Aquatic Sciences Laboratory, University of Nebraska (Nebraska, USA), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

SELTMANN Reimar, PhD, Head of Petrology and Mineral Deposits Research in the Earth Sciences Department, Natural History Museum (London, England), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

PANFILOV Mikhail Borisovich, Doctor of Technical Sciences, Professor at the University of Nancy (Nancy, France), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

SHEN Ping, PhD, Deputy Director of the Mining Geology Committee of the Chinese Geological Society, Member of the American Association of Economic Geologists (Beijing, China), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

FISCHER Axel, PhD, Associate Professor, Technical University of Dresden (Dresden, Berlin), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

AGABEKOV Vladimir Enokovich, Doctor of Chemical Sciences, Academician of NAS of Belarus, Honorary Director of the Institute of Chemistry of New Materials (Minsk, Belarus), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

CATALIN Stefan, PhD, Associate Professor, Technical University of Dresden, Germany, <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

Jay Sagin, PhD, Associate Professor, Nazarbayev University (Astana, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

FRATTINI Paolo, PhD, Associate Professor, University of Milano - Bicocca (Milan, Italy), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

NURPEISOVA Marzhan Baysanovna – Doctor of Technical Sciences, Professor of Satbayev University, (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

RATOV Boranbay Tovbasarovich, Doctor of Technical Sciences, Professor, Head of the Department of Geophysics and Seismology, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

RONNY Berndtsson, Professor at the Center of Promising Middle Eastern Research, Lund University (Sweden), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

MIRLAS Vladimir, Faculty chemical engineering and Oriental research center, Ariel University, (Israel), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, hydrogeology, geography, mining and chemical technologies of oil, gas and metals*

Periodicity: 6 times a year.

<http://www.geology-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2025

БАС РЕДАКТОР

ЖҰРЫНОВ Мұрат Жұрыңұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, РКБ «Қазақстан Республикасы Ұлттық Ғылым академиясының» президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

БАС РЕДАКТОРДЫҢ ОРЫНБАСАРЫ:

АБСАДЫҚОВ Бақыт Нәрікбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИЯ АЛҚАСЫ:

ӘБСӘМЕТОВ Мәліс Құдысулы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, У.М. Ахмедсафин атындағы Гидрогеология және геоэкология институтының директоры, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтайұлы, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА құрметті академигі, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры, (Небраска штаты, АҚШ), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЪГМАН Раймар, PhD, Жер туралы ғылымдар бөлімінің петрология және пайдалы қазбалар кен орындары саласындағы зерттеулерінің жетекшісі, Табиғи тарих мұражайы, (Лондон, Ұлыбритания), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры, (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, Қытай геологиялық қоғамының Тау-кен геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі, (Бейжін, Қытай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, қауымдастырылған профессор, PhD, Дрезден техникалық университеті, (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры, (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, қауымдастырылған профессор, Техникалық университеті (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

САҒЫНТАЕВ Жанай, PhD, қауымдастырылған профессор, Назарбаев университеті (Астана, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, қауымдастырылған профессор, Бикокк Милан университеті, (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НҮРПЕЙСОВА Маржан Байсанқызы – Техника ғылымдарының докторы, Қ.И. Сәтбаев атындағы Қазақ ұлттық зерттеу техникалық университетінің профессоры, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

Ратов Боранбай Товбасарович, техника ғылымдарының докторы, профессор, «Геофизика және сейсмология» кафедрасының меңгерушісі, Қ.И. Сәтбаев атындағы Қазақ ұлттық зерттеу техникалық университеті, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Беритссон, Лунд университетінің Таяу Шығысты перспективалы зерттеу орталығының профессоры, Лунд университетінің толық курсты профессоры, (Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, Ариэль университетінің Химиялық инженерия факультеті және Шығыс ғылыми-зерттеу орталығы, (Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

«ҚР ҰҒА» РКБ Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPY00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *Геология, гидрогеология, география, тау-кен ісі, мұнай, газ және металдардың*

химиялық технологиялары

Мерзімділігі: жылына 6 рет.

<http://www.geolog-technical.kz/index.php/en/>

© «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ, 2025

ГЛАВНЫЙ РЕДАКТОР

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент РОО Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

ЗАМЕСТИТЕЛЬ ГЛАВНОГО РЕДАКТОРА

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, академик НАН РК, Казахский национальный исследовательский технический университет им. К.И. Сатпаева (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИОННАЯ КОЛЛЕГИЯ:

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геолого-минералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтаевич, доктор геологоминералогических наук, профессор, почетный академик НАН РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, ассоциированный профессор, директор Лаборатории водных наук Университета Небраски (штат Небраска, США), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЪТМАНН Раймар, PhD, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, ассоциированный профессор, PhD, технический университет Дрезден (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, ассоциированный профессор, Технический университет (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

САГИНТАЕВ Жанай, PhD, ассоциированный профессор, Назарбаев университет (Астана, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, ассоциированный профессор, Миланский университет Биокк (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НУРПЕЙСОВА Маржан Байсановна – доктор технических наук, профессор Казахского Национального исследовательского технического университета им. К.И. Сатпаева, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

РАТОВ Боранбай Товбасарович, доктор технических наук, профессор, заведующий кафедрой «Геофизика и сейсмология», Казахский Национальный исследовательский технический университет им. К.И. Сатпаева, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Берндтссон, Профессор Центра перспективных ближневосточных исследований Лундского университета, профессор (полный курс) Лундского университета, (Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, Факультет химической инженерии и Восточный научно-исследовательский центр, Университет Ариэля, (Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

«Известия РОО «НАН РК». Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ39VPY00025420, выданное 29.07.2020 г.

Тематическая направленность: *геология, гидрогеология, география, горное дело и химические технологии нефти, газа и металлов*

Периодичность: 6 раз в год.

<http://www.geolog-technical.kz/index.php/en/>

© РОО «Национальная академия наук Республики Казахстан», 2025

CONTENTS

Geology

A. Abetov, Zh. Katrenov, S. Kudaibergenova, Sh. Kisseyeva INTEGRATED GEODYNAMIC MONITORING AND RISK ASSESSMENT OF DEFORMATION PROCESSES AT THE BOZASHY NORTH OIL AND GAS FIELD.....	9
Ye. Bukayev, F. Nurbayeva, A. Bukayeva STUDY OF CHEMICAL-MINERALOGICAL COMPOSITION OF LIMESTONE-SHELL FROM THE ZHETIBAI FIELD.....	27
K.S. Dosaliyev, M.I. Karabaev, F.Kh. Aubakirova, A.M. Karabaeva, Ya.B. Kunanbayeva STRESS-STRAIN STATE CALCULATIONS FOR THE SOIL BASE OF THE SLAB FOUNDATION OF A HIGH-RISE BUILDING.....	39
A.S. Ibraim, B.N. Absadykov, S.A. Kalmaganbetov, D.B. Absadykov STUDY OF THE PROSPECTS OF USING 3D PRINTED METAL-CERAMIC ALLOYS IN ELECTRIC MOTORS.....	55
V. Ismailov, J. Bozorov, A. Khusomiddinov, E. Yadigarov, A. Mansurov DETERMINATION OF CHANGES IN SOIL PARAMETERS USING THE PLAXIS 3D PROGRAM USING REINFORCEMENT OF BORED PILES.....	69
Yu.I. Karlina, V.Y. Konyukhov, T.A. Oparina ANALYSIS OF THE INTERACTION OF TRADITIONAL AND NEW TECHNOLOGIES FOR THE EXTRACTION OF METALS FROM SUBSTANDARD RAW MATERIALS.....	83
D.M. Kirgizbaeva, T.B. Nurpeissova, A.Zh. Beisenova, T.A. Kuandykov, S.E. Tirzhanova METHOD OF RECULTIVATION OF POLLUTED SOILS WITH OIL PRODUCTS.....	96
Zh. Markabayeva, K. Koshimbayev, L. Abzhanova, Y. Orakbaev, S. Sagyndykova ANALYSIS OF MODERN METHODS FOR CONTROL AND MANAGEMENT OF THE FLOTATION PROCESS.....	109

N.A. Medeshova, D.A. Novikov, E.S. Auelkhan, A.R. Tasbolat, Sh.D. Miniskul HYDROGEOCHEMICAL FEATURES OF THE NORTH-WESTERN REGIONS OF THE TORGAY DEPRESSION IN RESPECT OF THE SEARCH FOR DEPOSITS OF STRATEGIC METALS.....	120
I.E. Nekrasova, R.V. Kononenko, M.A. Popov, M.I. Chazhaev, S.S. Khudoyorov OPTIMISATION OF DUST REGIME AND EXPLOSION SAFETY OF COAL MINES.....	139
S.H. Novruzova, I.N. Aliyev. E.V. Gadashova CONTROL OF THE FACTORS AFFECTING WELL PRODUCTIVITY.....	151
M.B. Nurpeissova, G. Meirambek, N.S. Donenbayeva, Ye.Zh. Ormambekov, R.Sh. Bek DEVELOPMENT OF METHOD FOR ASSESSING QUARRY SLOPE STABILITY USING SIDE MASSIF MAPPING.....	166
B. Orazbayev, B. Assanova, Zh. Shangitova, Zh. Moldasheva HEURISTIC APPROACH TO MULTI-CRITERIA OPTIMISATION OF A MODEL BASED DELAYED COKING PROCESS IN FUZZY ENVIRONMENT.....	179
B. Orymbetov, E. Orymbetov, G. Orymbetova, A. Khusanov, T. Orymbetov HYDRAULIC RESISTANCE OF THE ADSORBER WITH REGULAR NOZZLE.....	197
A.P. Permana, D.W.K. Baderan, R. Hutagalung, F.A. Ahmad TECTONIC GEOHISTORY OF THE GORONTALO REGION BASED ON FORAMINIFERA FOSSIL.....	207
V. Solonenko, N. Makhmetova, N. Ivanovtseva, M. Kvashnin, V. Nikolaev STABILITY OF WORKINGS OF THE CROSSHAIRS AND DRIFTS TYPE IN THE INCLINED-LAYERED ROCK MASSIF.....	220
V. Stanevich, O. Vyshar, G. Rakhimova, M. Rakhimov, S. Kovtareva TECHNOGENIC WASTE FROM COAL MINING - A PROMISING RAW MATERIAL FOR THE PRODUCTION OF BUILDING CERAMICS.....	233
Zh.K. Tukhfatov, M.K. Jexenov, Y.K. Bektay, G.S. Turysbekova, B.N. Shiderin EXPLORATION STUDIES FOR RAW CHEMICAL MINERAL RESOURCES IN THE CASPIAN BASIN SALT DOMES.....	252

**Y.A. Tynchenko, E.V. Khudyakova, V.V. Kukartsev, M.N. Stepancevich,
A.A. Stupina**

FORECASTING THE CONTENT OF RARE EARTH ELEMENTS BASED
ON GEOCHEMICAL DATA USING ENSEMBLE LEARNING

METHODS.....268

**B. Khusain, N.E. Zhumakhanova, A.Zh. Kenessary, D.N. Delikesheva,
T.D. Darzhokov**

OPTIMIZATION OF CO₂ HUFF-N-PUFF PARAMETERS FOR ENHANCED
GAS RECOVERY IN SHALE RESERVOIRS: A COMPOSITIONAL

SIMULATION STUDY.....281

NEWS of the National Academy of Sciences of the Republic of Kazakhstan

SERIES OF GEOLOGY AND TECHNICAL SCIENCES

ISSN 2224-5278

Volume 3. Number 471 (2025), 27–38

<https://doi.org/10.32014/2025.2518-170X.508>

UDC 666.9-1

© Ye. Bukayev *, F. Nurbayeva, A. Bukayeva, 2025.

Caspian University of Technology and Engineering named after Sh. Yessenov,
Aktau, Kazakhstan.

E-mail: eldar_2306@mail.ru

STUDY OF CHEMICAL-MINERALOGICAL COMPOSITION OF LIMESTONE-SHELL FROM THE ZHETIBAI FIELD

Ye. Bukayev — PhD, Researcher - Institute for Sustainable Development of Arid Territories at the Caspian University of Technology and Engineering named after Sh. Yessenov, Aktau, Kazakhstan, E-mail: eldar_2306@mail.ru, ORCID: ID 0000-0001-5993-3719;

F. Nurbayeva — Candidate of Technical Sciences, Associate Professor, Lecturer, Department of Ecology and Geology, Caspian University of Technology and Engineering named after Sh. Yessenov, Aktau, Kazakhstan, E-mail: farida.nurbayeva@yu.edu.kz, ORCID: ID 0000-0003-0956-1552;

A. Bukayeva — PhD, Associate Professor of Department of Mechanical Engineering and Transport of Caspian State University of Technologies and Engineering named after Sh. Yessenov, Aktau, Kazakhstan, E-mail: amina_bukaeva@mail.ru, ORCID: ID 0000-0003-0956-1552.

Abstract. Construction is a vital sector where the use of concrete materials is steadily increasing. In Kazakhstan, these technologies are employed by more than 100 enterprises. However, due to intensive mineral extraction, more than 20 billion tons of waste have accumulated, including overburden rocks and slags, which contribute to the pollution of water, air, and soil. Global experience shows that an effective solution is the recycling of such waste into construction materials. This approach reduces environmental impact, conserves natural resources, and decreases energy consumption. *Results.* This study presents a method for evaluating the quality of limestone-shell rock from the Zhetybai deposit. Derivatographic analysis (DTA) was conducted using the “Derivatograph Q-1500D” device (MOM), which integrates DTA, TG, and DTG methods. It was determined that heat release is associated with the oxidation of magnesium carbonate (MgCO_3) and calcium carbonate (CaCO_3). Experimental data allowed the determination of optimal concrete compositions (35 seconds setting time), including the addition of sulfite-alcohol bard (SAB) and polyacrylamide (PAA) at 0.2% of the cement weight. These additives improved compressive strength by 24–33% in conventional concretes and by 1.5–11% in lightweight concretes. *Scientific novelty.* A new polymer-cement composition has

been developed based on limestone-shell rock sawing waste. The composition includes a 0.15% polyacrylamide solution combined with white cement (7–8%), filler (68–73%), white spirit (0.5–1.0%), and a hardening accelerator (0.7–1.2%). *Practical Value.* The proposed composition offers an efficient method for recycling mining waste into environmentally safe and durable construction materials.

Keywords: limestone-shell rock, polymer-cement composition, sample preparation, thermogram, derivatographic analysis, thermogravimetry

Acknowledgment, funding: *This research was funded by the Science Committee of the Ministry of Science and Higher Education of the Republic of Kazakhstan under the project grant number AP22686399 “Reduction of environmental impact by using sawed limestone production waste in new building materials”.*

©Е. Букаев*, Ф. Нұрбаева, А. Букаева, 2025.

Ш. Есенов атындағы Каспий технологиялар және инжиниринг университеті,
Ақтау, Қазақстан.

E-mail: eldar_2306@mail.ru

ЖЕТІБАЙ КЕН ОРНЫНЫҢ ӘҚТАС-ҰЛУТАСЫНЫҢ ХИМИЯ-МИНЕРАЛОГИЯЛЫҚ ҚҰРАМЫН ЗЕРТТЕУ

Е. Букаев — PhD, Ш. Есенов атындағы Каспий технологиялар және инжиниринг университеті жанындағы Аридті аумақтарды тұрақты дамыту институтының ғылыми қызметкері, Ақтау, Қазақстан, E-mail: eldar_2306@mail.ru, ORCID: ID 0000-0001-5993-3719;

Ф. Нұрбаева — техника ғылымдарының кандидаты, «Экология және геология» кафедрасының қауымдастырылған профессоры, Ш. Есенов атындағы Каспий технологиялар және инжиниринг университеті, Ақтау, Қазақстан, E-mail: farida.nurbayeva@yu.edu.kz, ORCID: ID 0000-0003-0956-1552;

А. Букаева — PhD, «Машина жасау және көлік» кафедрасының қауымдастырылған профессоры, Ш. Есенов атындағы Каспий технологиялар және инжиниринг университеті, Ақтау, Қазақстан, E-mail: amina_bukaeva@mail.ru, ORCID: ID 0000-0003-0956-1552.

Аннотация. Құрылыс – бетон материалдарын қолдану үнемі өсіп келе жатқан маңызды сала. Қазақстанда бұл технологиялар 100-ден астам кәсіпорында қолданылады. Алайда, пайдалы қазбаларды қарқынды өндіру нәтижесінде 20 миллиард тоннадан астам қалдық жиналып, су, ауа және топырақтың ластануына себеп болып отыр. Дүниежүзілік тәжірибе бұл қалдықтарды құрылыс материалдары ретінде қайта өңдеу – тиімді шешім екенін көрсетеді. Мұндай тәсіл экологиялық жүктемені азайтып, табиғи ресурстар мен энергия шығынын үнемдеуге мүмкіндік береді. *Нәтижелері.* Жұмыста Жетібай кен орнының ұлутас жынысының сапалық қасиеттерін бағалау әдісі қарастырылған. Зерттеуде «Derivatograph Q-1500D» (ММ фирмасы) қондырғысында дериватографиялық талдау (DTA) қолданылды.

Онда DTA, TG және DTG әдістері біріктірілген. Зерттеу нәтижесінде жылу бөлу процесі магний карбонаты ($MgCO_3$) мен кальций карбонатының ($CaCO_3$) тотығуымен байланысты екені анықталды. Эксперименттік деректер негізінде ұлутас толтырғыштары бар бетонның оңтайлы құрамы (қаттылық уақыты – 35 секунд) анықталды. Цемент массасының 0,2%-ын құрайтын сульфит-спирт бардасы (ССБ) мен полиакриламид (ПАА) қоспаларын енгізу нәтижесінде кәдімгі бетонның қысу беріктігі 24–33%-ға, ал жеңіл бетонда 1,5–11%-ға артты. *Ғылыми жаңалығы.* Ұлутас қалдықтары негізінде жаңа полимерцементтік композиция әзірленді. Оның құрамына 0,15% полиакриламид ерітіндісі, ақ цемент (7–8%), толтырғыш (68–73%), уайт-спирит (0,5–1,0%) және қатайтқыш үдеткіш (0,7–1,2%) кіреді. *Практикалық құндылық.* Ұсынылған композиция тау-кен өндірісі қалдықтарын экологиялық қауіпсіз әрі берік құрылыс материалына тиімді айналдыруға мүмкіндік береді. Бұл шешім құрылыс индустриясында қолданылып, шикізат шығынын және қоршаған ортаға түсетін жүктемені азайта алады.

Түйін сөздер: әктас-ұлутас, полимерцементті композиция, сынама дайындау, термограмма, дериватографиялық талдау, термогравиметрия

©Е. Букаев*, Ф. Нурбаева, А. Букаева, 2025.

Каспийский университет технологии и инжиниринга имени Ш. Есенова,
Актау, Казахстан.

E-mail: eldar_2306@mail.ru

ИССЛЕДОВАНИЕ ХИМИКО-МИНЕРАЛОГИЧЕСКОГО СОСТАВА ИЗВЕСТНЯКА-РАКУШЕЧНИКА МЕСТОРОЖДЕНИЯ ЖЕТЫБАЙ

Е. Букаев — PhD, научный сотрудник Института устойчивого развития аридных территорий при Каспийском университете технологий и инжиниринга им. Ш. Есенова, Актау, Казахстан, E-mail: eldar_2306@mail.ru, ORCID: ID 0000-0001-5993-3719;

Ф. Нурбаева — кандидат технических наук, ассоциированный профессор кафедры «Экология и геология» Каспийского университета технологий и инжиниринга им. Ш. Есенова, Актау, Казахстан, E-mail: farida.nurbayeva@yu.edu.kz, ORCID: ID 0000-0003-0956-1552;

А. Букаева — PhD, ассоциированный профессор кафедры «Машиностроение и транспорта» Каспийского университета технологий и инжиниринга им. Ш. Есенова, Актау, Казахстан, E-mail: amina_bukaeva@mail.ru, ORCID ID: 0000-0003-0956-1552.

Аннотация. Строительство — важная отрасль, где растёт использование бетонных материалов. В Казахстане эти технологии применяются на более чем 100 предприятиях. Однако из-за активной добычи полезных ископаемых накопилось свыше 20 млрд тонн отходов, загрязняющих воду, воздух и почву. Мировой опыт показывает, что эффективным решением является переработка этих отходов в строительные материалы. Это снижает экологическую нагрузку, экономит природные ресурсы и уменьшает энергозатраты. Результаты. В работе

рассмотрен метод оценки качества известняка-ракушечника Жетыбайского месторождения. Применён дериватографический анализ (DTA), выполненный на установке «Derivatograph Q-1500D» (фирма MOM), с объединением DTA, TG и DTG-методов. Установлено, что тепловыделение связано с окислением карбонатов $MgCO_3$ и $CaCO_3$. На основе экспериментальных данных определены оптимальные составы бетона (жесткость 35 сек), включающие добавки сульфитно-спиртовой барды (ССБ) и полиакриламида (ПАА) в количестве 0,2% от массы цемента. Это привело к увеличению прочности на сжатие у обычных бетонов на 24–33%, у лёгких — на 1,5–11%. Научная новизна. Разработана новая полимерцементная композиция на основе отходов от распиловки известняка-ракушечника. Раствор полиакриламида (0,15%) используется в сочетании с белым цементом (7–8%), наполнителем (68–73%), уайт-спиритом (0,5–1,0%) и ускорителем твердения (0,7–1,2%). Практическая ценность. Предложенный состав позволяет эффективно перерабатывать отходы горных работ, получая экологически безопасные и прочные строительные материалы. Разработка может быть внедрена на предприятиях строительной индустрии, снижая экологическую нагрузку и затраты на сырьё.

Ключевые слова: известняк-ракушечник, полимерцементная композиция, пробоподготовка, термограмма, дериватографический анализ, термogravиметрия

Introduction. Creation of polymer-cement compositions from waste saw limestone as fillers in concrete were first put forward by the authors (Duran-Herrera, et al., 2019; Busari, et al., 2019; Aruova, et al., 2017; Yessentay, et al., 2021; Alzhanova, et al., 2016), they proved that using low-strength limestone-shell rock, it is possible to obtain, at normal rates of cement, structural concrete strength to 300 kg/cm² and volume weight lower than heavy concretes. Using limestone with a strength of 50-100 kg/cm² in a piece can be obtained concrete grades “15”-“30”, the consumption of cement 120-160 kg/m³. Such material, with its high-performance qualities, is quite suitable for the construction of monolithic walls of buildings with a number of floors from one to three.

Taking into account that most of developed fields of saw-toothed limestone give stones of low durability, the new method of usage of wastes of low durability limestone which allows to receive a wall material which durability considerably exceeds initial durability of an aggregate (Bukayev, et al., 2020) is developed. Mangyshlak limestone-shell rock meets the requirements of GOST 9479-2011 as a rock for obtaining high-quality sawn products (GOST 9479-2011, 2021).

Materials and methods. In purpose of determining the qualitative and quantitative composition of limestone-shell rock sample at Site-3 in the area of Zhetybai field, used in the work, was carried out derivatographic analysis (DTA). The method is based on registration by the device changes in the thermochemical

and physical parameters of the substance, which may be caused by its heating. Derivatographic analysis (DTA) of limestone-shell rock was carried out on an upgraded installation “Derivatograph Q-1500D” by IOM, which combined the various options of thermal analysis, such as DTA (differential thermal analysis), TG (thermogravimetric) and DTG (differential thermogravimetric) for two hours.




Fig. 1. - Derivatographic analysis (DTA) of a sample of limestone-shell rock of Zhetybai fields

For the analysis, the sample preparation was as follows:

- The test substance was ground in an agate mortar to a powder state;
- a sample of the substance under study was poured into the crucible;
- taking thermograms was carried out up to 1000°C with the heating rate of 10°C per minute.

Al₂O₃ powder was used as a reference in thermocouple. The thermograms were taken up to 1000°C with the heating rate of 10°C per minute.

Figure 1 shows the results of derivatographic analysis of limestone-shell rock sample.

Results. According to the results of derivatographic analysis of limestone-shell rock sample on the DTA curve recorded endothermic decomposition of magnesium carbonates MgCO₃ and calcium CaCO₃ from 600°C to 970°C.

The thermogram's the calcination loss rate (CLR) is 43.74 %.

Figure 2 shows a graph of thermogravimetry of limestone-shell rock sample.




Fig. 2. - Thermogravimetry of limestone-shell rock sample

Identification of components of powder samples was carried out by morphologies of thermal curves and numerical values of intensities of endo- and exothermic effects using coupled with them thermogravimetric indications of TG-lines.

On the basis of the curve TG it is possible to judge how the mass of the sample of limestone-shell rock of Zhetybai fields changed during heating. By removing the difficulty of assessing the TG curve of the limestone-shell rock sample is the following method of differential thermal analysis (DTA).

The component composition of the sample was determined by differentiating its thermochemical readings of their belonging to any known (by reference data) formations.

Deciphering of thermal analysis diagrams, mineralogical interpretation of their curves and explanation of the thermal behavior of the studied model systems were carried out using the following literature (Wagner, 2018; Aimbetova, et al., 2021; Shambilova, et al., 2015).

In the interval from 750°C to 720°C (time - 8 min) begins intensive development of endothermic process, then in the interval from 720°C to 740°C (time - 5 min) shows the transition to exothermia. At temperature from 740°C to 725°C (time -

3 min) endothermic process is manifested, further in the interval from 725°C to 740°C (time - 10 min) exothermic process is manifested.

At a temperature of 590°C to 470°C (time - 10 min) endothermic process is manifested, further in the interval from 470°C to 600°C (time - 4 min) intensive development of exothermic process is manifested. By time increase at 600°C to 260°C (time - 5 min) clearly pronounced endothermic process, further in the interval from 260°C to 680°C (time - 10 min) clearly pronounced exothermic process is manifested. In the interval from 680°C to 410°C (time - 5 min) an intensive development of endothermic process starts, further in the interval from 410°C to 765°C (time - 5 min) an obviously expressed exothermic process. At temperature from 765°C to 720°C (time - 4 min) development of endothermic process, further in the interval 720°C to 765°C (time - 7 min) development of exothermic process. At temperature from 765°C to 680°C (time - 9 min) the endothermic process appears, then in the interval from 680°C to 755°C (time - 10 min) the exothermic process appears. As the time increases at 755°C (time - 9 min) DTG curve goes straight.

DTA in differential thermal analysis DTA curve of limestone-shell rock sample, the introduction of heat into the system at the initial stages of endothermic and exothermic process proceeds smoothly. In the interval from 500°C to 440°C (time - 13 min) shows the smooth development of endothermic process, then in the interval from 440°C to 545°C (time - 39 min) shows the smooth development of exothermic process. At rise in time from 545°C to 400°C (time - 22 min) an intensive development of endothermic process, further in a range from 400°C to 470°C (time - 6 min) an intensive development of exothermic process and at temperature from 470°C to 0°C (time - 7 min) an obviously expressed endothermic process is shown. At increasing time from 0°C to 555°C (time - 5 min) an intensive development of exothermic process, further in the interval from 555°C to 470°C (time - 6 min) an intensive development of exothermic process and at temperature from 470°C to 360°C (time - 18 min) an evident endothermic process is manifested.

The entire process of heat energy release is caused by the oxidation of magnesium and calcium carbonates. Thereby, according to the results of thermal analysis diagrams on the curve recorded endothermic decomposition of magnesium and calcium carbonates from 600°C to 970°C.

X-ray phase analysis (XRF). X-ray phase analysis of limestone-shell rock sample was carried out on an upgraded diffractometer DRON-3M on CuK α -radiation with software.

The sample preparation was carried out according to the following stages:

- the substance under study was grinded in an agate mortar to a powder, then the powder was poured into a Plexiglas cuvette pre-lubricated with vaseline and slightly pressed.
- to eliminate the texture, the excess powder was cut off with a blade.

Table 1 shows the parameters set for the X-ray phase analysis of the sample of limestone-shell rock of Zhetybai fields.

Table 1 - Parameters set for X-ray phase analysis of the limestone-shell sample from Zhetybai field

Parameters set for X-ray phase analysis	
Range of shooting angles	Start angle 100
	Final angle 700
Scanning step	0.05
Scanning speed	2 degree/min
Exposition	1.5
Maximum pulse number	2125

Figure 3 shows the X-ray phase analysis of a sample of limestone-shell rock.




Fig. 3. - X-ray phase analysis of the sample limestone-shell of the Zhetybai field

Designing the composition of concrete mixtures is based on the basic parameters of strength, stiffness and curing regimes. When designing the composition of concrete based on the main parameters: the stiffness of the concrete mix, assigned in accordance with the characteristics of the product forming a concrete mix of the mechanism and the achievement of the required strength of concrete with the curing regime.

On the basis of experiments for the optimal composition of concrete (at 35 sec stiffness) on the fillers from the limestone fields studied the recommended cement consumption and water-cement ratio (W/C) for concretes of various brands to facilitate the composition of concrete on the filler from Zhetybai limestone field (waste rock sawing from it is currently used in experimental construction) schedules were made, which depend on the specified hardness of the concrete mixture and the strength of the limestone concrete, you can determine the consumption of cement (kg/m^3) composition of the concrete mixture by weight to set its water-cement ratio (figure 4).




Fig. 4. - Selection of compositions of limestone concrete on filler of Zhetybai field
 1 - stiffness 30-40 sec; 2 - stiffness 60-80 sec; 3 - stiffness 20-10 sec; 4 - standard cone settling 0-8 cm.

Discussion. When designing compositions of limestone concretes in the scheduling it is necessary to consider the basic properties and characteristics of the concrete mixture and concrete on the limestone filler (the dependence between stiffness and water content of the concrete mixture, the rule of constant water content, the dependence between the strength of the filler and the strength of the concrete). Rather high strength of concrete allows you to make from it a wide range of building products: road slabs, partition boards, curbs, pedestrian slabs, etc.

Another direction is the use of limestone as filler for concrete. Replacement of dense and strong crushed stone (gravel) in concrete with local limestone allows you to get concrete with less bulk weight and increased thermal and sound insulation qualities.

Development of new technologies for the production of cement stone on the basis of waste wall stone made with various mineral additives.

The bonding strength of cement stone with ground mineral plates of different chemical composition for limestone is several times higher than for granite, labrador, quartz, etc. The study of processes taking place in the contact zone of tuff and peplpemza fillers with cement stone under a microscope showed that the structure-forming role of porous filler is manifested in the formation of mechanical bonding with the hardening cement dough (binder) by filling the surface irregularities of grains, products of its hydration in the pores of the filler and in the change of cementitious mass density as a result of absorption of the liquid phase from it by porous filler with a decrease in the water-cement ratio.

For concrete with a strength of 7.5 to 15 MPa, used for massive structures, foundations, retaining walls, the maximum grain size of natural porous fillers, with appropriate justification can be increased up to 40 mm or more. Experiments have shown that with the introduction of PAA the stiffness of the concrete mixture on the filler of porous limestone is significantly reduced. Thus, at addition of 0.2% PAA it

decreases more than 2 times as compared with the stiffness of the mixture without additive (at $s = 40s$).

The introduction of polyacrylamide PAA can increase the strength of concrete up to 20% (table 2). The increase in mobility of concrete mixture at a dosage of PAA 0.2% of the weight of cement reaches 35-40%.

Table 2 – The effect of PAA additive on concrete strength and change in cement consumption: a) C – cement; b) S – sand; c) G – gravel (crushed stone); d) W - water

Расход материалов, кг, на 1 м ³ бетона				PAA, % by mass of cement	Concrete strength at the age of 28 days, MPa	Cement savings, %
C	S	G	W			
1	692	1014	230	0	27,3	0
2	706	1034	217	0,1	31,2	5,65
3	711	1045	206	0,15	27,9	10,17
4	714	1046	209	0,2	30,3	9,9

The nearest to the invention in terms of technical essence and the achieved result is polymer-cement composition including the following composition in mass %: white cement 17-20, ground silica sand 10-12, butadiene styrene latex 5.5-6.0, pyrite cinders 1.7-2.0, ground clay brick 54-61 and water 2 (A.S. 1004304. USSR., 1983).

The main disadvantage of this composition is the low strength of the finished products at a significant consumption of cement and polymer.

The purpose of the present invention is to reduce the consumption of cement and improve the quality and physical and mechanical properties of the product.

Table 3 - Contains of polymer-cement composition

Source material	Mass, %
White cement	7–8
The mentioned filler	68–73
The mentioned water solution of polymer	15–18
White spirit	0.5–1.0
The mentioned curing accelerator	0.7–1.2

The purpose is achieved by the fact that polymer-cement composition including white cement, filler and aqueous polymer solution contains additionally white spirit and hardening gas pedal - duralumin solution in hydrochloric acid in the ratio 1:10, diluted with water to 1% concentration. As a filler - ground limestone sift of shell rock, and as an aqueous polymer solution - 0.15% solution of polyacrylamide at the following ratio of components, mass % (table 3) (Patent №4370 RK, 2019).

Conclusion.

1. It is established that in the time interval from 0°C to 555°C (time - 5 min) the intensive development of exothermic process, further in the interval from 555°C to 470°C (time - 6 min) the intensive development of exothermic process and at 470°C

to 360°C (time - 18 min) the clearly pronounced endothermic process, therefore, the whole process of heat energy release is caused by oxidation of magnesium $\text{Mg}(\text{CO}_3)$ and calcium carbonates CaCO_3 . Thereby, according to the results of thermal analysis diagrams, endothermic effect of decomposition of magnesium $\text{Mg}(\text{CO}_3)$ and calcium carbonates CaCO_3 from 600°C to 970°C is fixed on the curve;

2. According to the results of processing of experimental data of limestone-shell rock sample, eight peaks of calcite CaCO_3 , two peaks of dolomite $\text{CaMg}(\text{CO}_3)_2$ and one peak of magnesite $\text{Mg}(\text{CO}_3)$, which indicates a large amount of limestone-shell rock carbonate calcite CaCO_3 ;

On the basis of experiments for the optimum composition of concrete (at 35 sec stiffness) on fillers from the limestone fields studied, given the recommended cement consumption and water-cement ratio (W/C) for concrete grades 100, 150, 200, 250, 300 and 400;

3. Introduction of optimal amounts of sulfite-alcoholic bard (SAB) and polyacrylamide (PAA) additives in conventional and lightweight concretes (0.2% of cement weight) leads to an increase in the compressive strength limit for conventional concretes from 24 to 33% and for lightweight - from 1.5 to 11%;

4. A new polymer-cement composition for the manufacture of wall blocks from sawtooth rock mining wastes from limestone-shell rock: and as an aqueous polymer solution - 0.15% solution of polyacrylamide with the following ratio of components, mass. % cement white - 7-8%, filler - 68-73%, aqueous polymer solution - 15-18, white spirit - 0.5-1.0, hardening gas pedal - duralumin solution in hydrochloric acid - 0.7-1.2.

References

Aruova L.B., Dauzhanov N.T. (2017) Energy and Resource Saving Technologies of Building Materials Production Using Solar Energy. MOJ Civil Engineering, Volume 3, Issue 3, –P. 1-7. DOI: 10.15406/mojce.2017.03.00068 (in English)

Alzhanova A.Zh., Bitekova A.A., Suleimbek G.A., Dubinina E.S., Turebekova G.Z., Omashova G.Sh., Naukenova A.S., Shapalov Sh.K., Zhumatayeva S.B. (2016) New raw materials for energy-efficient production technology of white portland cement. News of the National Academy of Sciences of the Republic of Kazakhstan-Series Chemistry and Technology. ISSN 2224-5286. Volume 2, Number 416 (2016), –P. 82 – 86 (in English)

Aimbetova I.O., Kurbaniyazov S. (2021) Mineral and petrographic analysis of clay raw materials of the turkestan region used as additives to thermal insulation materials. News of the National Academy of Sciences of the Republic of Kazakhstan-Series Chemistry and Technology. ISSN 2224-5286 Volume 2, Number 446 (2021), –P. 110 – 119. <https://doi.org/10.32014/2021.2518-1491.35> (in English)

A.S. 1004304. USSR. (1983) Polimercementnaja kompozicija [Polymeric cement composition]. V.F. Voloshin, B.B. Weiner, V.P. Ronin, E.I. Zarezer; publ. 15.03.83. Bul. №10, 3 (in Russian)

Bukayev Ye.Z., Kenzhetayev G.Zh., Serikbayeva A.K., Mutalibova G.K. (2020) Razrabotka novogo materiala na osnove polimersementnoi kompozitsii dlä proizvodstva betonnyh blokov [Development of new material on the basis of polymer cement composition for concrete blocks production] // International scientific and practical conference “Global Science - 2019”. Orsk, Russia, –P. 341-345 (in Russian)

Busari A., Dahunsi B., Akinmusuru J. (2019) Sustainable concrete for rigid pavement construction using de-hydroxylated Kaolinitic clay: Mechanical and microstructural properties. Construction and

Building Materials, - Vol. 211, –P. 408-415. <https://doi.org/10.1016/j.conbuildmat.2019.03.170> (in English)

Duran-Herrera A., De-Leon-Esquivel J., Bentz D.P., Valdez-Tamez P. (2019) Self-compacting concretes using fly ash and fine limestone powder: Shrinkage and surface electrical resistivity of equivalent mortars. Construction and Building Materials, - Vol.199, 50-62. <https://doi.org/10.1016/j.conbuildmat.2018.11.191> (in English)

GOST 9479-2011 Bloki iz gornyh porod dlja proizvodstva oblicovочnyh, arhitekturno-stroitel'nyh, memorial'nyh i drugih izdelij [Blocks of rocks for the production of facing, architectural and construction, memorial and other products]. Technical conditions. - Introduction. 2012-10-01. - M.: FGUP STANDARD INFORM. 2012. 4 p. (in Russian)

Patent №4370 RK. Polimercementnaja kompozicija [Polymer cement composition] (2019). G.Zh. Kenzhetayev, A.K. Serikbayeva, Ye.Z. Bukayev, A.M. Aitimova, A.N. Boranbayeva, Sh.K. Baimukasheva; publ. 25.10.2019, Bul. № 43, 3 (in Russian)

Shambilova G.K., Abdykadyrova Z.D. (2015) The method of constructing phase diagram of the system polymer – solution. News of the National Academy of Sciences of the Republic of Kazakhstan-Series Chemistry and Technology. ISSN 2224-5286. Volume 6, Number 414 (2015), –P. 126 – 132 (in English)

Wagner M. (2018) Thermal Analysis in Practice: Fundamental Aspects. Hanser Fachbuchverlag, 349. <https://doi.org/10.3139/9781569906446> (in English)

Yessentay D.E., Kiyalbaev A.K., Kiyalbay S.N., Borisyuk N.V. (2021) Substantiation of application of anti-ice chemical reagents on automobile roads with cement concrete covering. News of the National Academy of Sciences of the Republic of Kazakhstan-Series Chemistry and Technology. ISSN 2224-5286. Volume 1, Number 445 (2021), –P. 112-118. <https://doi.org/10.32014/2021.2518-1491.14> (in English)

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

**[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)
<http://www.geolog-technical.kz/index.php/en/>
ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

Директор отдела издания научных журналов НАН РК *А. Ботанқызы*

Редакторы: *Д.С. Аленов, Ж.Ш. Әден*

Верстка на компьютере *Г.Д. Жадыранова*

Подписано в печать 15.06.2025.

Формат 70х90^{1/16}. Бумага офсетная. Печать – ризограф.
14,5 п.л. Заказ 3.