

ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
әл-Фараби атындағы Қазақ ұлттық университетінің

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Қазақстан Республикасының
Ғылым Академиясының
Әл-Фараби атындағы
Қазақ ұлттық университетінің

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Al-Farabi Kazakh
National University

SERIES
PHYSICO-MATHEMATICAL

4 (332)

JULY – AUGUST 2020

PUBLISHED SINCE JANUARY 1963

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

Б а с р е д а к т о р ы
ф.-м.ғ.д., проф., ҚР ҰҒА академигі
Ғ.М. Мұтанов

Р е д а к ц и я а л қ а с ы:

Асанова А.Т. проф. (Қазақстан)
Бошкаев К.А. PhD докторы (Қазақстан)
Байгунчеков Ж.Ж. проф., академик (Қазақстан)
Вишневский И.Н. проф., академик (Украина)
Quevedo Hernando проф. (Мексика),
Жүсіпов М.А. проф. (Қазақстан)
Жұмабаев Д.С. проф. (Қазақстан)
Ковалев А.М. проф., академик (Украина)
Калимолдаев М.Н. проф., академик (Қазақстан)
Михалевич А.А. проф., академик (Белорусь)
Молдабеков М. М. проф., академик (Қазақстан)
Мырзакулов Р. проф., академик (Қазақстан)
Өмірбаев У.У. проф., академик (Қазақстан)
Пашаев А. проф., академик (Әзірбайжан)
Рамазанов Т.С. проф., академик (Қазақстан)
Такибаев Н.Ж. проф., академик (Қазақстан), бас ред. орынбасары
Тигиняну И. проф., академик (Молдова)
Тулешов А.К. проф., чл.-корр. (Қазақстан)
Уалиев З.Г. проф., чл.-корр. (Қазақстан)

«ҚР ҰҒА Хабарлары. Физика-математикалық сериясы».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және коммуникациялар министрлігінің Ақпарат комитетінде 14.02.2018 ж. берілген № 16906-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28; 219, 220 бөл.; тел.: 272-13-19; 272-13-18,
<http://physics-mathematics.kz/index.php/en/archive>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2020

Типографияның мекенжайы: «NurNaz GRACE», Алматы қ., Рысқұлов көш., 103.

Главный редактор
д.ф.-м.н., проф. академик НАН РК
Г.М. Мутанов

Редакционная коллегия:

Асанова А.Т. проф. (Казахстан)
Бошкаев К.А. доктор PhD (Казахстан)
Байгунчечков Ж.Ж. проф., академик (Казахстан)
Вишневский И.Н. проф., академик (Украина)
Quevedo Hernando проф. (Мексика),
Жусупов М.А. проф. (Казахстан)
Джумабаев Д.С. проф. (Казахстан)
Ковалев А.М. проф., академик (Украина)
Калимолдаев М.Н. проф., академик (Казахстан)
Михалевич А.А. проф., академик (Беларусь)
Молдабеков М. М. проф., академик (Казахстан)
Мырзакулов Р. проф., академик (Казахстан)
Пашаев А. проф., академик (Азербайджан)
Рамазанов Т.С. проф., академик (Казахстан)
Такибаев Н.Ж. проф., академик (Казахстан), зам. гл. ред.
Тигиняну И. проф., академик (Молдова)
Тулешов А.К. проф., чл.-корр. (Казахстан)
Уалиев З.Г. проф., чл.-корр. (Казахстан)
Умирбаев У.У. проф., академик (Казахстан)

«Известия НАН РК. Серия физика-математическая».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и коммуникаций Республики Казахстан № 16906-Ж, выданное 14.02.2018 г.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219, 220; тел.: 272-13-19; 272-13-18,
<http://physics-mathematics.kz/index.php/en/archive>

© Национальная академия наук Республики Казахстан, 2020

Адрес типографии: «NurNaz GRACE», г. Алматы, ул. Рыскулова, 103.

Editor in chief

doctor of physics and mathematics, professor, academician of NAS RK

G.M. Mutanov

Editorial board:

Asanova A.T. prof. (Kazakhstan)
Boshkayev K.A. PhD (Kazakhstan)
Baigunchekov Zh.Zh. prof., akademik (Kazakhstan)
Vishnevskiy I.N. prof., academician (Ukraine)
Quevedo Hernando prof. (Mexico),
Zhusupov M.A. prof. (Kazakhstan)
Dzhumabayev D.S. prof. (Kazakhstan)
Kovalev A.M. prof., academician (Ukraine)
Kalimoldaev M.N. prof., akademik (Kazakhstan)
Mikhalevich A.A. prof., academician (Belarus)
Moldabekov M. M. prof., akademik (Kazakhstan)
Myrzakulov R. prof., akademik (Kazakhstan)
Pashayev A. prof., academician (Azerbaijan)
Ramazanov T.S. prof., akademik (Kazakhstan)
Takibayev N.Zh. prof., academician (Kazakhstan), deputy editor in chief.
Tiginyanu I. prof., academician (Moldova)
Tuleshov A.K. prof., chl.-korr. (Kazakhstan)
Ualiev Z.G. prof., chl.-korr. (Kazakhstan)
Umirbayev U.U. prof., academician (Kazakhstan)

News of the National Academy of Sciences of the Republic of Kazakhstan. Physical-mathematical series.

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Communications of the Republic of Kazakhstan **No. 16906-Ж**, issued on 14.02.2018.

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19; 272-13-18,

<http://physics-mathematics.kz/index.php/en/archive>

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Address of printing house: «NurNaz GRACE», 103, Ryskulov str, Almaty.

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN
PHYSICO-MATHEMATICAL SERIES

ISSN 1991-346X

<https://doi.org/10.32014/2020.2518-1726.62>

Volume 4, Number 332 (2020), 28 – 34

UDC 004.032.26

IRSTI 28.23.37

**Marat Nurtas¹, Zh. Baishemirov^{2,3},
V. Tsay¹, M. Tastanov¹, Zh. Zhanabekov¹**

¹International Information Technologies University, Almaty, Kazakhstan;

²Abai Kazakh National Pedagogical University, Almaty, Kazakhstan;

³RSE Institute of Information and Computational Technology CS MES RK, Almaty, Kazakhstan.

E-mail: maratnurtas@gmail.com; zbai.kz@gmail.com;

tsay.victor96@gmail.com; tychty4@gmail.com; zzhanabekov@gmail.com

APPLYING NEURAL NETWORK FOR PREDICTING CARDIOVASCULAR DISEASE RISK

Abstract. This article concerns the problem of the prevalence of cardiovascular disease in economically developed countries. The purpose of this article is to create a neural network to determine the risk of cardiovascular disease based on the individual characteristics of the patient. In order to predict the risk of cardiovascular disease a neural network has been developed. The model was built in the Python programming language using the open-source library for building neural networks Keras. Data containing patient information for model building were taken from Kaggle.com. The accuracy of the neural network is 82%. With the help of neural network it will be possible to analyze the changes and the development of diseases in the future by changing the patient's input parameters, for instance, age, increase in blood pressure and etc. Also it would be possible to change the predictive diagnosis for the better if follow the parameters such as refusal from addictions, regular sleep, a healthy lifestyle and proper nutrition.

Key words: Neural network, cardiovascular system diseases, predicting models, supervised learning, activation function, Keras.

Introduction. Cardiovascular system diseases, in particular chronic heart failure, cardiac ischemia and arterial hypertension are a public health problem in economically developed countries. One of the obvious and main reasons is the complexity of the initial diagnosis and the reluctance of people to visit clinics and hospitals when the first symptoms appear. A fast pace of life, poor nutrition, a sedentary lifestyle, addictions, and a lack of proper sleep all negatively affect the cardiovascular system. According to World Health Organization in 2016, more than 17.9 million people died from coronary heart disease, which amounted to 31% of all deaths^[1]. Given the prevalence of cardiovascular diseases in developed countries, there is an urgent need to create a tool for the diagnosis of cardiovascular disease in the early stages of development. A neural network can be one of solutions to the problem due to its accessibility and ease of use.

The first attempts to create diagnostic neural networks date back to the 40-50s of the XX century, after the publication of the fundamental works of W. McCulloch, W. Pitts and F. Rosenblatt, who laid the theoretical foundations of neural networks^[2].

The list of medical spheres where neural networks have begun to be applied for diagnosing diseases are very long, and it is increasing from year to year. The accessibility of the neural networks courses, electronic patient records, a large number of articles about implementing of neural networks, the ability to create neural networks on ordinary laptops contributes to the development and application of neural networks not only in medicine, but also in other areas of human activities^[3].

Neural networks largely borrow their structure and principles of work from the cerebral cortex. Like the brain, they learn from life examples, extract and encode this knowledge in the form of synoptic neural connections. After training and testing, neural networks become mathematical models. This means that you can experiment with them, solve practical problems, predict behavior in the subject area (predicting the development of the disease), and diagnose the state of the subject area^[4].

The selection of input parameters with high information value, in other words parameters that affect the result of the model, is of great importance. The choice of parameters that have significant impact on the diagnosis of cardiovascular disease is not obvious. Therefore, as the input parameters for the neural network, all provided parameters should be selected that characterize the patient and are able to influence the result. On the other hand, in order to create a neural network accessible for mass use, the most accessible data were used, which did not require complex analyzes in hospitals.

Neural network. A neural network is a mathematical model and its software embodiment, which operates on the principle of a biological neural network, where each neuron is connected to another neuron from the previous layer. Each neuron receives and sends signals to other neurons, which provides a connection between them by synapses.




Figure 1 – General structure of neural network

A neuron is a computing unit that receives information, performs simple calculations on it, and passes the changed information on. Neurons are mainly divided into 3 groups: input, hidden and output as shown in Figure 1. There is also a displacement neuron and a contextual neuron. In the case when the number of neurons is large, the term layer is used. Each neuron has input and output data. In the case of an input neuron, income data is equivalent to output. In other cases, the income data is a summary of data from all previous layers. Further, this input information is normalized using the activation function, usually written $f(x)$. Neurons operate with numbers in the range of $[0,1]$ or $[-1,1]$. Therefore, it is necessary to carry out the normalization process.

A synapse is a connection between two neurons that has a weight, usually denoted by w . Due to this weight, the input information changes during transmission from one neuron to another. The higher the weight of one neuron, the more significant the information transmitted to the next neuron will be. Thanks to these scales, the input information is processed and turned into a result. During the initialization of the neural network, weights are randomly distributed.

The activation function is a way to normalize input data, in other words, if you have a large number at the input, going through the activation function, this number will be reduced in the required range. The most commonly used activation functions are: linear, sigmoid (logistic) and hyperbolic tangent. The linear function (1) is used in cases where it is necessary to transmit information without changes or to test a neural network. The sigmoid (2), also called the logistic function, takes values in the range $[0,1]$ and is the most common activation function. It makes sense to use hyperbolic tangent (3) when the values can be negative and positive. It has a range of $[-1,1]$. Using hyperbolic tangent, when the values are only positive, will adversely affect the accuracy of the neural network.

$$f(x) = x \tag{1}$$

$$f(x) = \frac{1}{(1+e^{-x})} \tag{2}$$

$$f(x) = \frac{(e^{2x}-1)}{(e^{2x}+1)} \tag{3}$$

Neural network training is divided into two large clusters: supervised learning and unsupervised learning. Supervised learning is a method of building a neural network, in which the results of observations from dataset, which is used for training the model, are already known initially and the neural network learns to correctly determine the future results using examples. Supervised learning is used for problems such as regression and classification. In unsupervised learning, the result of observation in the dataset is not initially known. Most often, this approach is used when it is necessary to group data by certain parameters or to create a recommendation system.

Model building. For building any predicting model. As the dataset on which the neural network was built, the file heart.csv^[5] was used. The file contains information about 303 patients and 14 significant variables, among which:

- 1) age;
- 2) sex;
- 3) cp: chest pain type (value 1: typical angina, value 2: atypical angina, value 3: non-anginal pain, value 4: asymptomatic);
- 4) trestbps: resting blood pressure (in mm Hg on admission to the hospital);
- 5) chol: serum cholestorl (in mg/dl);
- 6) fbs: fasting blood sugar > 120 mg/dl (1 = true; 0 = false);
- 7) restecg: resting electrocardiographic result (value 0: normal, value 1: having ST-T wave abnormality [T wave inversions and/or ST elevation or depression of > 0.05 mV], value 2: showing probable or definite left ventricular hypertrophy by Estes' criteria);
- 8) thalach: maximum heart rate achieved;
- 9) exang: exercise induced angina (1 = yes; 0 = no);
- 10) oldpeak = ST depression induced by exercise relative to rest;
- 11) slope: the slope of the peak exercise ST segment (value 1: upsloping, value 2: flat, value 3: downsloping);
- 12) ca: number of major vessels (0-3) colored by fluoroscopy;
- 13) thal: 3 = normal; 6 = fixed defect; 7 = reversible defect;
- 14) num: diagnosis of heart disease or angiographic disease status (value 0: < 50% diameter narrowing, value 1: > 50% diameter narrowing).

In [3]: `data.head(10)`

Out[3]:

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	target
0	63	1	3	145	233	1	0	150	0	2.3	0	0	1	1
1	37	1	2	130	250	0	1	187	0	3.5	0	0	2	1
2	41	0	1	130	204	0	0	172	0	1.4	2	0	2	1
3	56	1	1	120	236	0	1	178	0	0.8	2	0	2	1
4	57	0	0	120	354	0	1	163	1	0.6	2	0	2	1
5	57	1	0	140	192	0	1	148	0	0.4	1	0	1	1
6	56	0	1	140	294	0	0	153	0	1.3	1	0	2	1
7	44	1	1	120	263	0	1	173	0	0.0	2	0	3	1
8	52	1	2	172	199	1	1	162	0	0.5	2	0	3	1
9	57	1	2	150	168	0	1	174	0	1.6	2	0	2	1

Figure 2 – Dataset for predicting cardiovascular disease risk


```
In [5]: data.corr()
```

```
Out[5]:
```

	age	sex	cp	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	target
age	1.000000	-0.098447	-0.0688653	0.279351	0.213678	0.121308	-0.116211	-0.398522	0.096801	0.210013	-0.168814	0.276326	0.068001	-0.225439
sex	-0.098447	1.000000	-0.049353	-0.056769	-0.197912	0.045032	-0.058196	-0.044020	0.141664	0.096093	-0.030711	0.118261	0.210041	-0.280937
cp	-0.0688653	-0.049353	1.000000	0.047608	-0.076904	0.094444	0.044421	0.295762	-0.394280	-0.149230	0.119717	-0.181053	-0.161736	0.433798
trestbps	0.279351	-0.056769	0.047608	1.000000	0.123174	0.177531	-0.114103	-0.046698	0.067616	0.193216	-0.121475	0.101389	0.062210	-0.144931
chol	0.213678	-0.197912	-0.076904	0.123174	1.000000	0.013294	-0.151040	-0.009940	0.067023	0.053952	-0.004038	0.070511	0.098803	-0.085239
fbs	0.121308	0.045032	0.094444	0.177531	0.013294	1.000000	-0.084189	-0.008567	0.025665	0.005747	-0.059894	0.137979	-0.032019	-0.028046
restecg	-0.116211	-0.058196	0.044421	-0.114103	-0.151040	-0.084189	1.000000	0.044123	-0.070733	-0.058770	0.093045	-0.072042	-0.011981	0.137230
thalach	-0.398522	-0.044020	0.295762	-0.046698	-0.009940	-0.008567	0.044123	1.000000	-0.378812	-0.344187	0.386784	-0.213177	-0.096439	0.421741
exang	0.096801	0.141664	-0.394280	0.067616	0.067023	0.025665	-0.070733	-0.378812	1.000000	0.288223	-0.257748	0.115739	0.206754	-0.436757
oldpeak	0.210013	0.096093	-0.149230	0.193216	0.053952	0.005747	-0.058770	-0.344187	0.288223	1.000000	-0.577537	0.222682	0.210244	-0.430696
slope	-0.168814	-0.030711	0.119717	-0.121475	-0.004038	-0.059894	0.093045	0.386784	-0.257748	-0.577537	1.000000	-0.080155	-0.104764	0.345877
ca	0.276326	0.118261	-0.181053	0.101389	0.070511	0.137979	-0.072042	-0.213177	0.115739	0.222682	-0.080155	1.000000	0.151832	-0.391724
thal	0.068001	0.210041	-0.161736	0.062210	0.098803	-0.032019	-0.011981	-0.096439	0.206754	0.210244	-0.104764	0.151832	1.000000	-0.344029
target	-0.225439	-0.280937	0.433798	-0.144931	-0.085239	-0.028046	0.137230	0.421741	-0.436757	-0.430696	0.345877	-0.391724	-0.344029	1.000000

Figure 3 – Correlation matrix of the dataset

The model was built with open-source neural network library Keras written in Python^[6]. Keras is designed for building deep neural networks. It is user-friendly and modular library, which includes blocks such as layers, optimizers, activation functions, objectives and host of tools to work with image and text data. Keras supports standard, convolutional and recurrent neural networks.

Results. The neural network, after training and optimization, was tested on data that was not involved in the learning process of the model. As a result, the neural network has an accuracy of 82% and a standard deviation of 0.026. The most valuable variables were chest pain type, maximum heart rate achieved, exercise induced angina, ST depression induced by exercise relative to rest and number of major vessels (0-3) colored by fluoroscopy.

```
variance = accuracies.std()
```

```
162/162 [=====] - 0s 56us/step - loss: 0.2412 - accuracy: 0.8951
Epoch 9992/10000
162/162 [=====] - 0s 56us/step - loss: 0.2394 - accuracy: 0.8889
Epoch 9993/10000
162/162 [=====] - 0s 43us/step - loss: 0.2358 - accuracy: 0.8889
Epoch 9994/10000
162/162 [=====] - 0s 56us/step - loss: 0.2457 - accuracy: 0.8704
Epoch 9995/10000
162/162 [=====] - 0s 49us/step - loss: 0.2373 - accuracy: 0.8827
Epoch 9996/10000
162/162 [=====] - 0s 43us/step - loss: 0.2423 - accuracy: 0.8827
Epoch 9997/10000
162/162 [=====] - 0s 49us/step - loss: 0.2463 - accuracy: 0.9012
Epoch 9998/10000
162/162 [=====] - 0s 43us/step - loss: 0.2510 - accuracy: 0.9012
Epoch 9999/10000
162/162 [=====] - 0s 49us/step - loss: 0.2430 - accuracy: 0.8704
Epoch 10000/10000
162/162 [=====] - 0s 86us/step - loss: 0.2369 - accuracy: 0.8765
80/80 [=====] - 0s 313us/step
```

```
In [8]: print("Accuracy mean: "+ str(mean))
print("Accuracy variance: "+ str(variance))
```

```
Accuracy mean: 0.8221707940101624
Accuracy variance: 0.026507396106117874
```

Figure 4 – Results of the neural network model and part of training algorithm

Conclusion. A neural network has been developed to predict the risk of cardiovascular disease. The standard deviation was 0.026, which allows us to state that the model is stable and can be used to identify patterns in this area of medicine, including those pattern that are not explicit. Such patterns can be revealed by experiments. By changing the patient's input parameters, for example, age, increase in blood pressure, it will be possible to analyze changes and the development of diseases in the future. You can try to improve the predictive diagnosis of the patient by changing the input parameters. Refusal from

addictions, a healthy lifestyle, proper nutrition, physical activity - all these parameters can change the predictive diagnosis for the better. By observing changes in input parameters and predicted results, it is possible to identify the dependence, on the basis of which you can develop an individual patient treatment plan.

Although the neural network has high predictive power, it is still the primary diagnosis of cardiovascular disease. And more accurate and complete analysis requires visiting the hospital.

**Марат Нуртас¹, Ж.Д. Байшемиров^{2,3}, В. Цай¹,
М. Тастанов¹, Ж. Жанабеков¹**

¹Халықаралық ақпараттық технологиялар университеті, Алматы, Қазақстан,

²Абай атындағы Қазақ ұлттық педагогикалық университеті, Алматы, Қазақстан,

³Ақпараттық және есептеуіш технологиялар институты, Алматы, Қазақстан

ЖҮРЕК-ҚАН ТАМЫРЛАРЫ АУРУЛАРЫНЫҢ ҚАУПІН БОЛЖАУ ҮШІН НЕЙРОНДЫҚ ЖЕЛІНІ ПАЙДАЛАНУ

Аннотация. Бұл мақалада экономикалық дамыған елдерде жүрек-қан тамырлары ауруларының таралуы туралы айтылады. Осы мақаланың мақсаты пациенттің жеке ерекшеліктеріне негізделген, жүрек-қан тамырлары ауруларының қаупін анықтау үшін нейрондық желі құру болып табылады. Модель Python-да жазылған Keras нейрондық желілік кітапхананың көмегімен жасалды. Керас терең нейрондық желілерді құруға арналған. Бұл пайдаланушыға ыңғайлы және модульді кітапхана, оның құрамына қабаттар, оптимизаторлар, активтендіру функциялары, мақсаттар, кескіндермен және мәтіндік деректермен жұмыс істеуге арналған құралдар жиынтығы кіреді. Керас стандартты, үйірткілі және рекурентті нейрондық желілерді қолдайды. Үлгіні құру үшін қажет пациенттер туралы мәліметтер Kaggle.com сайтынан алынды. Нейрондық желінің дәлдігі 82% құрайды.

Жүрек-қан тамыр жүйесінің аурулары, атап айтқанда созылмалы жүрек жетіспеушілігі, жүрек ишемиясы және артериялық гипертензия, экономикалық дамыған елдерде қоғамдық денсаулық сақтау мәселесі болып табылады. Бұл жағдайдың басты және анықталған себептерінің бірі - алғашқы диагноздың күрделілігі және де алғашқы белгілер пайда болған кезде адамдардың емханалар мен ауруханаларға барғысы келмеуі. Өмірдің жылдам қарқыны, дұрыс тамақтанбау, отырықшы өмір салты, жаман әдеттер және дұрыс ұйқының болмауы жүрек-қан тамыр жүйесіне кері әсерін тигізеді.

Дүниежүзілік денсаулық сақтау ұйымының мәліметтері бойынша, 2016 жылы жүректің ишемиялық ауруынан 17,9 миллионнан астам адам қайтыс болды, бұл барлық өлімнің 31% құрады [1]. Дамыған елдерде жүрек-қан тамыр ауруларының кең таралуын ескере отырып, дамудың алғашқы кезеңдерінде жүрек-қан тамыр ауруларының диагнозын анықтайтын құрал қажет. Өзінің қол жетімділігі мен қолданылуының қарапайымдылығына байланысты нейрондық желі осы мәселені шешудің бір жолы болуы мүмкін. Жүрек-қан тамыр ауруларының қаупін болжауға арналған нейрондық желі әзірленді. Желінің стандартты ауытқуы 0.026 құрады, бұл модельдің тұрақтылығын және медицинаның осы саласындағы, оның ішінде анықталмайтын модельдерді анықтау үшін пайдаланылуы мүмкін екендігін пайымдауға мүмкіндік береді. Мұндай заңдылықтарды тәжірибелер арқылы анықтауға болады. Оқыту мен оңтайландырудан кейін нейрондық желі модельдік оқыту процесіне қатыспайтын мәліметтер негізінде тексерілді. Ең құнды ауыспалыларға кеудедегі ауырсыну түрлері, максималды жүрек соғуы, физикалық белсенділіктен туындаған стенокардия, демалыспен салыстырғанда физикалық белсенділіктің нәтижесінде пайда болған ST депрессиясы және флюорокопиямен боялған ірі тамырлардың саны (0-3) кірді.

Пациенттің енгізу параметрлерін, мысалы, жасын, қан қысымының жоғарылауын өзгерту, болашақта аурулардың өзгеруі мен дамуын талдауға мүмкіндік береді. Пациенттің енгізу параметрлерін өзгерту арқылы оның болжамды диагнозын жақсартуға мүмкін болады.

Жаман әдеттерден бас тарту, салауатты өмір салты, дұрыс тамақтану, физикалық белсенділік сияқты параметрлер болжамды диагнозды жақсы жаққа өзгерте алады. Енгізу параметрлерінің өзгеруін және болжамды нәтижелерді байқау арқылы тәуелділікті анықтауға болады, соның негізінде пациенттің жеке емдеу жоспарын жасауға болады.

Түйін сөздер: нейрондық желі, жүрек-тамыр жүйесі аурулары, болжау модельдері, бақыланатын оқыту, активация функциясы, Keras.

Марат Нуртас¹, Ж.Д. Байшемиров^{2,3}, В. Цай¹,
М. Тастанов¹, Ж. Жанабеков¹

¹Международный университет информационных технологий, Алматы, Казахстан;

²Казахский национальный педагогический университет имени Абая, Алматы, Казахстан;

³Институт информационных и вычислительных технологий КН МОН РК, Алматы, Казахстан

ПРИМЕНЕНИЕ НЕЙРОННОЙ СЕТИ ДЛЯ ПРОГНОЗИРОВАНИЯ РИСКА СЕРДЕЧНО-СОСУДИСТЫХ ЗАБОЛЕВАНИЙ

Аннотация. Данная статья касается проблемы распространения сердечно-сосудистых заболеваний в экономически развитых странах. Цель этой статьи заключается в создании нейронной сети для определения риска сердечно-сосудистых заболеваний на основе индивидуальных характеристик пациента. Модель была построена с открытым исходным кодом нейронной сетевой библиотеки Keras, написанной на Python. Keras разработан для построения глубоких нейронных сетей. Это удобная для пользователя и модульная библиотека, которая включает такие блоки, как слои, оптимизаторы, функции активации, цели и набор инструментов для работы с изображением и текстовыми данными. Keras поддерживает стандартные, сверточные и рекуррентные нейронные сети. Данные, содержащие информацию о пациенте для построения модели, были взяты с сайта Kaggle.com. Точность нейронной сети составляет 82%.

Заболевания сердечно-сосудистой системы, в частности хроническая сердечная недостаточность, ишемия сердца и артериальная гипертония являются проблемой общественного здравоохранения в экономически развитых странах. Одной из очевидных и основных причин является сложность первоначального диагноза и нежелание людей посещать клиники и больницы, когда появляются первые симптомы. Быстрый темп жизни, плохое питание, сидячий образ жизни, вредные привычки и отсутствие надлежащего сна негативно влияют на сердечно-сосудистую систему.

По данным Всемирной организации здравоохранения в 2016 году, от ишемической болезни сердца умерло более 17,9 миллиона человек, что составило 31% от всех смертей [1]. Учитывая распространенность сердечно-сосудистых заболеваний в развитых странах, существует острая необходимость в создании инструмента для диагностики сердечно-сосудистых заболеваний на ранних этапах развития. Нейронная сеть может быть одним из решений проблемы из-за ее доступности и простоты использования. Нейронная сеть была разработана для прогнозирования риска сердечно-сосудистых заболеваний. Стандартное отклонение составило 0,026, что позволяет нам утверждать, что модель стабильна и может быть использована для идентификации закономерностей в этой области медицины, включая те, которые не являются явными. Такие закономерности могут быть выявлены в ходе экспериментов. Нейронная сеть после обучения и оптимизации была протестирована на основе данных, которые не были задействованы в процессе обучения модели. Наиболее ценными переменными были типы боли в груди, максимальная частота сердечных сокращений, стенокардия, вызванная физической нагрузкой, депрессия ST, вызванная физической нагрузкой, по сравнению с отдыхом, и количество крупных сосудов (0-3), окрашенных с помощью флюороскопии.

Изменение входных параметров пациента, например, возраст, повышение кровяного давления, позволит анализировать изменения и развитие заболеваний в будущем. Можно попытаться улучшить прогнозную диагностику пациента, изменив входные параметры.

Отказ от вредных привычек, здоровый образ жизни, правильное питание, физическая активность – все эти параметры могут изменить прогнозирующий диагноз в лучшую сторону. Наблюдая изменения входных параметров и прогнозируемых результатов, можно определить зависимость, на основе которой можно разработать индивидуальный план лечения пациента.

Ключевые слова: нейронная сеть, заболевания сердечно-сосудистой системы, модели прогнозирования, контролируемое обучение, функция активации, Keras.

Information about authors:

Nurtas Marat, PhD, Associate Professor of Department of Mathematical and Computer Modeling, International Information Technologies University; maratnurtas@gmail.com, <https://orcid.org/0000-0003-4351-0185>;

Baishemirov Zh.D., PhD, Associate Professor of Abai Kazakh National Pedagogical University, Senior Research Officer of RSE Institute of Information and Computational Technology CS MES RK; zbai.kz@gmail.com, <https://orcid.org/0000-0002-4812-4104>;

Tsay V., master student, Department of Mathematical and Computer Modeling, ¹International Information Technologies University; tsay.victor96@gmail.com, <https://orcid.org/0000-0002-6073-2030>;

Tastanov M., Master Student of Department of Mathematical and Computer Modeling, International Information Technologies University; tychty4@gmail.com, <https://orcid.org/0000-0002-1802-6394>;

Zhanabekov Zh., Master Student of Department of Mathematical and Computer Modeling, International Information Technologies University; zzhanabekov@gmail.com, <https://orcid.org/0000-0001-5984-7132>;

REFERENCES

[1] World Health Organization, “Cardiovascular diseases (CVDs)”, available at [https://www.who.int/en/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/en/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)) (accessed 5 March 2020).

[2] Yasnitsky, L.N., Dumler, A.A., Poleschuk, A.N., Bogdanov, K.V., Cherepanov, F.M. (2011), “Neuronetwork system of cardiovascular diseases express-diagnosis”, *Perm Medical Journal*, Vol. XXVIII № 4, pp. 77-86.

[3] Kim, J.K., Sanggil K. (2017), “Neural Network-Based Coronary Heart Disease Risk Prediction Using Feature Correlation Analysis”, *Journal of healthcare engineering*, vol. 2017: 2780501. doi:10.1155/2017/2780501

[4] Mazakov T. Zh., Jomartova Sh. A., Wojcik Waldemar, Ziyatbekova G. Z., Amirkhanov B. S., Zholmagambetova B. R. “Universal complex of psychophysiological testing”, *News of the National Academy of sciences of the Republic of Kazakhstan*, Volume 2, Number 330 (2020), 14 – 22. <https://doi.org/10.32014/2020.2518-1726.10>

[5] Kaggle, Heart Disease UCI, available at <https://www.kaggle.com/ronitf/heart-disease-uci> (accessed 25 March 2020)

[6] Wikipedia, “Keras”, available at <https://en.wikipedia.org/wiki/Keras> (accessed 4 April 2020).

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

(Правила оформления статьи для публикации в журнале смотреть на сайтах:

www.nauka-nanrk.kz

<http://physics-mathematics.kz/index.php/en/archive>

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Редакторы: *М. С. Ахметова, Д. С. Аленов, А. Ахметова*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 12.08.2020.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
9,25 п.л. Тираж 300. Заказ 4.