

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ» РҚБ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК РЕСПУБЛИКИ
КАЗАХСТАН»

N E W S

OF THE NATIONAL ACADEMY
OF SCIENCES OF THE REPUBLIC
OF KAZAKHSTAN

SERIES

OF GEOLOGY AND TECHNICAL SCIENCES

3 (471)

MAY – JUNE 2025

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

EDITOR-IN-CHIEF

ZHURINOV Murat Zhurinovich, Doctor of Chemical Sciences, Professor, Academician of NAS RK, President of National Academy of Sciences of the Republic of Kazakhstan, RPA, General Director of JSC "D.V. Sokolsky Institute of Fuel, Catalysis and Electrochemistry" (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

DEPUTY EDITOR-IN-CHIEF

ABSADYKOV Bakhyt Narikbayevich, Doctor of Technical Sciences, Professor, Academician of NAS RK, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

EDITORIAL BOARD:

ABSAMETOV Malis Kudysovich, (Deputy Editor-in-Chief), Doctor of Geological and Mineralogical Sciences, Professor, Academician of NAS RK, Director of the Akhmedsafin Institute of Hydrogeology and Geoecology (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ZHOLTAEV Geroy Zholtaevich, Doctor of Geological and Mineralogical Sciences, Professor, Honorary Academician of NAS RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

SNOW Daniel, PhD, Associate Professor, Director, Aquatic Sciences Laboratory, University of Nebraska (Nebraska, USA), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

SELTMAN Reimar, PhD, Head of Petrology and Mineral Deposits Research in the Earth Sciences Department, Natural History Museum (London, England), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

PANFILOV Mikhail Borisovich, Doctor of Technical Sciences, Professor at the University of Nancy (Nancy, France), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

SHEN Ping, PhD, Deputy Director of the Mining Geology Committee of the Chinese Geological Society, Member of the American Association of Economic Geologists (Beijing, China), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

FISCHER Axel, PhD, Associate Professor, Technical University of Dresden (Dresden, Berlin), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

AGABEKOV Vladimir Enokovich, Doctor of Chemical Sciences, Academician of NAS of Belarus, Honorary Director of the Institute of Chemistry of New Materials (Minsk, Belarus), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

CATALIN Stefan, PhD, Associate Professor, Technical University of Dresden, Germany, <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

Jay Sagin, PhD, Associate Professor, Nazarbayev University (Astana, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

FRATTINI Paolo, PhD, Associate Professor, University of Milano - Bicocca (Milan, Italy), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

NURPEISOVA Marzhan Baysanovna – Doctor of Technical Sciences, Professor of Satbayev University, (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

RATOV Boranbay Tovbasarovich, Doctor of Technical Sciences, Professor, Head of the Department of Geophysics and Seismology, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

RONNY Berndtsson, Professor at the Center of Promising Middle Eastern Research, Lund University (Sweden), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

MIRLAS Vladimir, Faculty chemical engineering and Oriental research center, Ariel University, (Israel), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, hydrogeology, geography, mining and chemical technologies of oil, gas and metals*

Periodicity: 6 times a year.

<http://www.geology-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2025

БАС РЕДАКТОР

ЖУРЫНОВ Мұрат Жұрыңұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, РКБ «Қазақстан Республикасы Ұлттық Ғылым академиясының» президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

БАС РЕДАКТОРДЫҢ ОРЫНБАСАРЫ:

АБСАДЫҚОВ Бақыт Нәрікбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИЯ АЛҚАСЫ:

ӘБСӘМЕТОВ Мәліс Құдысулы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, У.М. Ахмедсафин атындағы Гидрогеология және геоэкология институтының директоры, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтайұлы, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА құрметті академигі, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры, (Небраска штаты, АҚШ), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЪГМАН Раймар, PhD, Жер туралы ғылымдар бөлімінің петрология және пайдалы қазбалар кен орындары саласындағы зерттеулерінің жетекшісі, Табиғи тарих мұражайы, (Лондон, Ұлыбритания), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры, (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, Қытай геологиялық қоғамының Тау-кен геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі, (Бейжін, Қытай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, қауымдастырылған профессор, PhD, Дрезден техникалық университеті, (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры, (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, қауымдастырылған профессор, Техникалық университеті (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

САҒЫНТАЕВ Жанай, PhD, қауымдастырылған профессор, Назарбаев университеті (Астана, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, қауымдастырылған профессор, Бикокк Милан университеті, (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НҮРПЕЙСОВА Маржан Байсанқызы – Техника ғылымдарының докторы, Қ.И. Сәтбаев атындағы Қазақ ұлттық зерттеу техникалық университетінің профессоры, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

Ратов Боранбай Товбасарович, техника ғылымдарының докторы, профессор, «Геофизика және сейсмология» кафедрасының меңгерушісі, Қ.И. Сәтбаев атындағы Қазақ ұлттық зерттеу техникалық университеті, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Беритссон, Лунд университетінің Таяу Шығысты перспективалы зерттеу орталығының профессоры, Лунд университетінің толық курсты профессоры, (Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, Ариэль университетінің Химиялық инженерия факультеті және Шығыс ғылыми-зерттеу орталығы, (Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

«ҚР ҰҒА» РКБ Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPY00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *Геология, гидрогеология, география, тау-кен ісі, мұнай, газ және металдардың*

химиялық технологиялары

Мерзімділігі: жылына 6 рет.

<http://www.geolog-technical.kz/index.php/en/>

© «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ, 2025

ГЛАВНЫЙ РЕДАКТОР

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент РОО Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

ЗАМЕСТИТЕЛЬ ГЛАВНОГО РЕДАКТОРА

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, академик НАН РК, Казахский национальный исследовательский технический университет им. К.И. Сатпаева (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИОННАЯ КОЛЛЕГИЯ:

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геолого-минералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтаевич, доктор геологоминералогических наук, профессор, почетный академик НАН РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, ассоциированный профессор, директор Лаборатории водных наук Университета Небраски (штат Небраска, США), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЪТМАНН Раймар, PhD, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, ассоциированный профессор, PhD, технический университет Дрезден (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, ассоциированный профессор, Технический университет (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

САГИНТАЕВ Жанай, PhD, ассоциированный профессор, Назарбаев университет (Астана, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, ассоциированный профессор, Миланский университет Биокки (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НУРПЕЙСОВА Маржан Байсановна – доктор технических наук, профессор Казахского Национального исследовательского технического университета им. К.И. Сатпаева, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

РАТОВ Боранбай Товбасарович, доктор технических наук, профессор, заведующий кафедрой «Геофизика и сейсмология», Казахский Национальный исследовательский технический университет им. К.И. Сатпаева, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Берндтссон, Профессор Центра перспективных ближневосточных исследований Лундского университета, профессор (полный курс) Лундского университета, (Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, Факультет химической инженерии и Восточный научно-исследовательский центр, Университет Ариэля, (Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

«Известия РОО «НАН РК». Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ39VPY00025420, выданное 29.07.2020 г.

Тематическая направленность: *геология, гидрогеология, география, горное дело и химические технологии нефти, газа и металлов*

Периодичность: 6 раз в год.

<http://www.geolog-technical.kz/index.php/en/>

© РОО «Национальная академия наук Республики Казахстан», 2025

CONTENTS

Geology

A. Abetov, Zh. Katrenov, S. Kudaibergenova, Sh. Kisseyeva INTEGRATED GEODYNAMIC MONITORING AND RISK ASSESSMENT OF DEFORMATION PROCESSES AT THE BOZASHY NORTH OIL AND GAS FIELD.....	9
Ye. Bukayev, F. Nurbayeva, A. Bukayeva STUDY OF CHEMICAL-MINERALOGICAL COMPOSITION OF LIMESTONE-SHELL FROM THE ZHETIBAI FIELD.....	27
K.S. Dosaliyev, M.I. Karabaev, F.Kh. Aubakirova, A.M. Karabaeva, Ya.B. Kunanbayeva STRESS-STRAIN STATE CALCULATIONS FOR THE SOIL BASE OF THE SLAB FOUNDATION OF A HIGH-RISE BUILDING.....	39
A.S. Ibraim, B.N. Absadykov, S.A. Kalmaganbetov, D.B. Absadykov STUDY OF THE PROSPECTS OF USING 3D PRINTED METAL-CERAMIC ALLOYS IN ELECTRIC MOTORS.....	55
V. Ismailov, J. Bozorov, A. Khusomiddinov, E. Yadigarov, A. Mansurov DETERMINATION OF CHANGES IN SOIL PARAMETERS USING THE PLAXIS 3D PROGRAM USING REINFORCEMENT OF BORED PILES.....	69
Yu.I. Karlina, V.Y. Konyukhov, T.A. Oparina ANALYSIS OF THE INTERACTION OF TRADITIONAL AND NEW TECHNOLOGIES FOR THE EXTRACTION OF METALS FROM SUBSTANDARD RAW MATERIALS.....	83
D.M. Kirgizbaeva, T.B. Nurpeissova, A.Zh. Beisenova, T.A. Kuandykov, S.E. Tirzhanova METHOD OF RECULTIVATION OF POLLUTED SOILS WITH OIL PRODUCTS.....	96
Zh. Markabayeva, K. Koshimbayev, L. Abzhanova, Y. Orakbaev, S. Sagyndykova ANALYSIS OF MODERN METHODS FOR CONTROL AND MANAGEMENT OF THE FLOTATION PROCESS.....	109

N.A. Medeshova, D.A. Novikov, E.S. Auelkhan, A.R. Tasbolat, Sh.D. Miniskul HYDROGEOCHEMICAL FEATURES OF THE NORTH-WESTERN REGIONS OF THE TORGAY DEPRESSION IN RESPECT OF THE SEARCH FOR DEPOSITS OF STRATEGIC METALS.....	120
I.E. Nekrasova, R.V. Kononenko, M.A. Popov, M.I. Chazhaev, S.S. Khudoyorov OPTIMISATION OF DUST REGIME AND EXPLOSION SAFETY OF COAL MINES.....	139
S.H. Novruzova, I.N. Aliyev. E.V. Gadashova CONTROL OF THE FACTORS AFFECTING WELL PRODUCTIVITY.....	151
M.B. Nurpeissova, G. Meirambek, N.S. Donenbayeva, Ye.Zh. Ormambekov, R.Sh. Bek DEVELOPMENT OF METHOD FOR ASSESSING QUARRY SLOPE STABILITY USING SIDE MASSIF MAPPING.....	166
B. Orazbayev, B. Assanova, Zh. Shangitova, Zh. Moldasheva HEURISTIC APPROACH TO MULTI-CRITERIA OPTIMISATION OF A MODEL BASED DELAYED COKING PROCESS IN FUZZY ENVIRONMENT.....	179
B. Orymbetov, E. Orymbetov, G. Orymbetova, A. Khusanov, T. Orymbetov HYDRAULIC RESISTANCE OF THE ADSORBER WITH REGULAR NOZZLE.....	197
A.P. Permana, D.W.K. Baderan, R. Hutagalung, F.A. Ahmad TECTONIC GEOHISTORY OF THE GORONTALO REGION BASED ON FORAMINIFERA FOSSIL.....	207
V. Solonenko, N. Makhmetova, N. Ivanovtseva, M. Kvashnin, V. Nikolaev STABILITY OF WORKINGS OF THE CROSSHAIRS AND DRIFTS TYPE IN THE INCLINED-LAYERED ROCK MASSIF.....	220
V. Stanevich, O. Vyshar, G. Rakhimova, M. Rakhimov, S. Kovtareva TECHNOGENIC WASTE FROM COAL MINING - A PROMISING RAW MATERIAL FOR THE PRODUCTION OF BUILDING CERAMICS.....	233
Zh.K. Tukhfatov, M.K. Jexenov, Y.K. Bektay, G.S. Turysbekova, B.N. Shiderin EXPLORATION STUDIES FOR RAW CHEMICAL MINERAL RESOURCES IN THE CASPIAN BASIN SALT DOMES.....	252

**Y.A. Tynchenko, E.V. Khudyakova, V.V. Kukartsev, M.N. Stepancevich,
A.A. Stupina**

FORECASTING THE CONTENT OF RARE EARTH ELEMENTS BASED
ON GEOCHEMICAL DATA USING ENSEMBLE LEARNING

METHODS.....268

**B. Khusain, N.E. Zhumakhanova, A.Zh. Kenessary, D.N. Delikesheva,
T.D. Darzhokov**

OPTIMIZATION OF CO₂ HUFF-N-PUFF PARAMETERS FOR ENHANCED
GAS RECOVERY IN SHALE RESERVOIRS: A COMPOSITIONAL

SIMULATION STUDY.....281

NEWS of the National Academy of Sciences of the Republic of Kazakhstan
SERIES OF GEOLOGY AND TECHNICAL SCIENCES
ISSN 2224-5278
Volume 3. Number 471 (2025), 197–206

<https://doi.org/10.32014/2025.2518-170X.520>

UDC 533.2

© **B. Orymbetov**¹, **E. Orymbetov**², ***G. Orymbetova**², **A. Khusanov**¹,
T. Orymbetov³, 2025.

¹M. Auezov South Kazakhstan University, Shymkent, Kazakhstan;

²South Kazakhstan Medical Academy, Shymkent, Kazakhstan;

³“Souts-Oil” LLP, Shymkent, Kazakhstan.

E-mail: orim_77@mail.ru

HYDRAULIC RESISTANCE OF THE ADSORBER WITH REGULAR NOZZLE

B. Orymbetov — aster-student of 2-courses, M. Auezov South Kazakhstan University, Shymkent, Kazakhstan, E-mail: bekzatyach3@mail.ru, <https://orcid.org/0000-0002-9618-0020>;

E. Orymbetov — candidate of technical sciences, professor, South Kazakhstan Medical Academy, Shymkent, Kazakhstan, E-mail: abzal53@mail.ru, <https://orcid.org/0000-0003-4929-3118>;

G. Orymbetova — candidate of technical sciences, associate professor, South Kazakhstan Medical Academy, Shymkent, Kazakhstan, E-mail: orim_77@mail.ru, <https://orcid.org/0000-0001-8987-3366>;

A. Khusanov — candidate of technical sciences, professor, M. Auezov South Kazakhstan University, Shymkent, Kazakhstan, E-mail: khusanov_1975@mail.ru, <https://orcid.org/0000-0002-1563-6437>;

T. Orymbetov — director of “South Oil” LLP, Shymkent, Kazakhstan, E-mail: talgat.gaz@mail.ru, <https://orcid.org/0000-0002-6067-9508>.

Abstract. Adsorption-type devices are widely used for drying and purifying natural gas. The adsorption process occurs effectively if the contact surface of the gas and liquid phases is larger. In this regard, adsorbents made of highly porous materials are used. The hydraulic resistance of an adsorber with a regular nozzle is considered. The main features of the operation of this attachment are determined. A decrease in the porosity of the nozzle and an increase in the length of the path of gas flow compared to a fixed adsorbent layer have been established. These features of the nozzle are taken into account when deriving equations to determine the hydraulic resistance of an adsorber with a regular nozzle. The heat and mass transfer characteristics of a regular packing were assessed. Results. Calculations of the hydraulic resistance of an adsorber with a regular packing show that the porosity of a regular packing is reduced by 3%, and the length of the gas movement path and, accordingly, hydraulic resistance of the packing layer increases by 11.8% due to the presence of bodies of rotation in the layer. All this leads to a more efficient process of heat and mass transfer, uniform distribution of gas flow

in the cross section of the adsorber. Scientific novelty. As a result of the conducted research, calculated dependence of hydraulic resistance was obtained, which leads to significant changes in the flow dynamics. Practical value. The results of the study can be used to develop efficient adsorbers, which will lead to a reduction in operating costs and an increase in productivity.

Keywords: adsorber, process, heat and mass transfer apparatus, nozzle, hydraulic resistance, gas.

**©Б. Орымбетов¹, Э. Орымбетов², *Г. Орымбетова², А. Хусанов¹,
Т. Орымбетов³, 2025.**

¹М. Әуезов атындағы Оңтүстік Қазақстан университеті,
Шымкент, Қазақстан;

²Оңтүстік Қазақстан медицина академиясы, Шымкент, Қазақстан;

³ЖШС «Саутс-Ойл», Шымкент, Қазақстан.

E-mail: orim_77@mail.ru

АДСОРБЕРДІҢ РЕТТІ САПТАМАСЫНЫҢ ГИДРАВЛИКАЛЫҚ КЕДЕРГІСІ

Б. Орымбетов — 2-курс магистранты, М. Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан, E-mail: bekzatysh3@mail.ru, <https://orcid.org/0000-0002-9618-0020>;

Э. Орымбетов — техника ғылымдарының кандидаты, профессор, Оңтүстік Қазақстан медицина академиясы, Шымкент, Қазақстан, E-mail: abzal53@mail.ru, <https://orcid.org/0000-0003-4929-3118>;

Г. Орымбетова — техника ғылымдарының кандидаты, доцент, Оңтүстік Қазақстан медицина академиясы, Шымкент, Қазақстан, E-mail: orim_77@mail.ru, <https://orcid.org/0000-0001-8987-3366>;

А. Хусанов — техника ғылымдарының кандидаты, профессор, М. Әуезов атындағы Оңтүстік Қазақстан университеті, Шымкент, Қазақстан, E-mail: khusanov_1975@mail.ru, <https://orcid.org/0000-0002-1563-6437>;

Т. Орымбетов — ЖШС «Саутс Ойл» директоры, Шымкент, Қазақстан, E-mail: talgat.gaz@mail.ru, <https://orcid.org/0000-0002-6067-9508>.

Аннотация. Табиғи газды кептіру және тазарту үшін адсорбциялық типтегі құрылғылар кеңінен қолданылады. Газ және сұйық фазалардың жанасу беті үлкенірек болса, адсорбция процесі тиімді жүреді. Осыған байланысты өте кеуекті материалдардан жасалған адсорбенттер қолданылады. Адсорбердің ретті саптамасының гидравликалық кедергісі қарастырылды. Осы сараптама жұмысының ерекшеліктері анықталды. Қозғалмайтын адсорбентке қарағанда саптама кеуектілігінің кемитіні және онда қозғалатын газдың жүру жолы ұзаратыны анықталды. Бұл ерекшеліктер ретті саптаманың гидравликалық кедергісін есептеуге арналған теңдеуді қорытуда ескерілді. Ретті саптаманың жылу масса алмасу мінездемелері бағаланды. Нәтижелері. Адсорбердің ретті саптаманың гидравликалық кедергісінің есептеулері ретті саптаманың кеуектілігі 3%-ға азаяды, ал газ қозғалысы жолының ұзындығы

және сәйкесінше орау қабатының гидравликалық кедергісі қабатта айналу денелерінің болуынан 11,8%-ға артады. Бұл әдеттегі қаптама қабатындағы газдың зигзагты қозғалысына байланысты. Бұл кезде газ ағынының турбулизация дәрежесі жоғарылайды, газ ағыны үшін тоқырау аймақтары жойылады, адсорбенттің бірлік көлемінің адсорбциялық қабілеті артады. Мұның бәрі жылу мен масса алмасудың тиімді процесіне, адсорбердің көлденең қимасында газ ағынының біркелкі таралуына әкеледі. Ғылыми жаңалығы. Жүргізілген зерттеулер нәтижесінде ағын динамикасының елеулі өзгерістеріне әкелетін гидравликалық кедергінің есептелген тәуелділігі алынды. Газ ағынының турбуленттігінің адсорбциялық процестерге әсері адсорберлердің жұмысын оңтайландыру және олардың тиімділігін арттырудың маңызды аспектісі болып табылады. Практикалық құндылық. Зерттеу нәтижелерін тиімді адсорберлерді әзірлеу үшін пайдалануға болады, бұл пайдалану шығындарды азайтуға және өнімділікті арттыруға әкеледі. Есептеулер процестің жалпы тиімділігін арттыруға, ағынның таралуын жақсартуға, адсорбция жылдамдығын арттыруға, адсорбентті пайдалануды оңтайландыруға және өндеу уақытын қысқартуға мүмкіндік береді.

Түйін сөздер: адсорбер, процесс, жылу және масса алмасу аппараты, саптама, гидравликалық кедергі, газ.

**©Б. Орымбетов¹, Э. Орымбетов², *Г. Орымбетова², А. Хусанов¹,
Т.Э. Орымбетов³, 2025.**

¹Южно-Казахстанский университет им. М. Ауэзова, Шымкент, Казахстан;

²Южно-Казахстанская медицинская академия, Шымкент, Казахстан;

³ТОО «Саутс-Ойл», Шымкент, Казахстан.

E-mail: bekzatyach3@mail.ru

ГИДРАВЛИЧЕСКОЕ СОПРОТИВЛЕНИЕ АДСОРБЕРА С РЕГУЛЯРНОЙ НАСАДКОЙ

Б. Орымбетов — магистрант 2-курса, Южно-Казахстанский университет им. М. Ауэзова, Шымкент, Казахстан, E-mail: bekzatyach3@mail.ru, <https://orcid.org/0000-0002-9618-0020>;

Э. Орымбетов — кандидат технических наук, профессор, Южно-Казахстанская медицинская академия, Шымкент, Казахстан, E-mail: abzal53@mail.ru, <https://orcid.org/0000-0003-4929-3118>;

Г. Орымбетова — кандидат технических наук, доцент, Южно-Казахстанская медицинская академия, Шымкент, Казахстан, E-mail: orim_77@mail.ru, <https://orcid.org/0000-0001-8987-3366>;

А. Хусанов — кандидат технических наук, профессор, Южно-Казахстанский университет им. М. Ауэзова, Шымкент, Казахстан, E-mail: khusanov_1975@mail.ru, <https://orcid.org/000-0002-1563-6437>;

Т. Орымбетов — директор ТОО «Саутс Ойл», Шымкент, Казахстан, E-mail: talgat.gaz@mail.ru, <https://orcid.org/0000-0002-6067-9508>.

Аннотация. Аппараты адсорбционного типа широко применяются для осушки и очистки природного газа. Процесс адсорбции происходит

эффективно, если будет поверхность контакта газовой и жидкой фаз больше. В связи с этим применяются адсорбенты из высокопористых материалов. Рассмотрено гидравлическое сопротивление адсорбера с регулярной насадкой. Определены основные особенности работы этой насадки. Установлены уменьшение порозности насадки и увеличение длины пути движения потока газа по сравнению с неподвижным слоем адсорбента. Эти особенности насадки учтены при выводе уравнений для определения гидравлического сопротивления адсорбера с регулярной насадкой. Оценены тепломассообменные характеристики регулярной насадки. Результаты. Расчеты гидравлического сопротивления адсорбера с регулярной насадкой показывают, что порозность регулярной насадки снижается на 3%, а длина пути движения газа и, соответственно, гидравлическое сопротивление слоя насадки увеличивается на 11,8% за счет наличия тел вращения в слое. Одновременно увеличивается степень турбулизации потока газа, устраняются застойные зоны для потока газа, увеличивается адсорбционная способность единицы объема адсорбента. Все это приводит к более эффективному процессу тепломассообмена, равномерному распределению потока газа в поперечном сечении адсорбера. Научная новизна. В результате проведенных исследований получена расчетная зависимость гидравлического сопротивления, которая приводит к значительным изменениям в динамике потока. Влияние турбулизации газового потока на адсорбционные процессы является важным аспектом для оптимизации работы адсорберов и повышения их эффективности. Практическая значимость. Результаты исследования могут быть использованы для разработки эффективных адсорберов, что приведет к снижению эксплуатационных затрат и увеличению производительности. Расчеты позволяют увеличить общую эффективность процесса, улучшают распределение потока, повышают скорость адсорбции, оптимизируют использование адсорбента, снижают время обработки.

Ключевые слова: адсорбер, процесс, тепломассообменный аппарат, насадка, гидравлическое сопротивление, газ.

Introduction. Adsorption-type devices are widely used for drying and purifying natural gas. The adsorption process occurs effectively if the contact surface of the gas and liquid phases is larger. In this regard, adsorbents made of highly porous materials are used. Adsorbents come in the form of grains of various diameters. The most common are zeolites. Adsorption devices can be periodic (vertical, horizontal, ring, etc.) or continuous. Each device has its own advantages and disadvantages. Their merits are assessed by the degree of purification of the substances. The design of adsorbers is selected based on the main characteristics of the medium to be dried (Kabibullin, et.al., 2023; Orymbetov, et.al., 2022; Sarilov, 2015; Shumetskiy, 2005).

At operating heat and mass transfer devices, in particular adsorbers, one of the main indicators of their operation is the hydraulic resistance of the contact (packed)

layer. It determines the energy costs for carrying out the heat and mass transfer process, and accordingly, the economic efficiency of the entire technological process (Orymbetov, et.al. 2021; Sunil Jayant Kulkarni, 2016; Toth Jozsef, 2019).

Currently, there are many methods of capturing and neutralizing vapor and gaseous substances from the air. In practice, the following methods of gas purification are used: absorption, adsorption, catalytic, thermal, etc. Adsorption is a process that involves extracting polluting components from a gas mixture, which makes it possible to carry out deep cleaning of gases. Adsorption methods of separation and purification have found wide application in environmental protection, where other methods are not effective enough (Vetoshkin, 2006)

One of the ways to remove adsorbed pollutants is to completely replace the adsorbent with the waste material being sent to waste. This method is possible in cases where the amount of adsorbate is small or the replacement process is performed quite rarely (Keltsev, 1984).

Methods for calculating the hydraulic resistance of a dust collector are proposed, taking into account the resistance of the jet section, the filter partition, and the increase in resistance when dust accumulates in the granular layer (Samokhvalov, et.al., 2019).

Adsorbents used in exhaust gas cleaning systems must meet the following requirements: have high adsorption capacity when absorbing components at low concentrations in gas mixtures, have high selectivity, have high mechanical strength, have the ability to regenerate and have a low cost (Vetoshkin, 2006).

The object of the study is the investigation of hydraulic resistance in an adsorber with regular nozzle.

Materials and methods


In work (Orymbetov, et.al, 2024), we developed a new adsorber with a regular packing (Fig. 1). It contains a cylindrical housing 1 with a lid and a bottom, interconnected by flanges, fittings 2 and 3, for the input and output of the purified gas or for the output and input of regeneration gas, respectively, lower and upper support grids 4 and 5, rotating bodies with sharp vertices top and bottom 7 with wire 6, with the help of which bodies of rotation are connected to each other vertically, as well as between the upper and lower support grids, adsorbent 8 loaded into zigzag channels formed between bodies of rotation with sharp tops suspended on wires. The bodies of revolution have equal height and width ranging from 40 to 80 mm. Moreover, adjacent bodies of rotation horizontally and vertically are shifted by the width and height of these bodies. Thus, these bodies of rotation inside the adsorber body form zigzag channels in which the adsorbent is laid. The bodies of rotation are suspended on vertical wires that come out of them and are connected to each other by hooks. The wires at the top and bottom of the nozzle are attached to the support grids.

The adsorbent layer in the adsorber is in a stationary state. Then the flow of adsorbed gas penetrates the adsorbent layer with ascending (descending) small flows.

The hydraulic resistance of such a packed layer, based on the internal problem of hydrodynamics, can be defined as pressure loss due to friction in pipelines

$$\Delta P = \lambda \frac{H \cdot a \cdot \rho_g \cdot w_g^2}{8 \cdot \varepsilon^3}; \quad (1)$$

where λ - overall resistance coefficient, taking into account frictional resistance and local resistance that arises when gas moves inside curved channels formed by voids and pores between the elements of the packed layer and the flow around individual elements of the layer; H – height of the packed layer, m; a – specific surface area of packed elements, m^2/m^3 ; ρ_g – gas density, kg/m^3 ; w_g – average gas velocity over the cross section of the packed layer, m/s ; ε – porosity of packed layer



1 – housing; 2,3 - fittings for input and output of purified gas or for output and input of regeneration gas, respectively; 4,5 - support grids; 6 – wires with the help of which bodies of rotation are connected to each other vertically, also between the upper support grid and lower support grid; 7 - bodies of revolution with sharp vertices up and down; 8 – adsorbent.

Figure 1. Adsorber with regular nozzle.

The resistance coefficient λ can be expressed by the two-term formula (Aerov, et.al., 1979)

$$\lambda = \frac{a'}{Re_d} + a'', \quad (2)$$

where a', a'' – constants, which are determined by processing experimental data. The first term of equation (2) determines the resistance in the laminar region

of the gas flow, and the second term of equation (2) determines the resistance in the turbulent region of the gas flow. The Reynolds criterion in equation (2) is determined through the diameter of a ball from the same surface as the middle particle of the layer.

Based on the processing of extensive experimental data from various authors on the hydraulic resistance of a stationary granular layer, Ergun's two-term formula was obtained (Ergun, et.al., 1949)

$$\frac{\Delta P}{H} = 150 \cdot \frac{(1-\varepsilon)^2}{\varepsilon^3} \cdot \frac{g \cdot w_g}{d^2} + 1.75 \cdot \frac{(1-\varepsilon)}{\varepsilon^3} \cdot \frac{\rho_g \cdot w_g^2}{d}. \quad (3)$$

Ergun's formula can be reduced to the form of the equation (2)

$$\lambda = \frac{33.36}{Re_d} + 0.58. \quad (4)$$

Results and Discussion

In our case, the gas flow moves through the tortuous channels of the adsorbent layer and at the same time through zigzag channels formed by bodies of rotation. Therefore, we introduce two amendments to Ergun's formula (3): 1) the porosity of the packed layer decreases due to the presence of bodies of rotation in the adsorbent layer; 2) due to the presence of bodies of rotation in the adsorbent layer, the adsorbed gas moves along a zigzag channel.

To calculate the porosity of an adsorber with a regular nozzle, we take into account the volume of bodies of revolution. As a first approximation, we assume that the body of rotation is formed from two cone-shaped bodies connected by their bases. Their curvilinear generators are described by a quadratic equation of the form

$$y = 0.1x + 0.88x^2.$$

Then the volume of the body of revolution is equal to

$$V_r = 2\pi \int_0^{0.08} (0.1x + 0.88x^2)^2 dx = 25.26 \cdot 10^{-6} \text{ m}^3.$$

Regular nozzle volume

$$V_{nz} = \frac{\pi D^2}{4} \cdot H = \frac{3.14 \cdot 0.72^2}{4} \cdot 4.8 = 1.97 \text{ m}^3.$$

Volume of bodies of rotation

$$V = V_r \cdot n \cdot b = 25.26 \cdot 10^{-6} \cdot 76 \cdot 30 = 0.0576 \text{ m}^3.$$

where $n = 76$ – number of bodies of rotation in one row; $b = 30$ – number of rows of bodies of rotation in the nozzle layer. Volume occupied by the adsorbent

$$V_{ads} = V_{nz} - V = 1.97 - 0.0576 = 1.91 \text{ м}^3.$$

Let us take the porosity of the adsorbent $\varepsilon = 0.4$, then the porosity of the adsorber with regular nozzle will be

$$\varepsilon_{nz} = \frac{V_{ads} \cdot \varepsilon}{V_{nz}} = \frac{1.91 \cdot 0.4}{1.97} = 0.388 \quad (5)$$

In the calculations it was assumed that the height of the regular nozzle $H = 4.8$ м, nozzle layer diameter $D = 0.72$ м, dimensions body of rotation: height $h = 0.16$ м, diameter $d = 0.08$ м.

In our regular packing, due to the movement of the adsorbed gas through zigzag channels, the path length of the processed gas increases. This can be determined from the following considerations. The bodies of revolution in the adsorbent layer are arranged in a checkerboard pattern (Fig. 1). The gas trajectory deviates from the vertical by half the width of the body of rotation and moves along an inclined line to the height of the body of rotation. Thus, the gas trajectory passes along the hypotenuse of triangle c (Fig. 2) on each row of bodies of revolution, i.e.

$$c = \sqrt{a^2 + a^2/4} = a\sqrt{5}/2. \quad (6)$$




Figure 2. Gas trajectory

The increase in the path of gas movement is in a regular nozzle.

$$\frac{H_{ch}}{H} = \frac{c}{a} = \frac{a\sqrt{5}}{2a} = 1.118$$

where H_{ch} - length of zigzag channels in a regular nozzle.

Taking into account the amendments given above, we write Erga's formula (3) for determining the hydraulic resistance of a regular nozzle (Fig. 1) in the following form: decreases

$$\frac{\Delta P}{1.118 \cdot H} = 150 \cdot \frac{(1-\varepsilon_{nz})^2}{\varepsilon_{nz}^3} \cdot \frac{\mu_g \cdot s_g}{d^2} + 1.75 \cdot \frac{(1-\varepsilon_{nz})^2}{\varepsilon_{nz}^3} \cdot \frac{\rho_g \cdot w_g^2}{d}, \quad (7)$$

where $d = \sqrt[3]{\frac{6 \cdot V_3}{\pi}}$ – diameter of equivalent ball with nozzle particle;

V_3 – volume of nozzle particle (adsorbent).

Calculations of the hydraulic resistance of an adsorber with a regular packing show that the porosity of a regular packing is reduced by 3%, and the length of the gas movement path and, accordingly, the hydraulic resistance of the packing layer increases by 11.8% due to the presence of bodies of rotation in the layer. This is due to the zigzag movement of gas in a layer of regular packing.

Conclusions: As a result of the conducted research, a calculated dependence of hydraulic resistance was obtained, which leads to significant changes in the flow dynamics. At the same time, the degree of gas flow turbulence increases, stagnant zones of the gas flow are eliminated, and the adsorption capacity of a unit volume of the adsorbent increases. All this leads to a more efficient heat and mass exchange process, uniform distribution of the gas flow across the adsorber cross-section. The obtained calculations allow increasing the overall efficiency of the process, improving flow distribution, increasing the adsorption rate, optimizing the use of the adsorbent, and reducing the processing time.

References

Aerov M.E., Todes O.M., Narinsky D.A. Devices with a stationary granular layer: Hydraulic and thermal calculation principles [Apparaty so statsionarnym zernistym sloyem: Gidravlicheskiye i teplovyye osnovy rascheta]. – L.: Chemistry, 1979. – 176 p. (In Russian)

Vetoshkin A.G. Gas cleaning process and equipment. [Protsessy i apparaty gazoochistki] Study guide. Penza: Izd-vo PGU, 2006. – 201 p. (In Russian)

Ergun S., Orning A.A. Fluid Flow Through Randomly Packed Columns and Fluidized Beds. – Ind. Eng. Chem., 1949, v.41, 1179 p. (in Eng.)

Kabibullin M., Orazbayeva K., Makhatova V., Utenova B., Kodanova Sh. (2023) REFORMING UNIT OPERATION CONTROL IN OIL AND GAS REFINING TECHNOLOGY. NEWS of the National Academy of Sciences of the Republic of Kazakhstan. Volume 1, Number 457, -P. 113-129 (in Eng.)

Keltsev N.V. Fundamentals of adsorption technology. [Osnovy adsorbtsionnoy tekhniki] 2nd ed., revised and enlarged. – M. Chemistry, 1984. – 592 p. (In Russian)

Orymbetov E., Orymbetova G.E., Khussanov A.E., Orymbetov T.E., Orymbetov B.E. Sectioning of petroleum gas adsorption drying. News of the National Academy of Sciences of the Republic of Kazakhstan. Volume 3, N 453 (2022), –P.155-165. (in Eng.)

Orymbetov T.E., Orymbetov E., Khusanov A.E. (2021) Analysis of the work of the unit for adsorption drying of petroleum gas at the Kenlyk field. [Analiz raboty uzla adsorbtsionnoy osushki neftyanogo gaza na mestorozhdenii Kenlyk] Proceedings of the international scientific and practical conference “Auezov readings - 19: 30 years of independence of Kazakhstan.” Shymkent. 7:295-297. (In Russian).

Orymbetov B.E., Orymbetov E., Orymbetova G.E., Khusanov A.E., Orymbetov T.E. (2024) Adsorber. Utility model patent [Adsorber. Patent na poleznuyu model] No. 8833 dated 02.09.2024 (In Russian)

Samokhvalov N.M., Vinogradov V.V., Zykova Yu.A.. Cleaning efficiency and hydraulic resistance

of a jet-filtration dust collector. [Effektivnost' ochistki i gidravlicheskiye soprotivleniya struynofil'tratsionnogo pileulovatelya]. News of universities. Applied chemistry and biotechnology. Vol. 9. N 4. – P.759-767. 2019 (In Russian)

Sarilov M. Yu. Machines and apparatus for mass transfer processes: textbook [Mashiny i apparaty massoobmennyykh protsessov: uch.posobiye] / M. Yu. Sarilov, P. M. Tyagushchev. – Komsomolsk on Amur: FSBEI HPE "KnAGTU", 2015. – 52 p. (In Russian)

Sunil Jayant Kulkarni (2016). Role of Adsorption in Petroleum Industries and Refineries. International Journal of Petroleum and Petrochemical Engineering (IJPPE), 2: –P. 16-19. DOI: <http://dx.doi.org/10.20431/2454-7980.0201004>. (in Eng.)

Shumetskiy Yu. I. (2005) Adsorption Processes [Adsorbtsionnyye protsessy]. Moscow. 164 p. (In Russian).

Toth Jozsef (2019). Adsorption. CRC Press, 904 p. USA. ISBN: 9780367447069 (in Eng.)

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

**[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)
<http://www.geolog-technical.kz/index.php/en/>
ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

Директор отдела издания научных журналов НАН РК *А. Ботанқызы*

Редакторы: *Д.С. Аленов, Ж.Ш. Әден*

Верстка на компьютере *Г.Д. Жадыранова*

Подписано в печать 15.06.2025.

Формат 70х90^{1/16}. Бумага офсетная. Печать – ризограф.
14,5 п.л. Заказ 3.