

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ» РҚБ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК РЕСПУБЛИКИ
КАЗАХСТАН»

N E W S

OF THE NATIONAL ACADEMY
OF SCIENCES OF THE REPUBLIC
OF KAZAKHSTAN

SERIES

OF GEOLOGY AND TECHNICAL SCIENCES

3 (471)

MAY – JUNE 2025

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

EDITOR-IN-CHIEF

ZHURINOV Murat Zhurinovich, Doctor of Chemical Sciences, Professor, Academician of NAS RK, President of National Academy of Sciences of the Republic of Kazakhstan, RPA, General Director of JSC "D.V. Sokolsky Institute of Fuel, Catalysis and Electrochemistry" (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

DEPUTY EDITOR-IN-CHIEF

ABSADYKOV Bakhyt Narikbayevich, Doctor of Technical Sciences, Professor, Academician of NAS RK, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

EDITORIAL BOARD:

ABSAMETOV Malis Kudysovich, (Deputy Editor-in-Chief), Doctor of Geological and Mineralogical Sciences, Professor, Academician of NAS RK, Director of the Akhmedsafin Institute of Hydrogeology and Geoecology (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ZHOLTAEV Geroy Zholtaevich, Doctor of Geological and Mineralogical Sciences, Professor, Honorary Academician of NAS RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

SNOW Daniel, PhD, Associate Professor, Director, Aquatic Sciences Laboratory, University of Nebraska (Nebraska, USA), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

SELTMAN Reimar, PhD, Head of Petrology and Mineral Deposits Research in the Earth Sciences Department, Natural History Museum (London, England), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

PANFILOV Mikhail Borisovich, Doctor of Technical Sciences, Professor at the University of Nancy (Nancy, France), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

SHEN Ping, PhD, Deputy Director of the Mining Geology Committee of the Chinese Geological Society, Member of the American Association of Economic Geologists (Beijing, China), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

FISCHER Axel, PhD, Associate Professor, Technical University of Dresden (Dresden, Berlin), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

AGABEKOV Vladimir Enokovich, Doctor of Chemical Sciences, Academician of NAS of Belarus, Honorary Director of the Institute of Chemistry of New Materials (Minsk, Belarus), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

CATALIN Stefan, PhD, Associate Professor, Technical University of Dresden, Germany, <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

Jay Sagin, PhD, Associate Professor, Nazarbayev University (Astana, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

FRATTINI Paolo, PhD, Associate Professor, University of Milano - Bicocca (Milan, Italy), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

NURPEISOVA Marzhan Baysanovna – Doctor of Technical Sciences, Professor of Satbayev University, (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

RATOV Boranbay Tovbasarovich, Doctor of Technical Sciences, Professor, Head of the Department of Geophysics and Seismology, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

RONNY Berndtsson, Professor at the Center of Promising Middle Eastern Research, Lund University (Sweden), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

MIRLAS Vladimir, Faculty chemical engineering and Oriental research center, Ariel University, (Israel), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, hydrogeology, geography, mining and chemical technologies of oil, gas and metals*

Periodicity: 6 times a year.

<http://www.geology-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2025

БАС РЕДАКТОР

ЖҰРЫНОВ Мұрат Жұрыңұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, РКБ «Қазақстан Республикасы Ұлттық Ғылым академиясының» президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

БАС РЕДАКТОРДЫҢ ОРЫНБАСАРЫ:

АБСАДЫҚОВ Бақыт Нәрікбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИЯ АЛҚАСЫ:

ӘБСӘМЕТОВ Мәліс Құдысулы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, У.М. Ахмедсафин атындағы Гидрогеология және геоэкология институтының директоры, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтайұлы, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА құрметті академигі, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры, (Небраска штаты, АҚШ), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЪГМАН Раймар, PhD, Жер туралы ғылымдар бөлімінің петрология және пайдалы қазбалар кен орындары саласындағы зерттеулерінің жетекшісі, Табиғи тарих мұражайы, (Лондон, Ұлыбритания), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры, (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, Қытай геологиялық қоғамының Тау-кен геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі, (Бейжін, Қытай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, қауымдастырылған профессор, PhD, Дрезден техникалық университеті, (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры, (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, қауымдастырылған профессор, Техникалық университеті (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

САҒЫНТАЕВ Жанай, PhD, қауымдастырылған профессор, Назарбаев университеті (Астана, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, қауымдастырылған профессор, Бикокк Милан университеті, (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НҮРПЕЙСОВА Маржан Байсанқызы – Техника ғылымдарының докторы, Қ.И. Сәтбаев атындағы Қазақ ұлттық зерттеу техникалық университетінің профессоры, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

Ратов Боранбай Товбасарович, техника ғылымдарының докторы, профессор, «Геофизика және сейсмология» кафедрасының меңгерушісі, Қ.И. Сәтбаев атындағы Қазақ ұлттық зерттеу техникалық университеті, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Беритссон, Лунд университетінің Таяу Шығысты перспективалы зерттеу орталығының профессоры, Лунд университетінің толық курсты профессоры, (Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, Ариэль университетінің Химиялық инженерия факультеті және Шығыс ғылыми-зерттеу орталығы, (Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

«ҚР ҰҒА» РКБ Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPY00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *Геология, гидрогеология, география, тау-кен ісі, мұнай, газ және металдардың*

химиялық технологиялары

Мерзімділігі: жылына 6 рет.

<http://www.geolog-technical.kz/index.php/en/>

© «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ, 2025

ГЛАВНЫЙ РЕДАКТОР

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент РОО Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

ЗАМЕСТИТЕЛЬ ГЛАВНОГО РЕДАКТОРА

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, академик НАН РК, Казахский национальный исследовательский технический университет им. К.И. Сатпаева (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИОННАЯ КОЛЛЕГИЯ:

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геолого-минералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтаевич, доктор геологоминералогических наук, профессор, почетный академик НАН РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, ассоциированный профессор, директор Лаборатории водных наук Университета Небраски (штат Небраска, США), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЪТМАНН Раймар, PhD, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, ассоциированный профессор, PhD, технический университет Дрезден (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, ассоциированный профессор, Технический университет (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

САГИНТАЕВ Жанай, PhD, ассоциированный профессор, Назарбаев университет (Астана, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, ассоциированный профессор, Миланский университет Биокк (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НУРПЕЙСОВА Маржан Байсановна – доктор технических наук, профессор Казахского Национального исследовательского технического университета им. К.И. Сатпаева, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

РАТОВ Боранбай Товбасарович, доктор технических наук, профессор, заведующий кафедрой «Геофизика и сейсмология», Казахский Национальный исследовательский технический университет им. К.И. Сатпаева, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Бердтссон, Профессор Центра перспективных ближневосточных исследований Лундского университета, профессор (полный курс) Лундского университета, (Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, Факультет химической инженерии и Восточный научно-исследовательский центр, Университет Ариэля, (Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

«Известия РОО «НАН РК». Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ39VPY00025420, выданное 29.07.2020 г.

Тематическая направленность: *геология, гидрогеология, география, горное дело и химические технологии нефти, газа и металлов*

Периодичность: 6 раз в год.

<http://www.geolog-technical.kz/index.php/en/>

© РОО «Национальная академия наук Республики Казахстан», 2025

CONTENTS

Geology

A. Abetov, Zh. Katrenov, S. Kudaibergenova, Sh. Kisseyeva INTEGRATED GEODYNAMIC MONITORING AND RISK ASSESSMENT OF DEFORMATION PROCESSES AT THE BOZASHY NORTH OIL AND GAS FIELD.....	9
Ye. Bukayev, F. Nurbayeva, A. Bukayeva STUDY OF CHEMICAL-MINERALOGICAL COMPOSITION OF LIMESTONE-SHELL FROM THE ZHETIBAI FIELD.....	27
K.S. Dosaliyev, M.I. Karabaev, F.Kh. Aubakirova, A.M. Karabaeva, Ya.B. Kunanbayeva STRESS-STRAIN STATE CALCULATIONS FOR THE SOIL BASE OF THE SLAB FOUNDATION OF A HIGH-RISE BUILDING.....	39
A.S. Ibraim, B.N. Absadykov, S.A. Kalmaganbetov, D.B. Absadykov STUDY OF THE PROSPECTS OF USING 3D PRINTED METAL-CERAMIC ALLOYS IN ELECTRIC MOTORS.....	55
V. Ismailov, J. Bozorov, A. Khusomiddinov, E. Yadigarov, A. Mansurov DETERMINATION OF CHANGES IN SOIL PARAMETERS USING THE PLAXIS 3D PROGRAM USING REINFORCEMENT OF BORED PILES.....	69
Yu.I. Karlina, V.Y. Konyukhov, T.A. Oparina ANALYSIS OF THE INTERACTION OF TRADITIONAL AND NEW TECHNOLOGIES FOR THE EXTRACTION OF METALS FROM SUBSTANDARD RAW MATERIALS.....	83
D.M. Kirgizbaeva, T.B. Nurpeissova, A.Zh. Beisenova, T.A. Kuandykov, S.E. Tirzhanova METHOD OF RECULTIVATION OF POLLUTED SOILS WITH OIL PRODUCTS.....	96
Zh. Markabayeva, K. Koshimbayev, L. Abzhanova, Y. Orakbaev, S. Sagyndykova ANALYSIS OF MODERN METHODS FOR CONTROL AND MANAGEMENT OF THE FLOTATION PROCESS.....	109

N.A. Medeshova, D.A. Novikov, E.S. Auelkhan, A.R. Tasbolat, Sh.D. Miniskul HYDROGEOCHEMICAL FEATURES OF THE NORTH-WESTERN REGIONS OF THE TORGAY DEPRESSION IN RESPECT OF THE SEARCH FOR DEPOSITS OF STRATEGIC METALS.....	120
I.E. Nekrasova, R.V. Kononenko, M.A. Popov, M.I. Chazhaev, S.S. Khudoyorov OPTIMISATION OF DUST REGIME AND EXPLOSION SAFETY OF COAL MINES.....	139
S.H. Novruzova, I.N. Aliyev. E.V. Gadashova CONTROL OF THE FACTORS AFFECTING WELL PRODUCTIVITY.....	151
M.B. Nurpeissova, G. Meirambek, N.S. Donenbayeva, Ye.Zh. Ormambekov, R.Sh. Bek DEVELOPMENT OF METHOD FOR ASSESSING QUARRY SLOPE STABILITY USING SIDE MASSIF MAPPING.....	166
B. Orazbayev, B. Assanova, Zh. Shangitova, Zh. Moldasheva HEURISTIC APPROACH TO MULTI-CRITERIA OPTIMISATION OF A MODEL BASED DELAYED COKING PROCESS IN FUZZY ENVIRONMENT.....	179
B. Orymbetov, E. Orymbetov, G. Orymbetova, A. Khusanov, T. Orymbetov HYDRAULIC RESISTANCE OF THE ADSORBER WITH REGULAR NOZZLE.....	197
A.P. Permana, D.W.K. Baderan, R. Hutagalung, F.A. Ahmad TECTONIC GEOHISTORY OF THE GORONTALO REGION BASED ON FORAMINIFERA FOSSIL.....	207
V. Solonenko, N. Makhmetova, N. Ivanovtseva, M. Kvashnin, V. Nikolaev STABILITY OF WORKINGS OF THE CROSSHAIRS AND DRIFTS TYPE IN THE INCLINED-LAYERED ROCK MASSIF.....	220
V. Stanevich, O. Vyshar, G. Rakhimova, M. Rakhimov, S. Kovtareva TECHNOGENIC WASTE FROM COAL MINING - A PROMISING RAW MATERIAL FOR THE PRODUCTION OF BUILDING CERAMICS.....	233
Zh.K. Tukhfatov, M.K. Jexenov, Y.K. Bektay, G.S. Turysbekova, B.N. Shiderin EXPLORATION STUDIES FOR RAW CHEMICAL MINERAL RESOURCES IN THE CASPIAN BASIN SALT DOMES.....	252

Y.A. Tynchenko, E.V. Khudyakova, V.V. Kukartsev, M.N. Stepancevich, A.A. Stupina FORECASTING THE CONTENT OF RARE EARTH ELEMENTS BASED ON GEOCHEMICAL DATA USING ENSEMBLE LEARNING METHODS.....	268
B. Khusain, N.E. Zhumakhanova, A.Zh. Kenessary, D.N. Delikesheva, T.D. Darzhokov OPTIMIZATION OF CO ₂ HUFF-N-PUFF PARAMETERS FOR ENHANCED GAS RECOVERY IN SHALE RESERVOIRS: A COMPOSITIONAL SIMULATION STUDY.....	281

NEWS of the National Academy of Sciences of the Republic of Kazakhstan
SERIES OF GEOLOGY AND TECHNICAL SCIENCES
ISSN 2224-5278
Volume 3. Number 471 (2025), 69–82

<https://doi.org/10.32014/2025.2518-170X.511>

UDC 550.34+624.131.1(575.1)

© V. Ismailov, J. Bozorov, A. Khusomiddinov*, E. Yadigarov,
A. Mansurov, 2025.

Institute of Seismology of the Academy of Sciences of the Republic
of Uzbekistan, Tashkent, Uzbekistan.
E-mail: ahrorhs1980@gmail.com

DETERMINATION OF CHANGES IN SOIL PARAMETERS USING THE PLAXIS 3D PROGRAM USING REINFORCEMENT OF BORED PILES

Ismailov Vakhithan — Doctor of geological mineralogical Sciences of the Institute of Seismology of the AS RUZ, Tashkent, Uzbekistan, E-mail: vakhit.mbm@gmail.com, <https://orcid.org/0000-0002-7893-1556>;

Bozorov Jonibek — Seismology Institute of Sciences, AS RUZ, Tashkent, Uzbekistan, E-mail: j.bozorov1968@gmail.com, <https://orcid.org/0009-0008-5676-0144>;

Khusomiddinov Akhror — Doctor of Philosophy in Geological and Mineralogical Sciences (PhD); Seismology Institute of Sciences, AS RUZ, Tashkent, Uzbekistan, E-mail: ahrorhs1980@gmail.com, <https://orcid.org/0000-0001-6970-3482>;

Yadigarov Eldor — Doctor of Philosophy in Geological and Mineralogical Sciences (PhD), Seismology Institute of Sciences, AS RUZ, Tashkent, Uzbekistan, E-mail: eldoradigarov@gmail.com, <https://orcid.org/0000-0002-2305-279X>;

Mansurov Azizjon — Seismology Institute of Sciences, AS RUZ, Tashkent, E-mail: mazizjon876@gmail.com, <https://orcid.org/0009-0007-9807-6925>.

Abstract. The present study aims to assess the efficiency of engineering preparation at the “Labzak Park City” construction site, located in Tashkent—a region characterized by high seismic activity. The site features complex engineering-geological and seismotectonic conditions, being situated within active fault zones and historically exposed to earthquakes with intensities of up to 7–8 on the MSK-64 scale. The main objective of the study was to quantitatively evaluate the dynamic response of the soil mass before and after the implementation of reinforced bored piles. Numerical analysis was conducted using Plaxis 3D, a modern geotechnical modeling program based on the finite element method (FEM). The computational model comprised 10,468 finite elements and 24,231 nodes, ensuring a high level of detail and reliability. An accelerogram from a real earthquake (magnitude $M = 5.2$), recorded near the study site in 2020, was used as the input seismic motion. The modeling results demonstrated a substantial reduction in seismic impact

parameters following engineering preparation of the foundation. Specifically, the maximum acceleration at the key calculation node decreased by 41.53%, velocity by 16.91%, and displacement by 11.29%. These findings indicate the high efficiency of reinforced bored piles in damping seismic waves, particularly in loess-like, subsidence-prone soils. The results support the feasibility and effectiveness of this technology for enhancing the stability and reliability of foundations in seismically active areas.

Keywords: seismic impact, seismicity, seismic intensity, acceleration, velocity, displacement, peak acceleration of soil

***Acknowledgment, funding:** This research work was developed within the framework of the fundamental and practical projects awarded by the Academy of Sciences of the Republic of Uzbekistan on the topics “Study of the subsidence properties of dispersed soils in laboratory and field conditions and development of its classification during strong earthquakes” and “Study of the characteristics of seismic vibrations of the soil-structure system and development of methods for reducing the impact of earthquakes” and practical project awarded by the Ministry of Higher Education, Science and Innovation on the topic “Development and experimental testing of methods for reducing the seismic intensity and seismic vibration parameters of the construction site by increasing the seismic strength of the foundation soils.”*

**©В. Исмаилов, Ж. Бозоров, А. Хусомиддинов, Э. Ядигаров,
А. Мансуров, 2025.**

Ўзбекистон Республикасы Ғылым Академиясының Сейсмология институты,
Ташкент, Ўзбекистон.

E-mail: ahrorhs1980@gmail.com

PLAXIS 3D БАҒДАРЛАМАСЫ АРҚЫЛЫ БЎРҒЫЛАНҒАН ҚАДАЛАРДЫ АРМАТУРАЛАУ НЕГІЗІНДЕ ТОПЫРАҚ ПАРАМЕТРЛЕРІНІҢ ӨЗГЕРІСІН АНЫҚТАУ

Исмаилов Вахитхан — ЎР ҒА Сейсмология институтының геология–минералогия ғылымдарының докторы, Ташкент, Ўзбекистон, E-mail: vakhit.mbm@gmail.com, <https://orcid.org/0000-0002-7893-1556>;

Бозоров Жонибек — Сейсмология ғылымдары институты, ҒА, Ташкент, Ўзбекистон, E-mail: j.bozorov1968@gmail.com, <https://orcid.org/0009-0008-5676-0144>;

Хусомиддинов Ахрор — геология–минералогия ғылымдарының философия докторы (PhD), Сейсмология ғылымдары институты, ҒА, Ташкент, Ўзбекистон, E-mail: ahrorhs1980@gmail.com, <https://orcid.org/0000-0001-6970-3482>;

Ядигаров Эльдор — геология–минералогия ғылымдарының философия докторы (PhD), Сейсмология ғылымдары институты, ҒА, Ташкент, Ўзбекистон, E-mail: eldoradigarov@gmail.com, <https://orcid.org/0000-0002-2305-279X>;

Мансуров Азизжон — Сейсмология ғылымдары институты, ҒА, Ташкент, Ўзбекистон, E-mail: mazizjon876@gmail.com, <https://orcid.org/0009-0007-9807-6925>.

Аннотация. Бұл зерттеу жоғары сейсмикалық белсенділікпен сипатталатын Ташкентте орналасқан «Лабзак Парк сити» құрылыс алаңындағы инженерлік дайындықтың тиімділігін бағалауға бағытталған. Участке күрделі инженерлік-геологиялық және сейсмотектоникалық жағдайларға ие, белсенді бұзылу аймақтарында орналасқан және MSK-64 шкаласы бойынша 7-8 қарқындылығымен тарихи жер сілкінісіне ұшыраған. Зерттеудің негізгі мақсаты топырақ массасының күшейтілген бұрғылау қадаларын салуға дейін және одан кейінгі динамикалық реакциясын сандық бағалау болды. Сандық талдау соңғы элементтер әдісіне (FEM) негізделген заманауи геотехникалық модельдеу бағдарламасы Plaxis 3D арқылы жүргізілді. Есептеу моделі егжей-тегжейлі және сенімділіктің жоғары деңгейін қамтамасыз ететін 10 468 соңғы элемент пен 24 231 түйінді қамтыды. Кіріс сейсмикалық қозғалыс ретінде 2020 жылы зерттеу алаңының жанында тіркелген нақты жер сілкінісінің акселерограммасы (магнитудасы $M = 5,2$) пайдаланылды. Модельдеу нәтижелері іргетастың инженерлік дайындығынан кейін сейсмикалық әсер ету параметрлерінің айтарлықтай төмендеуін көрсетті. Нақтырақ айтсақ, негізгі есептеу түйініндегі максималды үдеу 41,53%-ға, жылдамдық 16,91%-ға, орын ауыстыру 11,29%-ға төмендеді. Бұл нәтижелер сейсмикалық толқындарды, әсіресе лесс тәрізді, шөгуге бейім топырақтарда, сейсмикалық толқындарды сөндіретін арматураланған қадалардың жоғары тиімділігін көрсетеді. Нәтижелер сейсмикалық белсенді аймақтардағы іргетастардың тұрақтылығы мен сенімділігін арттыру үшін осы технологияның орындылығы мен тиімділігін қолдайды. Мақала пайдалану кезінде сейсмикалық әсердің өзгеру ерекшеліктеріне арналған бұрғылау қадаларын күшейту шөгінді топырақтарда көп қабатты ғимараттар салу кезінде, сондай-ақ, Plaxis 3D компьютерлік бағдарламасының көмегімен сейсмикалық әсер ету кезінде кеңістіктегі топырақта болатын динамикалық өзгерістерді анықтауға болады, атап айтқанда жылдамдық, үдеу және сырғанау.

Түйін сөздер: сейсмикалық әсер, сейсмикалық, сейсмикалық қарқындылық, үдеу, жылдамдық, орын ауыстыру, топырақтың ең жоғары үдеуі

©В. Исмаилов, Ж. Бозоров, А. Хусомиддинов, Э. Ядигаров, А. Мансуров, 2025.

Институт сейсмологии Академии наук Республики Узбекистан,
Ташкент, Узбекистан.

E-mail: ahrorhs1980@gmail.com

ОПРЕДЕЛЕНИЕ ИЗМЕНЕНИЯ ПАРАМЕТРОВ ГРУНТА С ПОМОЩЬЮ ПРОГРАММЫ PLAXIS 3D С ИСПОЛЬЗОВАНИЕМ АРМИРОВАНИЯ БУРОНАБИВНЫХ СВАЙ

Исмаилов Вахитхан — доктор геолого-минералогических наук, Институт сейсмологии АН РУз, Ташкент, Узбекистан, E-mail: vakhit.mbm@gmail.com, <https://orcid.org/0000-0002-7893-1556>;

Бозоров Жонибек — Институт сейсмологии АН РУз, Ташкент, Узбекистан, E-mail: j.bozorov1968@gmail.com, <https://orcid.org/0009-0008-5676-0144>;

Хусомиддинов Ахрор — доктор философии геолого–минералогических наук (PhD), Институт сейсмологии АН РУз, Ташкент, Узбекистан, E-mail: ahrorhs1980@gmail.com, <https://orcid.org/0000-0001-6970-3482>;

Ядигаров Элдор — доктор философии геолого–минералогических наук (PhD), Институт сейсмологии АН РУз, Ташкент, Узбекистан, E-mail: eldoradigarov@gmail.com, <https://orcid.org/0000-0002-2305-279X>;

Мансуров Азизжон — Институт сейсмологии АН РУз, Ташкент, Узбекистан, E-mail: mazizjon876@gmail.com, <https://orcid.org/0009-0007-9807-6925>.

Аннотация. Настоящее исследование направлено на детальную оценку эффективности инженерной подготовки строительной площадки «Labzak Park City», расположенной в городе Ташкент – регионе с выраженной сейсмической активностью. Территория объекта характеризуется сложными инженерно-геологическими и сейсмотектоническими условиями: зона расположена в пределах активных разломов и исторически подвержена землетрясениям интенсивностью 7–8 баллов по шкале MSK-64. Основной задачей исследования стало количественное сравнение динамической реакции грунтового массива до и после применения армированных буронабивных свай. Для численного анализа использовалась современная программа геотехнического моделирования Plaxis 3D, основанная на методе конечных элементов (МКЭ). В расчетной модели было задействовано 10 468 конечных элементов и 24 231 узел, что обеспечило высокую степень детализации и достоверности результатов. В качестве входного сейсмического воздействия использовалась акселерограмма реального землетрясения магнитудой $M = 5,2$ зарегистрированного вблизи исследуемой площадки в 2020 году. Результаты моделирования показали значительное снижение параметров сейсмического воздействия после инженерной подготовки основания. Так, максимальное ускорение в ключевом расчетном узле уменьшилось на 41,53%, скорость – на 16,91%, а перемещения – на 11,29%. Это указывает на высокую эффективность демпфирования сейсмических волн с помощью армированных буронабивных свай, особенно в условиях лессовидных, склонных к просадке грунтов. Полученные данные подтверждают целесообразность применения данной технологии при проектировании зданий и сооружений в районах с высокой сейсмической опасностью, так как она существенно повышает надежность и устойчивость оснований в процессе землетрясения.

Ключевые слова: сейсмическое воздействие, сейсмичность, сейсмическая интенсивность, ускорение, скорость, перемещения, пиковое ускорение грунта

Introduction.

Significant efforts are being undertaken worldwide to mitigate the consequences of major earthquakes and to ensure seismic safety (Ismailov, et al, 2023, 2024-a; Khusomiddinov, et al., 2022; Sadykov, et al., 2023; Atabekov, et al., 2022; Artikov,

et al., 2022; Artikov, et al., 2020a-b; Ibragimov, et al., 2022). In seismically active regions, particular attention is given to enhancing the seismic resilience of soil covers for buildings and structures and to reducing the intensity of seismic impact, which, in turn, is transmitted to buildings and structures. Currently, in developed foreign countries, research is being conducted to reduce seismic intensity at construction sites where collapsible loess soils are widespread (Ismailov, et al., 2024-b). One of the priority tasks is also to determine the engineering preparation methods depending on the type of collapsible loess soils, to create an optimal methodology for assessing seismic impact on buildings and structures using selected one-dimensional models, and to develop methods for evaluating changes in seismic intensity using various technologies.

Materials and methods

The primary advantage of bored piles is the relative simplicity of their manufacturing and installation technology. Since these piles are produced by pouring concrete into a pre-prepared hole, several beneficial qualities can be highlighted, including the ability to manufacture bored pile shafts of any length. Moreover, during installation, bored piles, unlike driven piles, are almost not subjected to dynamic impacts, which positively affects their strength. Another significant advantage of bored piles is their applicability in reconstruction projects, including the densification (reinforcement) of existing pile foundations (Kolosov, et al., 2018).

“Labzak Park City,” site hereinafter referred to as the “Object” is located in the Shayhontohur district of Tashkent. Structurally, this area belongs to the transitional region from the Tien Shan epi-platformal orogen to the Turan platform. The seismicity of the area is directly related to the tectonics of this region and is manifested along seismogenic faults that have been activated in the current stage of geological development (Ibragimov, 1978). Local seismic manifestations are associated with the modern seismic activity of the Karjantau fault system, which trends northeast, and the Pretashkent flexure-fault zone. Alongside local earthquakes, the area is also affected by transit earthquakes occurring within the Nurek fault system, the North-Angren and South-Angren faults, the eastern end of the North-Fergana seismically active zone, the South-Fergana seismogenic zone, as well as strong earthquakes occurring within the Chatkal Ridge. The dynamic influence zones of the aforementioned faults have been delineated by Ibragimov (1978) into corresponding seismogenic zones.

Figure 1 presents a map of the epicentres of significant and strong earthquakes recorded in the vicinity of the site over the past 150 years, indicating the seismically active zones within which they occurred. Table 1 provides the parameters of these earthquakes and their distances from the site. The greatest seismic effects on the site were noted from the historical earthquakes of 1868 and 1886, with magnitudes of $M=6.5$ and $M=6.7$, respectively, which occurred at a distance of approximately 20-30 km from the site. Among the strong earthquakes of the early instrumental period, special attention should be given to the 1946 Chatkal earthquake with

a magnitude of $M=7.6$, which occurred at a distance of approximately 200 km from the site. According to macroseismic data, the intensity of seismic impacts from this earthquake at the construction site reached 7 according to the MSK-64 scale. Several strong earthquakes occurred in the vicinity of the construction site during the instrumental observation period. During the 1966 Tashkent earthquake with $M=5.2$, whose epicentre was almost directly at the construction site, the macroseismic effect was 7-8 according to the MSK-64 scale. Strong tremors ($I=7$) were felt at the construction site during the 1977 Tavaksay earthquake with $M=5.2$, which occurred approximately 40 km from the site; the 1980 Nazarbek earthquake with $M=5.3$, which occurred 20 km from the construction site ($I=7$); and the 1987 Altyn-Tyube earthquake with $M=5.1$, at a distance of approximately 60-70 km from the site ($I=6$).

In the last 10-15 years, several moderate-strength earthquakes have occurred within a 50 km radius of the construction site: within the city of Tashkent in August 2008, January 2010, and March 2018. The earthquake with a magnitude of $M=5.6$ that occurred in the Tuyabuguz area on May 25, 2013, at a distance of 30 km from the site, caused tremors at the construction site with an intensity of 5-6 on the MSK-64 scale.

Thus, the maximum macroseismic effect from all known seismic events at the construction site has not exceeded 7-8 according to the MSK-64 scale.




Fig. 1. Map of epicentres of strong earthquakes in the vicinity of the site from historical times to the present day

Results.

The construction site “Labzak Park City” (Fig. 1) is the subject of this research. An assessment of seismic impact and changes in seismic effect will be conducted

using the Finite Element Method (FEM) by spatially reinforced bored piles at construction sites where loess-like soils are prevalent. Direct support for numerical methods in addressing the propagation of seismic waves in an infinite half-space is not feasible. To accomplish this, the area of interest within the infinite space is substituted into a finite parallelepiped. Boundary conditions are applied to the extended sides of the parallelepiped to represent the effect of the discarded portion, allowing waves incident on the boundary to be transmitted without reflection.




Fig. 2. Schematic map of “Labzak Park City” buildings

The displacements and velocities of the obtained nodes in the soils will be determined, taking into account the physical and mechanical properties of the material. In this task, the infinite half-space will be replaced with a finite parallelepiped (Ilyichev, et al., 1999; Yuldashev, et al., 2018; Lysmer, et al., 1969). Boundary conditions will be applied to the sides of the parallelepiped where the continuation of the medium has been discarded.

$$\left. \begin{aligned} \sigma_x &= a\rho V_p \dot{u} \\ \tau_{yz} &= b\rho V_s \dot{u} \\ \tau_{zy} &= b\rho V_s \dot{w} \end{aligned} \right\} \quad \left. \begin{aligned} \sigma_y &= a\rho V_p \dot{v} \\ \tau_{xz} &= b\rho V_s \dot{w} \\ \tau_{zx} &= b\rho V_s \dot{u} \end{aligned} \right\} \quad \left. \begin{aligned} \sigma_z &= a\rho V_p \dot{w} \\ \tau_{xy} &= b\rho V_s \dot{u} \\ \tau_{yx} &= b\rho V_s \dot{v} \end{aligned} \right\} \quad (1)$$

The kinematic relation can be formulated as follows:

$$\varepsilon = Lu \quad (2)$$

L^T – is the transpose of the differential operator, defined as

$$L^T = \begin{bmatrix} \frac{\partial}{\partial x} & 0 & 0 & \frac{\partial}{\partial y} & 0 & \frac{\partial}{\partial z} \\ 0 & \frac{\partial}{\partial y} & 0 & \frac{\partial}{\partial x} & \frac{\partial}{\partial z} & 0 \\ 0 & 0 & \frac{\partial}{\partial z} & 0 & \frac{\partial}{\partial y} & \frac{\partial}{\partial x} \end{bmatrix}. \quad (3)$$

To solve the problem we will use the finite element method. The dynamic model of the problem solution field is presented in Fig. 2.




Fig. 3. A model in which the domain is partitioned into finite elements

As a result of applying the Finite Element Method (FEM), the continuous mechanical system is transformed into a discrete one. The studied area is divided into 10 468 finite elements with 24 231 nodes. The finite elements are shaped as irregular tetrahedrons. The primary equation, which depends on the time of motion of the volume under dynamic loading, is expressed as follows:

$$[M]\{\ddot{u}\} + [C]\{\dot{u}\} + [K]\{u\} = \{F\} \quad (4)$$

The order of the system of differential equations is 72 693, where

M - the mass matrix;

C - the damping matrix, which also accounts for boundary conditions;

K - the stiffness matrix;

F - the load vector;

u - the displacement vector;

u' - velocity;

u'' - acceleration.

The theory is described here within the framework of linear elasticity. However, all models can, in principle, be used for dynamic analysis. Groundwater levels may be present in the studied areas to obtain data.

For the numerical implementation of the given task, the Plaxis 3D software package (Lysmer, et al., 1969) will be used, which includes various options for physical material equations. The matrix M accounts for the mass of the materials (soil + any structure).

When performing integration with respect to time in the numerical representation of dynamics, stability and accuracy of the computational process are important

factors. The Newmark numerical integration scheme is used. The properties of the soil are provided in Table 1.

Table 1. Physical and mechanical properties of materials

Soil parameters	Before stabilization	After stabilization
Bulk density (ρ), g/cm ³	<u>1.40-1.74</u> 1.55	<u>1.96-2.30</u> 2.2
Dry density (ρ_d), g/cm ³	<u>1.25-1.50</u> 1.40	<u>1.79-1.95</u> 1.85
Moisture content (W), %	<u>10-20.5</u> 13.5	<u>8.2-12.5</u> 11.5
Porosity (n), %	<u>46.4-55.0</u> 48.2	<u>30.5-34.3</u> 32.5
Shear wave velocity (V_s), m/s	<u>220-298</u> 245	<u>750-1250</u> 950
Longitudinal wave velocity (V_p), m/s	<u>450-560</u> 500	<u>2000-2210</u> 2100
Young modulus, E (MPa)	229	4420
Poisson's ratio, μ	0.34	0.30
Internal friction angle, ϕ	24	31
Cohesion C, (kPa)	6	20
Groundwater level, h	12.5	12.5
Dimensions of the site	80 × 100 × 30 m	80 × 100 × 30 m




Fig. 4. Representation of 13261 nodes used in our model

As a result of applying the Finite Element Method, the continuous mechanical system is replaced by a discrete one. The studied area with 24 231 nodes is divided into 10 468 finite elements. The number of resulting second-order linear differential equations is 72 693. The finite element shapes are chosen as irregular tetrahedrons.

For both models of equal size, selected after inputting the soil parameters, a real accelerogram recorded after an earthquake in the same area is introduced as the seismic impact. The accelerogram is shown in Figure 5. It was recorded as a result of an earthquake with a magnitude of $M = 5.2$, which occurred at 7:38 AM local time on 06.11.2020, with the accelerometer coordinates ($X = 40.16$; $Y = 71.72$) and a focal depth of $H = 10$ km.




Fig. 5. Accelerogram used in our model to simulate dynamic impact

The selected model consists of 24 231 nodes, with the irregular tetrahedron divided into 10 468 finite elements. Plaxis 3D was used for calculation of velocity, acceleration and displacement during the application of seismic impact. Figure 6 shows the comparison of accelerations at the maximum seismic impact in the nodes before and after soil stabilization (Fig. 6).




Fig. 6. Accelerations in all nodes along the X-axis in the natural state (a) and after soil stabilization (b) at $t = 2$ s

The difference in maximum accelerations at node 13 261 at $t = 2.6$ seconds along the X-axis for both cases will be considered. In the natural state, the highest acceleration achieved by this seismic impact is $a_{x1} = 376.3 \text{ cm/s}^2$, while after soil stabilization (engineering preparation), it reaches $a_{x2} = 220 \text{ cm/s}^2$. This means

that after the engineering preparation of the construction pit using the reinforced pile method, the acceleration at the node decreased by $\Delta a_x = 156.3 \text{ cm/s}^2$ (Fig. 7). Overall, it can be stated that the acceleration decreased by 41.53%.




Fig. 7. Acceleration of the 13261st node ($x = 50$, $y = 40$, $z = 0$) at time $t = 10$ sec along the X-axis

Figure 7 shows the acceleration of a selected node over 10 second period. It can be seen that the time during which the accelerogram reaches its maximum and minimum values, corresponds to the acceleration values from a seismic impact. It can be assumed that the application of dynamic impact (represented by accelerogram) was appropriate and correct.




Fig. 8. Velocities at all nodes along the X-axis in the natural state (a) and after soil stabilization (b) at $t = 2.6$ s

For both cases, the change in acceleration values at node 13 261 at $t = 2.6$ s along the X-axis was considered (Fig. 8). In the natural state, the maximum velocity reached $v_{xI} = 20.1 \text{ cm/s}$, while after engineering preparation, the maximum velocity

was $v_{x2} = 16.7$ cm/s. This indicates that after the engineering preparation, the velocity at the node decreased by $\Delta v_x = 3.4$ cm/s, which corresponds to a reduction of 16.91% in percentage terms (Fig. 9).




Fig. 9. Velocity characteristics of the 13261st node ($x = 50$, $y = 40$, $z = 0$) at time $t = 10$ sec along the X axis




Fig. 10. Displacements in all nodes along the X-axis in the natural state (a) and after soil stabilization (b) at $t = 3.3$ sec

Changes in the maximum displacement values at node 13261 along the X-axis over $t = 3.3$ seconds were analyzed in the natural state and after engineering preparation (Fig. 10). In the natural state, the maximum displacement was $u_{x1} = 3.92$ cm, while in the model after soil stabilization, it reached $u_{x2} = 3.59$ cm. This indicates that displacement at the nodes decreased by $\Delta u_x = 0.33$ cm, after engineering preparation, representing a difference of 11.29%. Values of velocity, acceleration, and displacement at the node along the X-axis before and after soil stabilization are provided in Table 2.

Table 2. Displacement, velocity and acceleration along the X-axis before and after soil stabilization

	Before	After	Differ.	Before	After	Differ.	Before	After	Differ.
Value	Acceleration, a_x (cm/s ²)			Velocity, v_x (cm/s)			Displacement, u_x (cm)		
Method of st.	a_{x1}	a_{x2}	Δa_x	v_{x1}	v_{x2}	Δv_x	u_{x1}	u_{x2}	Δu_x
Reinforcement of piles	376.3	220	156.3	20.1	16.7	3.4	3.92	3.59	0.33

Discussion

A comparative assessment was conducted at a single node for two models with coordinates $X = 100$ m, $Y = 80$ m, $Z = 30$ m, selected for the state before and after engineering preparation. This comparison was carried out for two cases, i.e., the results for velocity, acceleration, and displacement of the soil in the natural state and after engineering preparation were compared. For both models, it was determined that the difference in maximum acceleration values at $t = 2.6$ s along the X-axis at node 7011, with coordinates ($X = 50$, $Y = 40$, $Z = 0$), decreased by $\Delta a_x = 156,3$ cm/s². Additionally, for both models at $t = 2,6$ s, the difference in velocity along the X-axis was $\Delta v_x = 3,4$ cm/s. For these models, the difference in maximum displacements along this coordinate decreases by $\Delta u_x = 0,33$ cm, which corresponds to the decrease by 11.29% in percentage.

Conclusion

The article is devoted to investigate the effect of soil stabilization to the change in mechanical response of soil. The site where construction of multi-storey buildings in now taking place is well-known for its subsidence-prone soils. The site was simulated using Plaxis 3D software, and an accelelogram was used to simulate the dynamic effect of such soils. It was found that soil stabilization had a considerable effect on improvement of soil strata and increased it's seismic resistance.

References

- Artikov T.U., Ibragimov R.S., Ibragimova T.L., Mirzaev M.A., Rebetsky Yu.L. Stress State of the Earth's Crust, Seismicity, and Prospects for Long-Term Forecast of Strong Earthquakes in Uzbekistan. *Geology and geophysics* Vol 63. №3. (2022). –P. 1442-1458 <https://doi.org/10.2113/RGG20214408> (in English)
- Artikov T.U., Ibragimov R.S., Ibragimova T.L., Mirzaev M.A. Complex of general seismic zoning maps OSR-2017 of Uzbekistan. *Geodesy and Geodynamics* 11(4). (2020a). –P. 273-292. <https://doi.org/10.1016/j.geog.2020.03.004> (in English)
- Artikov T.U., Ibragimov R.S., Ibragimova T.L., Mirzaev M.A. (2020b) Modeli makroseismicheskogo polya zemletryaseniy Sentralnoy Azii i ix vliyanie na rezul'tiruyumie otsenki seysmicheskoy opasnosti [Models of the macroseismic field earthquakes and their influence on seismic hazard assessment values for Central Asia]. *Geodynamics & Tectonophysics*. 11(3). –P. 606-623. (In Russ.) <https://doi.org/10.5800/GT-2020-11-3-0494> (in Russian)
- Atabekov U., Sadykov Yu. M., Ibragimov R. S. The Active Tectonics of the Fergana Depression (Uzbekistan): Comparison of the Crustal Stress State and Displacement Velocities Using Mathematical Modeling. *Geotectonics*. №5. (2022). –P.76-84, <https://doi.org/10.1134/s0016852122030037> (in English)
- Ibragimov R.S., Ibragimova T.L., Mirzaev M.A., & Ashurov S.H. Comparison of Seismic Hazard

Assessments Obtained with the Probabilistic and Probabilistic-Deterministic Approaches for the Territory of Uzbekistan. *Seismic Instruments*. 58(S1). (2022). –P.14–24. <https://doi.org/10.3103/S0747923922070040> (in English)

Ibragimov R.N. (1978). Seysmogennie zoni Sredinnogo Tyan-Shanya: na primere Vostochnogo Uzbekistana [Seismogenic zones of the Middle Tien-Shan: On the example of East Uzbekistan]. Tashkent. Fan. 1976. –P. 35-56. (in Russian)

Ismailov V.A., Yodgorov Sh.I., Khusomiddinov A.S., Yadigarov E. M., Allayev Sh.B., Aktamov B.U. New classification of soils by seismic properties for the building code in Uzbekistan. *Geomechanics and Geoengineering. An International Journal*. Volume 19 Issue 4. (2024). –P.605-625. <https://doi.org/10.1080/17486025.2023.2296975> (in English)

Ismailov V.A., Khusomiddinov A., Yodgorov Sh., Yadigarov E., Aktamov B. Seismic microzonation map of the territory of Yangi-Andijan: Methodology and Results. *NEWS of the National Academy of Sciences of the Republic of Kazakhstan, SERIES OF GEOLOGY AND TECHNICAL SCIENCES*, ISSN 2224–5278, Volume 2. Number 464 (2024), -P. 114–130; <https://doi.org/10.32014/2024.2518-170X.397> (in English)

Ismailov V. A., Yodgorov Sh. I., Khusomiddinov A. S., Yadigarov E. M., Aktamov B. and Avazov Sh. B., Regional seismic risk assessment based on ground conditions in Uzbekistan, *Natural Hazards and Earth System Sciences*. 24(6), (2024). –P.2133–2146 <https://doi.org/10.5194/nhess-24-2133-2024> (in English)

Il'ichev V.A., Yuldashev S.S., Saidov S.M. (1999) Issledovanie rasprostraneniya vibratsii pri proxojdenii poezdov v zavisimosti ot raspolojeniya jeleznodorojnogo polotna [Propagation of vibration from trains in relation to track position] *Soil Mechanics and Foundation Engineering* Vol. 36. № 2. –P. 55-56. (in Russian)

Khusomiddinov A, Sh.Yodgorov, F.Sadirov, E.Yadigarov, B.Aktamov, Sh.Avazov. Estimation of the Seismic Intensity Increments in Tashkent Region. The 1st International Conference on Problems and Perspectives of Modern Science AIP Conf. Proc. 2432, (2022). –P. 030034-1–030034-5. <https://doi.org/10.1063/5.0089662> (in English)

Kolosova N.B., Povalyaev I.I., Rineyskaya A.A. (2018) Effektivnost svaynix texnologiy v zone seysmicheskoy aktivnosti [Efficiency of pile technologies in the zone of seismic activity] *Alfabuild*. 5(7). 2018. Art. P.16-25 (in Russian)

Lysmer J., Kyhlemyer L. Finite Dynamic Model for Infinite Media *Jour Engineering Mechanics* Division. ASCE. NoEM4. Vol. 95. (1969). –P. 859-887. (in English)

Sadykov Yu. M., Atabekov I.U., Ibragimov R. S. Seismotectonic Analysis and Development of the Mathematical Model of the Stress–Strain State of the Earth's Crust in the Zone of Collision of the Western Tien Shan with the Pamir Arc. *Geotectonics*, vol. 57. (2023). <https://doi.org/10.1134/s0016852123030068> (in English)

Yuldashev Sh.S. et al. Vliyanie visoti raspolojeniya jeleznodorojnogo polotna na uroven kolebaniya grunta, voznikayushego pri dvizhenii poezdov [Influence of the height of the railroad bed location on the level of ground vibrations occurring during the movement of trains]. *Scientific Knowledge of the present*. № 10. 2018. –P. 55-57 (in Russian)

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

**[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)
<http://www.geolog-technical.kz/index.php/en/>
ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

Директор отдела издания научных журналов НАН РК *А. Ботанқызы*

Редакторы: *Д.С. Аленов, Ж.Ш. Әден*

Верстка на компьютере *Г.Д. Жадыранова*

Подписано в печать 15.06.2025.

Формат 70х90^{1/16}. Бумага офсетная. Печать – ризограф.
14,5 п.л. Заказ 3.