

ISSN 2518-170X (Online)

ISSN 2224-5278 (Print)



«ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫ» РҚБ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

РОО «НАЦИОНАЛЬНОЙ
АКАДЕМИИ НАУК РЕСПУБЛИКИ
КАЗАХСТАН»

N E W S

OF THE NATIONAL ACADEMY
OF SCIENCES OF THE REPUBLIC
OF KAZAKHSTAN

SERIES

OF GEOLOGY AND TECHNICAL SCIENCES

3 (471)

MAY – JUNE 2025

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы «ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы» ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

EDITOR-IN-CHIEF

ZHURINOV Murat Zhurinovich, Doctor of Chemical Sciences, Professor, Academician of NAS RK, President of National Academy of Sciences of the Republic of Kazakhstan, RPA, General Director of JSC "D.V. Sokolsky Institute of Fuel, Catalysis and Electrochemistry" (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

DEPUTY EDITOR-IN-CHIEF

ABSADYKOV Bakhyt Narikbayevich, Doctor of Technical Sciences, Professor, Academician of NAS RK, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

EDITORIAL BOARD:

ABSAMETOV Malis Kudysovich, (Deputy Editor-in-Chief), Doctor of Geological and Mineralogical Sciences, Professor, Academician of NAS RK, Director of the Akhmedsavin Institute of Hydrogeology and Geoecology (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ZHOLTAEV Geroy Zholtaevich, Doctor of Geological and Mineralogical Sciences, Professor, Honorary Academician of NAS RK (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

SNOW Daniel, PhD, Associate Professor, Director, Aquatic Sciences Laboratory, University of Nebraska (Nebraska, USA), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

SELTMAN Reimar, PhD, Head of Petrology and Mineral Deposits Research in the Earth Sciences Department, Natural History Museum (London, England), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

PANFILOV Mikhail Borisovich, Doctor of Technical Sciences, Professor at the University of Nancy (Nancy, France), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

SHEN Ping, PhD, Deputy Director of the Mining Geology Committee of the Chinese Geological Society, Member of the American Association of Economic Geologists (Beijing, China), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

FISCHER Axel, PhD, Associate Professor, Technical University of Dresden (Dresden, Berlin), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

AGABEKOV Vladimir Enokovich, Doctor of Chemical Sciences, Academician of NAS of Belarus, Honorary Director of the Institute of Chemistry of New Materials (Minsk, Belarus), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

CATALIN Stefan, PhD, Associate Professor, Technical University of Dresden, Germany, <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

Jay Sagin, PhD, Associate Professor, Nazarbayev University (Astana, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

FRATTINI Paolo, PhD, Associate Professor, University of Milano - Bicocca (Milan, Italy), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

NURPEISOVA Marzhan Baysanovna – Doctor of Technical Sciences, Professor of Satbayev University, (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

RATOV Boranbay Tovbasarovich, Doctor of Technical Sciences, Professor, Head of the Department of Geophysics and Seismology, Satbayev University (Almaty, Kazakhstan), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

RONNY Berndtsson, Professor at the Center of Promising Middle Eastern Research, Lund University (Sweden), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

MIRLAS Vladimir, Faculty chemical engineering and Oriental research center, Ariel University, (Israel), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of geology and technology sciences.

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Owner: RPA «National Academy of Sciences of the Republic of Kazakhstan» (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Social Development of the Republic of Kazakhstan **No. KZ39VPY00025420**, issued 29.07.2020.

Thematic scope: *geology, hydrogeology, geography, mining and chemical technologies of oil, gas and metals*

Periodicity: 6 times a year.

<http://www.geology-technical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2025

БАС РЕДАКТОР

ЖҰРЫНОВ Мұрат Жұрынұлы, химия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, РКБ «Қазақстан Республикасы Ұлттық Ғылым академиясының» президенті, АҚ «Д.В. Сокольский атындағы отын, катализ және электрохимия институтының» бас директоры (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

БАС РЕДАКТОРДЫҢ ОРЫНБАСАРЫ:

АБСАДЫҚОВ Бақыт Нәрікбайұлы, техника ғылымдарының докторы, профессор, ҚР ҰҒА академигі, Қ.И. Сәтбаев атындағы Қазақ ұлттық техникалық зерттеу университеті (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИЯ АЛҚАСЫ:

ӘБСӘМЕТОВ Мәліс Құдысулы (бас редактордың орынбасары), геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА академигі, У.М. Ахмедсафин атындағы Гидрогеология және геоэкология институтының директоры, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтайұлы, геология-минералогия ғылымдарының докторы, профессор, ҚР ҰҒА құрметті академигі, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, қауымдастырылған профессор, Небраска университетінің Су ғылымдары зертханасының директоры, (Небраска штаты, АҚШ), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЪГМАН Раймар, PhD, Жер туралы ғылымдар бөлімінің петрология және пайдалы қазбалар кен орындары саласындағы зерттеулерінің жетекшісі, Табиғи тарих мұражайы, (Лондон, Ұлыбритания), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, техника ғылымдарының докторы, Нанси университетінің профессоры, (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, Қытай геологиялық қоғамының Тау-кен геологиясы комитеті директорының орынбасары, Американдық экономикалық геологтар қауымдастығының мүшесі, (Бейжін, Қытай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, қауымдастырылған профессор, PhD, Дрезден техникалық университеті, (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, химия ғылымдарының докторы, Беларусь ҰҒА академигі, Жаңа материалдар химиясы институтының құрметті директоры, (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, қауымдастырылған профессор, Техникалық университеті (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

САҒЫНТАЕВ Жанай, PhD, қауымдастырылған профессор, Назарбаев университеті (Астана, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, қауымдастырылған профессор, Бикокк Милан университеті, (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НҮРПЕЙСОВА Маржан Байсанқызы – Техника ғылымдарының докторы, Қ.И. Сәтбаев атындағы Қазақ ұлттық зерттеу техникалық университетінің профессоры, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

Ратов Боранбай Товбасарович, техника ғылымдарының докторы, профессор, «Геофизика және сейсмология» кафедрасының меңгерушісі, Қ.И. Сәтбаев атындағы Қазақ ұлттық зерттеу техникалық университеті, (Алматы, Қазақстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Беритссон, Лунд университетінің Таяу Шығысты перспективалық зерттеу орталығының профессоры, Лунд университетінің толық курсты профессоры, (Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, Ариэль университетінің Химиялық инженерия факультеті және Шығыс ғылыми-зерттеу орталығы, (Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

«ҚР ҰҒА» РКБ Хабарлары. Геология және техникалық ғылымдар сериясы».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Меншіктеуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және қоғамдық даму министрлігінің Ақпарат комитетінде 29.07.2020 ж. берілген № **KZ39VPY00025420** мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Тақырыптық бағыты: *Геология, гидрогеология, география, тау-кен ісі, мұнай, газ және металдардың*

химиялық технологиялары

Мерзімділігі: жылына 6 рет.

<http://www.geolog-technical.kz/index.php/en/>

© «Қазақстан Республикасының Ұлттық ғылым академиясы» РКБ, 2025

ГЛАВНЫЙ РЕДАКТОР

ЖУРИНОВ Мурат Журинович, доктор химических наук, профессор, академик НАН РК, президент РОО Национальной академии наук Республики Казахстан, генеральный директор АО «Институт топлива, катализа и электрохимии им. Д.В. Сокольского» (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6602177960>, <https://www.webofscience.com/wos/author/record/2017489>

ЗАМЕСТИТЕЛЬ ГЛАВНОГО РЕДАКТОРА

АБСАДЫКОВ Бахыт Нарикбаевич, доктор технических наук, профессор, академик НАН РК, Казахский национальный исследовательский технический университет им. К.И. Сатпаева (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=6504694468>, <https://www.webofscience.com/wos/author/record/2411827>

РЕДАКЦИОННАЯ КОЛЛЕГИЯ:

АБСАМЕТОВ Малис Кудысович, (заместитель главного редактора), доктор геолого-минералогических наук, профессор, академик НАН РК, директор Института гидрогеологии и геоэкологии им. У.М. Ахмедсафина (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=56955769200>, <https://www.webofscience.com/wos/author/record/1937883>

ЖОЛТАЕВ Герой Жолтаевич, доктор геологоминералогических наук, профессор, почетный академик НАН РК (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57112610200>, <https://www.webofscience.com/wos/author/record/1939201>

СНОУ Дэниел, PhD, ассоциированный профессор, директор Лаборатории водных наук Университета Небраски (штат Небраска, США), <https://www.scopus.com/authid/detail.uri?authorId=7103259215>, <https://www.webofscience.com/wos/author/record/1429613>

ЗЕЛЪТМАНН Раймар, PhD, руководитель исследований в области петрологии и месторождений полезных ископаемых в Отделе наук о Земле Музея естественной истории (Лондон, Англия), <https://www.scopus.com/authid/detail.uri?authorId=55883084800>, <https://www.webofscience.com/wos/author/record/1048681>

ПАНФИЛОВ Михаил Борисович, доктор технических наук, профессор Университета Нанси (Нанси, Франция), <https://www.scopus.com/authid/detail.uri?authorId=7003436752>, <https://www.webofscience.com/wos/author/record/1230499>

ШЕН Пин, PhD, заместитель директора Комитета по горной геологии Китайского геологического общества, член Американской ассоциации экономических геологов (Пекин, Китай), <https://www.scopus.com/authid/detail.uri?authorId=57202873965>, <https://www.webofscience.com/wos/author/record/1753209>

ФИШЕР Аксель, ассоциированный профессор, PhD, технический университет Дрезден (Дрезден, Берлин), <https://www.scopus.com/authid/detail.uri?authorId=35738572100>, <https://www.webofscience.com/wos/author/record/2085986>

АГАБЕКОВ Владимир Енокович, доктор химических наук, академик НАН Беларуси, почетный директор Института химии новых материалов (Минск, Беларусь), <https://www.scopus.com/authid/detail.uri?authorId=7004624845>

КАТАЛИН Стефан, PhD, ассоциированный профессор, Технический университет (Дрезден, Германия), <https://www.scopus.com/authid/detail.uri?authorId=35203904500>, <https://www.webofscience.com/wos/author/record/1309251>

САГИНТАЕВ Жанай, PhD, ассоциированный профессор, Назарбаев университет (Астана, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57204467637>, <https://www.webofscience.com/wos/author/record/907886>

ФРАТТИНИ Паоло, PhD, ассоциированный профессор, Миланский университет Биокк (Милан, Италия), <https://www.scopus.com/authid/detail.uri?authorId=56538922400>

НУРПЕЙСОВА Маржан Байсановна – доктор технических наук, профессор Казахского Национального исследовательского технического университета им. К.И. Сатпаева, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=57202218883>, <https://www.webofscience.com/wos/author/record/AAD-1173-2019>

РАТОВ Боранбай Товбасарович, доктор технических наук, профессор, заведующий кафедрой «Геофизика и сейсмология», Казахский Национальный исследовательский технический университет им. К.И. Сатпаева, (Алматы, Казахстан), <https://www.scopus.com/authid/detail.uri?authorId=55927684100>, <https://www.webofscience.com/wos/author/record/1993614>

РОННИ Берндтссон, Профессор Центра перспективных ближневосточных исследований Лундского университета, профессор (полный курс) Лундского университета, (Швеция), <https://www.scopus.com/authid/detail.uri?authorId=7005388716>, <https://www.webofscience.com/wos/author/record/1324908>

МИРЛАС Владимир, Факультет химической инженерии и Восточный научно-исследовательский центр, Университет Ариэля, (Израиль), <https://www.scopus.com/authid/detail.uri?authorId=8610969300>, <https://www.webofscience.com/wos/author/record/53680261>

«Известия РОО «НАН РК». Серия геологии и технических наук».

ISSN 2518-170X (Online),

ISSN 2224-5278 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и общественного развития Республики Казахстан № KZ39VPY00025420, выданное 29.07.2020 г.

Тематическая направленность: *геология, гидрогеология, география, горное дело и химические технологии нефти, газа и металлов*

Периодичность: 6 раз в год.

<http://www.geolog-technical.kz/index.php/en/>

© РОО «Национальная академия наук Республики Казахстан», 2025

CONTENTS

Geology

A. Abetov, Zh. Katrenov, S. Kudaibergenova, Sh. Kisseyeva INTEGRATED GEODYNAMIC MONITORING AND RISK ASSESSMENT OF DEFORMATION PROCESSES AT THE BOZASHY NORTH OIL AND GAS FIELD.....	9
Ye. Bukayev, F. Nurbayeva, A. Bukayeva STUDY OF CHEMICAL-MINERALOGICAL COMPOSITION OF LIMESTONE-SHELL FROM THE ZHETIBAI FIELD.....	27
K.S. Dosaliyev, M.I. Karabaev, F.Kh. Aubakirova, A.M. Karabaeva, Ya.B. Kunanbayeva STRESS-STRAIN STATE CALCULATIONS FOR THE SOIL BASE OF THE SLAB FOUNDATION OF A HIGH-RISE BUILDING.....	39
A.S. Ibraim, B.N. Absadykov, S.A. Kalmaganbetov, D.B. Absadykov STUDY OF THE PROSPECTS OF USING 3D PRINTED METAL-CERAMIC ALLOYS IN ELECTRIC MOTORS.....	55
V. Ismailov, J. Bozorov, A. Khusomiddinov, E. Yadigarov, A. Mansurov DETERMINATION OF CHANGES IN SOIL PARAMETERS USING THE PLAXIS 3D PROGRAM USING REINFORCEMENT OF BORED PILES.....	69
Yu.I. Karlina, V.Y. Konyukhov, T.A. Oparina ANALYSIS OF THE INTERACTION OF TRADITIONAL AND NEW TECHNOLOGIES FOR THE EXTRACTION OF METALS FROM SUBSTANDARD RAW MATERIALS.....	83
D.M. Kirgizbaeva, T.B. Nurpeissova, A.Zh. Beisenova, T.A. Kuandykov, S.E. Tirzhanova METHOD OF RECULTIVATION OF POLLUTED SOILS WITH OIL PRODUCTS.....	96
Zh. Markabayeva, K. Koshimbayev, L. Abzhanova, Y. Orakbaev, S. Sagyndykova ANALYSIS OF MODERN METHODS FOR CONTROL AND MANAGEMENT OF THE FLOTATION PROCESS.....	109

N.A. Medeshova, D.A. Novikov, E.S. Auelkhan, A.R. Tasbolat, Sh.D. Miniskul HYDROGEOCHEMICAL FEATURES OF THE NORTH-WESTERN REGIONS OF THE TORGAY DEPRESSION IN RESPECT OF THE SEARCH FOR DEPOSITS OF STRATEGIC METALS.....	120
I.E. Nekrasova, R.V. Kononenko, M.A. Popov, M.I. Chazhaev, S.S. Khudoyorov OPTIMISATION OF DUST REGIME AND EXPLOSION SAFETY OF COAL MINES.....	139
S.H. Novruzova, I.N. Aliyev. E.V. Gadashova CONTROL OF THE FACTORS AFFECTING WELL PRODUCTIVITY.....	151
M.B. Nurpeissova, G. Meirambek, N.S. Donenbayeva, Ye.Zh. Ormambekov, R.Sh. Bek DEVELOPMENT OF METHOD FOR ASSESSING QUARRY SLOPE STABILITY USING SIDE MASSIF MAPPING.....	166
B. Orazbayev, B. Assanova, Zh. Shangitova, Zh. Moldasheva HEURISTIC APPROACH TO MULTI-CRITERIA OPTIMISATION OF A MODEL BASED DELAYED COKING PROCESS IN FUZZY ENVIRONMENT.....	179
B. Orymbetov, E. Orymbetov, G. Orymbetova, A. Khusanov, T. Orymbetov HYDRAULIC RESISTANCE OF THE ADSORBER WITH REGULAR NOZZLE.....	197
A.P. Permana, D.W.K. Baderan, R. Hutagalung, F.A. Ahmad TECTONIC GEOHISTORY OF THE GORONTALO REGION BASED ON FORAMINIFERA FOSSIL.....	207
V. Solonenko, N. Makhmetova, N. Ivanovtseva, M. Kvashnin, V. Nikolaev STABILITY OF WORKINGS OF THE CROSSHAIRS AND DRIFTS TYPE IN THE INCLINED-LAYERED ROCK MASSIF.....	220
V. Stanevich, O. Vyshar, G. Rakhimova, M. Rakhimov, S. Kovtareva TECHNOGENIC WASTE FROM COAL MINING - A PROMISING RAW MATERIAL FOR THE PRODUCTION OF BUILDING CERAMICS.....	233
Zh.K. Tukhfatov, M.K. Jexenov, Y.K. Bektay, G.S. Turysbekova, B.N. Shiderin EXPLORATION STUDIES FOR RAW CHEMICAL MINERAL RESOURCES IN THE CASPIAN BASIN SALT DOMES.....	252

**Y.A. Tynchenko, E.V. Khudyakova, V.V. Kukartsev, M.N. Stepancevich,
A.A. Stupina**

FORECASTING THE CONTENT OF RARE EARTH ELEMENTS BASED
ON GEOCHEMICAL DATA USING ENSEMBLE LEARNING

METHODS.....268

**B. Khusain, N.E. Zhumakhanova, A.Zh. Kenessary, D.N. Delikesheva,
T.D. Darzhokov**

OPTIMIZATION OF CO₂ HUFF-N-PUFF PARAMETERS FOR ENHANCED
GAS RECOVERY IN SHALE RESERVOIRS: A COMPOSITIONAL

SIMULATION STUDY.....281

NEWS of the National Academy of Sciences of the Republic of Kazakhstan
SERIES OF GEOLOGY AND TECHNICAL SCIENCES
ISSN 2224-5278
Volume 3. Number 471 (2025), 109–119

<https://doi.org/10.32014/2025.2518-170X.514>

UDC 622.765:622.7.001.573

© **Zh. Markabayeva**^{1*}, **K. Koshimbayev**², **L. Abzhanova**¹,
Y. Orakbaev¹, **S. Sagyndykova**¹, 2025.

¹Almaty University of Power Engineering and Communications,
Almaty, Kazakhstan;

²Satbayev University, Almaty, Kazakhstan.

E-mail: zh.markabayeva@aes.kz

ANALYSIS OF MODERN METHODS FOR CONTROL AND MANAGEMENT OF THE FLOTATION PROCESS

Zh. Markabayeva — Master of engineering sciences, senior lecturer, department of «Automation and control», Almaty University of Power Engineering and Telecommunications named after Gumarbek Daukeev, Almaty, Kazakhstan, E-mail: zh.markabayeva@aes.kz, <https://orcid.org/0000-0001-5938-8220>;

S. Koshimbayev — Candidate of technical sciences, associate professor, department of «Automation and control» Satbayev University, Almaty, Kazakhstan, E-mail s.koshimbayev@satbayev.university, <https://orcid.org/0000-0002-3718-6860>;

L. Abzhanova — PhD, associate professor, head of the department of «Automation and control» Almaty University of Power Engineering and Telecommunications named after Gumarbek Daukeev, Almaty, Kazakhstan, E-mail: l.abzhanova@aes.kz, <https://orcid.org/0000-0003-1781-269X>;

Y. Orakbaev — PhD, associate professor, department of «Automation and control», Almaty University of Power Engineering and Telecommunications named after Gumarbek Daukeev, Almaty, Kazakhstan, E-mail: e.orakbaev@aes.kz, <https://orcid.org/0000-0003-3100-7419>;

S. Sagyndykova — Candidate of technical sciences, associate professor department of «Automation and control», Almaty University of Power Engineering and Telecommunications named after Gumarbek Daukeev, Almaty, Kazakhstan, E-mail: sh.sagyndykova@aes.kz, <https://orcid.org/0000-0001-5909-584X>.

Abstract. Froth flotation remains one of the primary methods for mineral resource beneficiation. Despite its widespread use, the process's overall efficiency depends heavily on accurate and timely control of its parameters, highlighting the need for improved automation technologies. Applied methods: This paper reviews current approaches to flotation process automation, focusing on smart technologies, real-time sensors, and predictive control systems. Particular attention is given to methods for pulp level regulation, airflow adjustment, reagent dosing, and pH monitoring. Additionally, the implementation of machine vision systems is considered as a complementary tool for flotation diagnostics and control. Main hypotheses and conclusions: The analysis of existing research underscores the

limitations of traditional control strategies and supports the shift toward hybrid, adaptive, and model-free techniques. These emerging approaches provide greater flexibility and responsiveness to process fluctuations. The integration of advanced sensor technologies, visual data processing, and predictive modeling can notably enhance the stability of flotation operations and improve mineral recovery efficiency. Practical significance: The findings of this work offer a scientific foundation for developing innovative automation solutions tailored to flotation processes. These solutions are aimed at optimizing operational performance, reducing manual intervention, and lowering energy and reagent consumption. As such, the adoption of intelligent control systems presents a promising path toward more sustainable and cost-effective mineral processing in modern industry.

Key words: flotation, process control, flotation automation, intelligent control, flotation optimization

© Ж. Маркабаева^{1*}, К. Кошимбаев², Л. Абжанова¹, Е. Оракбаев¹,
Ш. Сагындыкова¹, 2025.

¹Ғұмарбек Дәукеев атындағы Алматы энергетика және байланыс
университеті;

²Сәтпаев Университеті, Алматы, Қазақстан.

E-mail: zh.markabayeva@aes.kz

ФЛОТАЦИЯ ПРОЦЕСІН БАҚЫЛАУДЫҢ ЖӘНЕ БАСҚАРУДЫҢ ЗАМАНАУИ ӘДІСТЕРІН ТАЛДАУ

Ж. Маркабаева — техника ғылымдарының магистрі, «Автоматтандыру және басқару» кафедрасының аға оқытушысы, Ғұмарбек Дәукеев атындағы Алматы энергетика және байланыс университеті, Алматы, Қазақстан, E-mail: zh.markabayeva@aes.kz, <https://orcid.org/0000-0001-5938-8220>;

Ш. Кошимбаев — техника ғылымдарының кандидаты, «Автоматтандыру және басқару» кафедрасының қауымдастырылған профессоры, Сәтпаев университеті, Алматы, Қазақстан, E-mail: s.koshimbayev@satbayev.university, <https://orcid.org/0000-0002-3718-6860>;

Л. Абжанова — PhD, «Автоматтандыру және басқару» кафедрасының меңгерушісі, доцент, Ғұмарбек Дәукеев атындағы Алматы энергетика және байланыс университеті, Алматы, Қазақстан, E-mail: l.abzhanova@aes.kz, <https://orcid.org/0000-0003-1781-269X>;

Е. Оракбаев — PhD, «Автоматтандыру және басқару» кафедрасының доценті, Ғұмарбек Дәукеев атындағы Алматы энергетика және байланыс университеті, Алматы, Қазақстан, E-mail: e.orakbaev@aes.kz, <https://orcid.org/0000-0003-3100-7419>;

Ш. Сагындыкова — техника ғылымдарының кандидаты, «Автоматтандыру және басқару» кафедрасының доценті, Ғұмарбек Дәукеев атындағы Алматы энергетика және байланыс университеті, Алматы, Қазақстан, E-mail: sh.sagyndykova@aes.kz, <https://orcid.org/0000-0001-5909-584X>.

Аннотация. Көбік флотациясы минералды ресурстарды байытудың негізгі әдістерінің бірі болып қала береді. Кең таралғанына қарамастан, бұл процестің жалпы тиімділігі көбінесе оның параметрлерін басқарудың дәлдігі мен уақтылығына байланысты, бұл автоматтандыру технологияларын

жетілдіру қажеттілігін көрсетеді. Қолданылатын әдістер: мақалада ақылды технологияларға, нақты уақыттағы сенсорларға және болжамды басқару жүйелеріне баса назар аудара отырып, флотация процесін автоматтандырудың заманауи тәсілдері қарастырылады. Целлюлоза деңгейін реттеу, ауа беру, реагенттерді мөлшерлеу және рН мониторингі әдістеріне ерекше назар аударылады. Сондай-ақ, флотация процесін диагностикалау мен басқарудың қосымша құралы ретінде машиналық көру жүйелерін енгізу қарастырылады. Негізгі гипотезалар мен қорытындылар: қолданыстағы зерттеулерді талдау дәстүрлі реттеу стратегияларының шектеулерін анықтайды және гибриді, бейімделгіш және модельсіз басқару әдістеріне көшу қажеттілігін растайды. Бұл жаңа тәсілдер жоғары икемділік пен процесс параметрлерінің ауытқуына төзімділікті қамтамасыз етеді. Жетілдірілген сенсорлық технологиялардың, визуалды аналитиканың және болжамды модельдеудің интеграциясы флотациялық операциялардың тұрақтылығын және минералды экстракцияның тиімділігін едәуір арттыра алады. Практикалық маңыздылығы: алынған нәтижелер флотацияны автоматтандыру саласындағы инновациялық шешімдерді әзірлеу үшін ғылыми негіз жасайды. Бұл шешімдер өндіріс тиімділігін арттыруға, қолмен араласу қажеттілігін азайтуға, сондай-ақ энергия шығыны мен реагенттердің шығынын азайтуға бағытталған. Зерттеу перспективалары: осы саладағы одан әрі ғылыми әзірлемелер өзін-өзі түзету алгоритмдерін жетілдіруге және модельдерді онлайн режимінде оқытуға бағытталуы мүмкін. Мультисенсорлық деректерді интерпретациялау және жүйелердің әртүрлі өңдеу жағдайларына бейімделуін арттыру саласындағы зерттеулер ерекше қызығушылық тудырады. Мұның бәрі минералды шикізатты байытудың интеллектуалды, автономды және тиімді технологияларын қалыптастыруға ықпал етеді.

Түйін сөздер: флотация, процесті басқару, флотацияны автоматтандыру, интеллектуалды басқару, флотацияны оңтайландыру

© Ж. Маркабаева^{*1}, К. Кошимбаев², Л. Абжанова¹, Е. Оракбаев¹,
Ш. Сагындыкова¹, 2025.

¹Алматинский университет энергетики и связи имени Гумарбека Даукеева,
Алматы, Казахстан;

²Satbayev University, Алматы, Казахстан.

E-mail: zh.markabayeva@aes.kz

АНАЛИЗ СОВРЕМЕННЫХ МЕТОДОВ ПО КОНТРОЛЮ И УПРАВЛЕНИЮ ПРОЦЕССОМ ФЛОТАЦИИ

Ж. Маркабаева — магистр техн. наук, старший преподаватель кафедры «Автоматизация и управление», Алматинский университет энергетики и связи имени Гумарбека Даукеева, Алматы, Казахстан, E-mail: zh.markabayeva@aes.kz, <https://orcid.org/0000-0001-5938-8220>;

Ш. Кошимбаев — кандидат технических наук, доцент, ассоциированный профессор кафедры

«Автоматизация и управление» Satbayev university, Алматы, Казахстан, E-mail: s.koshimbayev@satbayev.university, <https://orcid.org/0000-0002-3718-6860>;

Л. Абжанова — PhD, ассоциированный профессор, заведующая кафедрой «Автоматизация и управление», Алматинский университет энергетики и связи имени Гумарбека Даукеева, Алматы, Казахстан, E-mail: l.abzhanova@aes.kz, <https://orcid.org/0000-0003-1781-269X>;

Е. Оракбаев — PhD, ассоциированный профессор, кафедры «Автоматизация и управление», Алматинский университет энергетики и связи имени Гумарбека Даукеева, Алматы, Казахстан, E-mail: e.orakbaev@aes.kz, <https://orcid.org/0000-0003-3100-7419>;

Ш. Сагындыкова — к.т.н., ассоциированный профессор кафедры «Автоматизация и управление», Алматинский университет энергетики и связи имени Гумарбека Даукеева, Алматы, Казахстан, E-mail: sh.sagindykova@aes.kz, <https://orcid.org/0000-0001-5909-584X>.

Аннотация. Пенная флотация остаётся одним из основных методов обогащения минеральных ресурсов. Несмотря на широкое распространение, общая эффективность данного процесса в значительной степени зависит от точности и своевременности управления его параметрами, что подчёркивает необходимость совершенствования технологий автоматизации. Применяемые методы. В статье рассматриваются современные подходы к автоматизации процесса флотации с акцентом на умные технологии, сенсоры реального времени и системы предиктивного управления. Особое внимание уделено методам регулирования уровня пульпы, подачи воздуха, дозирования реагентов и мониторинга pH. Также рассматривается внедрение систем машинного зрения как дополнительного инструмента диагностики и управления флотационным процессом. Основные гипотезы и выводы. Анализ существующих исследований выявляет ограничения традиционных стратегий регулирования и подтверждает необходимость перехода к гибридным, адаптивным и безмодельным методам управления. Эти новые подходы обеспечивают более высокую гибкость и устойчивость к колебаниям параметров процесса. Интеграция передовых сенсорных технологий, визуальной аналитики и предиктивного моделирования способна значительно повысить стабильность флотационных операций и эффективность извлечения минералов. Практическая значимость. Полученные результаты создают научную основу для разработки инновационных решений в области автоматизации флотации. Эти решения направлены на повышение производственной эффективности, снижение необходимости ручного вмешательства, а также сокращение энергозатрат и расхода реагентов. Перспективы исследований. Дальнейшие научные разработки в данной области могут быть направлены на совершенствование алгоритмов самокоррекции и обучение моделей в режиме онлайн. Особый интерес представляют исследования в области интерпретации мультисенсорных данных и повышения адаптивности систем к различным условиям переработки. Всё это будет способствовать формированию более интеллектуальных, автономных и эффективных технологий обогащения минерального сырья.

Ключевые слова: флотация, управление процессом, автоматизация флотации, интеллектуальное управление, оптимизация флотации

Introduction

Froth flotation is one of the most widely used beneficiation methods in the mining industry. However, many years of experience in research and process development show that flotation is still not fully understood and is relatively imperfect. Thus, significant economic benefits can be achieved by optimizing a number of current processes (McKee, 1991). Based on this, the flotation process control strategy is formed as a multidimensional and interrelated hierarchy (Jovanovic, et al., 2015).

Effective process management begins with the right tools - these are the devices that form the basis of the entire process management. Also, effective selection of devices is possible only with a deep knowledge of their operation and the application of the required device in the context of a given process.

Flotation control is focused on maintaining key parameters and setpoints. Key parameters include pulp level, air flow, and reagent injection rate. This is typically achieved using standard PID control (Albertus, et al., 2025). Similarly, standard control was used for individual cells, but modern control strategies are now often applied to entire flotation cells.

To optimize the flotation process, the problems of stabilizing the control of process parameters in the event of deviations caused by changes in the input raw materials, as well as maintaining the established values of key performance indicators, which include: the content of the target component and its degree of extraction, are studied. Considering economic parameters such as reagent price and product market value, flotation optimization is a key tool to improve performance and reduce costs. The main objective of these methods is to increase the overall economic profit, which is usually achieved by increasing recovery and improving concentrate quality. Thus, the complex elements of the flotation process are controlled by selecting the correct setpoints, which ensures stability and predictability of the process regime. These conditions serve as the foundation for successful parameter adjustment and stable production results.

Materials and methods

Flotation is a separation process involving three phases simultaneously: solid, liquid and gaseous, which are represented by fine particles in multi-component ore smaller than 0.1 mm (usually smaller than 0.074 mm), water and air bubbles. The flotation results are significantly affected by the characteristics of the interacting phases and the physicochemical reactions occurring at the boundaries of their separation. The key factor is the different ability of mineral particles to absorb water. The natural wettability of minerals can be both hydrophobic and hydrophilic. However, flotation capacity can be adjusted by introducing flotation reagents into the pulp. These reagents are chemical compounds that specifically affect the pulp and minerals. To carry out flotation, an aerated pulp is used, to which heteropolar substances are added, stabilizing air bubbles and promoting the formation of stable foam that retains minerals. All the above stages are carried out in flotation cells (main and cleaning) according to a developed scheme, which is schematically presented in the section surrounded by a dotted line in Figure 1 (Gaete-Garretón, 2015).




Figure 1 - Schematic representation of the flotation process

The complexity of the flotation process used in beneficiation is highlighted by assessments that highlight the need for accurate and reliable measurement of a number of key parameters (Azizi, et al., 2020). In addition, efforts to control the interactions between parameters become even more challenging. For example, an increase in air flow rate can cause an increase in bubble size, which in turn will affect their rise rate, adhesion rate, gas retention time, froth depth, etc. (Hell, et al., 2024).

In addition, any change in one of the chambers (e.g., in the cleaning circuit) affects the pulp composition and the flow rate of each stream leaving this chamber. This change also affects all subsequent stages of the process and even earlier stages such as re-flotation. For example, when processing sulphide copper and zinc ores, an increase in the pulp level in the finishing chamber causes the extraction of not only a greater amount of target minerals into concentrate, but also gangue along with water. An increased material content in the concentrate during re-cleaning leads to an increase in the pulp flow rate entering the rougher flotation stage, which reduces the residence time in the flotation cells. These changes occurring at the cleaning stage affect the final results: the extraction of valuable components increases, but its content in the final concentrate decreases (Meng, et al., 2016).

It is important to consider that the interaction of changes in more than one variable over a short period of time can result in long-term disruption to the flotation system. Therefore, Table 1 summarizes the variables and their complex, nonlinear relationships.

Table 1. Key variables of the flotation process

Category	Process variables	Control factors
Physical	Pulp density	Regulation of solid and liquid feed, pulp dilution control
	Pulp solids content	Regulation of solid and liquid feed, pulp dilution control
	Pulp flow rate (retention time)	Regulation of pulp feed rate, change of flotation cell volume
	Pulp level in flotation cells	Regulation of pulp release from the cell, control of liquid supply
	Air consumption in flotation cells	Regulating air supply by compressor, setting up air distributors
	Foam properties (flow rate, bubble size, stability)	Regulation of foaming agent supply, pulp level control, air flow control
	Particle size and shape, degree of mineral disclosure	Preliminary processing of ore (crushing, grinding), regulation of the grinding process
	Consumption of washing water (in column flotation machines)	Regulation of water supply to the column, control of the height of the foam layer
Chemicals	pH of pulp	Adding pH regulators (acid or alkali), water quality control
	Oxidation-reduction potential (Eh) of pulp	Addition of oxidizing or reducing agents, control of electrochemical processes
	Electrical conductivity of pulp	Control of ionic composition of water, addition of reagents
	Type and dosage of flotation reagents (frothing agents, collectors, depressors, activators)	Automated reagent dosing systems, manual dosage adjustment, selection of the optimal reagent type depending on the ore composition and the required results

To achieve effective control of the flotation process, it is not always necessary to measure and control every variable simultaneously. However, the impact of each variable on the flotation process must be considered, since even small deviations can have a cumulative effect.

Results. In this context, the flotation plant configuration is of particular importance, as it directly affects the control capabilities and accuracy. In particular, the presence of recirculation flows can significantly complicate the control of, for example, the pulp level, especially if uncontrolled accumulation or release of material occurs (Michaux, et al., 2020). In addition, different sections of the plant require the use of different control strategies. Thus, at the roughing and scavenging stages, where the priority is to maximize the recovery of valuable components, modes with a low froth depth and high air flow are usually used (Zhao, et al., 2025). At the same time, at the finishing stages, the purpose of which is to improve the quality of the concentrate, modes with a greater froth depth and reduced air flow are preferable.

However, even under optimal operating conditions, process stability largely depends on the ability of the system to respond in a timely manner to external

and internal disturbances. Therefore, to effectively control flotation, it is important to understand the characteristics, frequency, and intensity of input disturbances. Provided that the control systems in the grinding circuit operate reliably (Mathe, et al., 2021), changes in feed rate, pulp density, and particle size should be small. At the same time, the flotation circuit must compensate for changes in ore mineralogy and floatability. Data on input disturbances, current operating conditions and product quality are critical for operational and strategic decision making. However, despite the availability of instrumentation to measure important parameters such as ore composition, flow rate and less specific ore properties (e.g. pulp level, density, pH), important properties such as recovery rate, surface chemistry, bubble size distribution, bubble loading remain difficult to measure and directly impact recovery efficiency (Heng, et al., 2024).

In response to these challenges, modern flotation control methods increasingly use intelligent technologies. Current control systems for mechanical flotation cells are improved by the introduction of intelligent model-predictive control algorithms that complement the classic PID controllers that remain the basis for maintaining key parameters at the level of individual sections and devices. To apply this method in practice, a reliable hardware base is required: air flow sensors, ultrasonic level meters and digitally controlled actuators that ensure long-term stability and flexibility of the entire flotation complex (Jovanović, et al., 2015). The development of measurement technologies is of particular importance as flotation cells grow. Figure 2 shows a pH monitoring system implemented in a flotation cell (Barry, et al., 2016).




Figure 2. pH control in the flotation circuit

Modern approaches to increasing the volume of flotation cells combine kinetic models and empirical methods, however, froth transport in large cells remains an important unsolved problem that requires a combination of design solutions and froth dynamics models (Mesa, et al., 2019). Flotation cell control focuses on maintaining a constant pulp level and maximizing the recovery of valuable minerals in the concentrate, while separating gangue into tailings, which allows for effective control of key parameters and optimization of mineral separation (le Roux, et al., 2019).

At the same time, the focus is on air flow control and foam dynamics management. A multi-parameter sensor with a Double-Path algorithm has been studied, which provides accurate monitoring of motion in real time and can be used to analyze hydrodynamic processes in industrial flotation cells (Mazzoli, et al., 2025). It has been proven that reducing the air feed rate contributes to more stable foam formation and improves the mechanism of retention of large particles in the pulp, which allows to increase the efficiency of copper beneficiation in flotation machines (Gacitúa, et al., 2023). Modern submersible sensors for industrial flotation cells provide accurate and continuous measurements of key pulp parameters, such as gas content and density, which significantly increases the efficiency of process control and optimization (Maldonado, et al., 2024).

Modern approaches to pulp composition analysis also contribute to optimized control. A new generation of in-line sensors for industrial flotation devices offers accurate and continuous measurements of key pulp properties such as gas content and density, significantly improving process control and optimization capabilities. Thus, real-time elemental analysis using in-line XRF analyzers like FLORIDA enables rapid and cost-effective copper content monitoring. Automation of reagent dosing is especially important in conditions of unstable feedstock. Given the continuous changes in ore properties such as particle size, flow rate, and concentration, the dosing system must be adjusted in real time to stabilize the process and improve flotation efficiency (Kejonen, et al., 2018).

Thus, automation of reagent management focuses on creating stable conditions for flotation and maximizing recovery, while reducing human influence and system response to process disturbances. Monitoring electrochemical parameters such as Eh, pH, and conductivity remains an equally important element in the automatic control system. Measuring electrochemical potential (Eh) and pH is one of the key technologies that helps to better understand and control the oxidation and reduction processes that affect the recovery of metals such as copper and lead in the flotation circuit (Gaosong yi, 2023). Case studies have shown that optimizing electrochemical potential improves flotation efficiency, but different types of electrodes such as platinum, mineral, and ion-selective provide diverse information, requiring an integrated approach to real-time analysis and reagent dosing (Heng, et al., 2023). Combining predictive models, such as slurry pH correction, can take into account the effects of ore composition and dynamic processes in bauxite flotation, ensuring

accurate and timely monitoring. The use of autoregressive algorithms and expert correction ensures the stability of the control system and forms the basis for the implementation of predictive systems in flotation plants (Lu, et al., 2023).

Discussion

The conducted analysis of modern methods for control and management of the flotation process, focuses on the main aspects of these parameters. The relevance of the topic of this study in the study of this area by students and scientists will help and expand their perception from a new point of view.

Conclusions

Modern approaches to flotation control include the integration of advanced technologies such as multi-parameter and submersible sensors, automated reagent dosing systems, electrochemical parameter monitoring systems and real-time elemental analysis. This allows for more efficient process control, adaptation to changes in raw materials and optimum recovery of valuable components, leading to increased productivity and reduced costs in the mining industry. In the future, we can expect further development of intelligent control systems capable of self-learning and adapting to even more complex conditions.

References

- Albertus V. Richter, Johan D. le Roux, Ian K. Craig. (2025) Bayesian optimization for automatic tuning of a MIMO controller of a flotation bank, *Journal of Process Control*, 147: 103388. <https://doi.org/10.1016/j.jprocont.2025.103388> (in English)
- Azizi A., Masdarian M., Hassanzadeh A., Bahri Z., Niedoba T., Surowiak A. (2020) Parametric Optimization in Rougher Flotation Performance of a Sulfidized Mixed Copper Ore, *Mineral Processing and Extractive Metallurgy, Minerals*, 10(8):660. <https://doi.org/10.3390/min10080660> (in English)
- Barry A. Wills, James A. (2016) *Finch FRSC, FCIM, P. Eng. Chapter 12 - Froth Flotation. 12.15.3 Fundamental Controlled Variables: Pulp Level, Air Rate, pH, and Reagent Addition*, Wills' Mineral Processing Technology (Eighth Edition). —P. 265-380. <https://doi.org/10.1016/B978-0-08-097053-0.00012-1> (in English)
- Gacitúa MM, Saavedra MM, Vinnett L. (2023) The Impact of Restricting Air Intake in Self-Aspirated Flotation Cells at Los Pelambres Concentrator, *Minerals*, 13(11):137. <https://doi.org/10.3390/min13111375> (in English)
- Gaete-Garretón L. (2015) 35 - The use of power ultrasound in mining. 35.5.1 The flotation process, *Power Ultrasonics*, 1059-1094. <https://doi.org/10.1016/B978-1-78242-028-6.00035-1> (in English)
- Gaosong yi. (2023) *Electrochemical Potential Measurement in Flotation*. [https://www.researchgate.net/publication/359389494_Electrochemical_Potential_Measurement_in_Flotation] (in English)
- Hell F. & Liebminger L.A. (2024) *Flotation in Water and Used Water Purification*, Lahnsteiner, J. (eds) *Handbook of Water and Used Water Purification*. Springer, Cham. — P. 55-75. Online ISBN 978-3-319-78000-9 (in English)
- Heng Y. & Zengxian G. (2024) *Flotation Process Measurement and Control*, The ECPH Encyclopedia of Mining and Metallurgy. Springer, Singapore, 705. DOI: https://doi.org/10.1007/978-981-99-2086-0_820 (in English)
- Heng Y., Zengxian G. & Kuangdi Xu. (2023) *Flotation Reagent Automatic Control*. The ECPH Encyclopedia of Mining and Metallurgy. Springer, Singapore. — P. 1-2. Online ISBN 978-981-19-0740-1 (in English)
- Jovanovic, I. Miljanovic. (2015) Modeling of flotation processes by classical mathematical methods – a review, *Archives of Mining Sciences*, 4: 905-919. DOI: 10.1515/amsc-2015-0059 (in English)

- Jovanović I., Miljanović I. (2015) Contemporary advanced control techniques for flotation plants with mechanical flotation cells – A review, *Minerals Engineering*, 70: 228-249. <https://doi.org/10.1016/j.mineng.2014.09.022> (in English)
- Kejonen I., Haavisto O., Martikainen J., Suontaka V., Musuku B. (2018) Improving grade control efficiency with rapid on-line elemental analysis, *Minerals Engineering*, 124: 68-73. <https://doi.org/10.1016/j.mineng.2018.05.002> (in English)
- le Roux JD, Craig IK (2019) State controllability of a froth flotation cell, *IFAC-PapersOnLine*, 52(14): — P. 54-59. <https://doi.org/10.1016/j.ifacol.2019.09.163> (in English)
- Liu X., Aldrich C. (2023) Flotation Froth Image Recognition Using Vision Transformers, *IFAC-PapersOnLine*, 56(2):2329-2334. <https://doi.org/10.1016/j.ifacol.2023.10.1202> (in English)
- Lu F., Gui W., Yang C. and Wang X. (2023) Two-Step Optimal-Setting Control for Reagent Addition in Froth Flotation Based on Belief Rule Base, *Process Control and Monitoring*, 10(10):1933. <https://doi.org/10.3390/pr10101933> (in English)
- Maldonado M., Ramos I., Martinez J., Artigas A., Bustos P., Morales M., Miranda N. (2024) A multivariable submersible sensor for monitoring in real-time industrial flotation cells, *Minerals Engineering*, 217:108939. <https://doi.org/10.1016/j.mineng.2024.108939> (in English)
- Mathe E., Cruz C., Lucay F.A., Gálvez ED, Cisternas L.A. (2021) Development of a grinding model based on flotation performance, *Minerals Engineering*, 166:106890. <https://doi.org/10.1016/j.mineng.2021.106890> (in English)
- Mazzoli F., Alghisi D., Ferrari V. (2025) A Multivariable Motion Sensor Embedding an Improved Velocity Estimation Algorithm, *IEEE Sensors Journal*, 25(8):13840 – 13849. DOI: 10.1109/JSEN.2025.3546331 (in English)
- McKee, DJ (1991) Automatic flotation control- a review of 20 years of effort. *Minerals Engineering*, *Minerals Engineering*, 4(7-11):653–666. DOI: [https://doi.org/10.1016/0892-6875\(91\)90055-z](https://doi.org/10.1016/0892-6875(91)90055-z) (in English)
- Meng J., Tabosa E., Xie W., Runge K., Bradshaw D., Manlapig E. (2016) A review of turbulence measurement techniques for flotation, *Minerals Engineering*, 95:79-95. <https://doi.org/10.1016/j.mineng.2016.06.007> (in English)

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

**[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)
<http://www.geolog-technical.kz/index.php/en/>
ISSN 2518-170X (Online),
ISSN 2224-5278 (Print)**

Директор отдела издания научных журналов НАН РК *А. Ботанқызы*

Редакторы: *Д.С. Аленов, Ж.Ш. Әден*

Верстка на компьютере *Г.Д. Жадыранова*

Подписано в печать 15.06.2025.

Формат 70х90^{1/16}. Бумага офсетная. Печать – ризограф.
14,5 п.л. Заказ 3.