

ISSN 2518-1726 (Online),  
ISSN 1991-346X (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ  
әл-Фараби атындағы Қазақ ұлттық университетінің

# Х А Б А Р Л А Р Ы

---

---

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Қазақстан Республикасының  
Ғылым Академиясының  
им. аль-Фараби

## NEWS

OF THE NATIONAL ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
Al-Farabi  
Kazakh National University

### SERIES PHYSICO-MATHEMATICAL

## 2 (336)

MARCH – APRIL 2021

PUBLISHED SINCE JANUARY 1963

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

---

*NAS RK is pleased to announce that News of NAS RK. Series physico-mathematical journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.*

*Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Физикалық-математикалық сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.*

*НАН РК сообщает, что научный журнал «Известия НАН РК. Серия физико-математическая» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.*

Б а с р е д а к т о р  
ф.-м.ғ.д., проф., ҚР ҰҒА академигі  
**Ғ.М. Мұтанов**

Р е д а к ц и я а л қ а с ы:

**Асанова А.Т.** проф. (Қазақстан)  
**Бошкаев К.А.** PhD докторы (Қазақстан)  
**Байгунчеков Ж.Ж.** проф., академик (Қазақстан)  
**Quevedo Hernando** проф. (Мексика)  
**Жүсіпов М.А.** проф. (Қазақстан)  
**Ковалев А.М.** проф., академик (Украина)  
**Калимолдаев М.Н.** проф., академик (Қазақстан)  
**Михалевич А.А.** проф., академик (Белорусь)  
**Мырзакулов Р.** проф., академик (Қазақстан)  
**Рамазанов Т.С.** проф., академик (Қазақстан)  
**Такибаев Н.Ж.** проф., академик (Қазақстан), бас ред. орынбасары  
**Тигиняну И.** проф., академик (Молдова)  
**Уалиев З.Г.** проф., чл.-корр. (Қазақстан)  
**Харин С.Н.** проф., академик (Қазақстан)

**«ҚР ҰҒА Хабарлары. Физика-математикалық сериясы».**

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.).

Қазақстан Республикасының Ақпарат және коммуникациялар министрлігінің Ақпарат комитетінде  
14.02.2018 ж. берілген № 16906-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

**Тақырыптық бағыты:** *физика-математика ғылымдары және ақпараттық  
технологиялар саласындағы басым ғылыми зерттеулерді  
жариялау.*

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекен-жайы: 050010, Алматы қ., Шевченко көш., 28; 219 бөл.;  
тел.: 272-13-19; 272-13-18

<http://physics-mathematics.kz/index.php/en/archive>

---

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2021

Типографияның мекен-жайы: «Аруна» ЖК, Алматы қ., Мұратбаева көш., 75.

Главный редактор  
д.ф.-м.н., проф. академик НАН РК  
**Г.М. Мутанов**

Редакционная коллегия:

**Асанова А.Т.** проф. (Казахстан)  
**Бошкаев К.А.** доктор PhD (Казахстан)  
**Байгунчечков Ж.Ж.** проф., академик (Казахстан)  
**Quevedo Hernando** проф. (Мексика)  
**Жусупов М.А.** проф. (Казахстан)  
**Ковалев А.М.** проф., академик (Украина)  
**Калимолдаев М.Н.** проф., академик (Казахстан)  
**Михалевич А.А.** проф., академик (Беларусь)  
**Мырзакулов Р.** проф., академик (Казахстан)  
**Рамазанов Т.С.** проф., академик (Казахстан)  
**Такибаев Н.Ж.** проф., академик (Казахстан), зам. гл. ред.  
**Тигиняну И.** проф., академик (Молдова)  
**Уалиев З.Г.** проф., чл.-корр. (Казахстан)  
**Харин С.Н.** проф., академик (Казахстан)

**«Известия НАН РК. Серия физика-математическая».**

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации Министерства информации и коммуникаций Республики Казахстан № 16906-Ж, выданное 14.02.2018 г.

**Тематическая направленность:** *публикация приоритетных научных исследований в области физико-математических наук и информационных технологий.*

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219; тел.: 272-13-19; 272-13-18

<http://physics-mathematics.kz/index.php/en/archive>

---

© Национальная академия наук Республики Казахстан, 2021

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

Editor in chief

doctor of physics and mathematics, professor, academician of NAS RK

**G.M. Mutanov**

Editorial board:

**Asanova A.T.** prof. (Kazakhstan)

**Boshkayev K.A.** PhD (Kazakhstan)

**Baigunchekov Zh.Zh.** prof., akademik (Kazakhstan)

**Quevedo Hemando** prof. (Mexico)

**Zhusupov M.A.** prof. (Kazakhstan)

**Kovalev A.M.** prof., academician (Ukraine)

**Kalimoldaev M.N.** prof., akademik (Kazakhstan)

**Mikhalevich A.A.** prof., academician (Belarus)

**Myrzakulov R.** prof., akademik (Kazakhstan)

**Ramazanov T.S.** prof., akademik (Kazakhstan)

**Takibayev N.Zh.** prof., academician (Kazakhstan), deputy editor in chief.

**Tiginyanu I.** prof., academician (Moldova)

**Ualiev Z.G.** prof., chl.-korr. (Kazakhstan)

**Kharin S.N.** prof., academician (Kazakhstan)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Physical-mathematical series.**

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodical printed publication in the Committee of information of the Ministry of Information and Communications of the Republic of Kazakhstan No. 16906-Ж, issued on 14.02.2018.

**Thematic scope: *publication of priority research in the field of physical and mathematical sciences and information technology.***

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, Almaty, 050010, tel. 272-13-19; 272-13-18

<http://physics-mathematics.kz/index.php/en/archive>

---

© National Academy of Sciences of the Republic of Kazakhstan, 2021

Address of printing house: ST "Aruna", 75, Muratbayev str., Almaty.

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN  
PHYSICO-MATHEMATICAL SERIES

ISSN 1991-346X

Volume 2, Number 336 (2021), 138 – 144

<https://doi.org/10.32014/2021.2518-1726.33>

UDC 521.1

MRNTI 41.03.00

**M. Zh. Minglibayev<sup>1,2</sup>, T. M. Zhumabek<sup>1</sup>**

<sup>1</sup> Al-Farabi Kazakh National University, Almaty, Kazakhstan;

<sup>2</sup> Fesenkov Astrophysical Institute, Almaty, Kazakhstan.

E-mail: minglibayev@gmail.com

## ON THE RESTRICTED THREE-BODY PROBLEM

**Abstract.** The paper analytically investigates the classical restricted three-body problem in a special non-inertial central coordinate system, with the origin at center of forces. In this coordinate system, an analytical expression of the invariant of the centre of forces is given. The existence of the invariant of the centre of forces admits the correct division of the problem into two problems. The first is a triangular restricted three-body problem. The second is a collinear restricted three-body problem. In this paper the collinear restricted three-body problem is investigated. Using the properties of the invariant of centre of forces of the restricted three-body problem in the special non-inertial central coordinate system, the basic differential equations of motion for the collinear restricted three-body problem are obtained when three bodies lie on the same line during all motion. Differential equations of the collinear restricted three-body problem in the rotating non-inertial central coordinate system in pulsating variables are derived. New differential equations of motion for the collinear restricted three-body problem in three regions of possible location of the massless body with stationary solutions corresponding to the three Euler libration points have been derived. The circular collinear restricted three-body problem is investigated in detail. The corresponding Jacobi integrals are obtained. New exact non-stationary partial analytical solutions of the obtained new differential equations of motion of the collinear restricted three-body problem have been found for the considered case.

**Keywords:** restricted three-body problem, non-inertial coordinate system, libration points, exact non-stationary partial rectilinear solutions.

**1. Introduction.** The motion of a small natural or artificial celestial body in the gravitational field of two large celestial bodies (hereinafter the primary bodies) is well described by the mathematical model of the widely known limited three-body problem [1-9]. The problem has many applications. For arbitrary values of the main body masses, the problem has five known libration points - stationary exact partial solutions. Of these, three are Euler *collinear* solutions, when three bodies all the time moving on the same line. Mathematical conditions of the restricted three-body problem with masses  $m_1, m_2, m_3$  can be written in the form [1-6]

$$m_2 \ll m_1, m_2 \ll m_3, m_3 \geq m_1, \quad (1.1)$$

where the mass of a vanishingly small body (a massless body further) is denoted  $m_2$  by the term. Due to the lack of a general analytical solution in final form, many aspects of the problem have been studied by various qualitative and numerical methods [1-10]. The search for new exact partial analytical solutions seems to be relevant.

The present paper is a continuation of the works [11, 12]. The purpose of this paper is to investigate the collinear restricted three-body problem in a special non-inertial central coordinate system and to establish new exact particular analytic solutions. Using the properties of the invariant of center-of-forces for the restricted three-body problem in a special non-inertial central coordinate system, the basic differential equations of motion of the collinear restricted three-body problem when the three bodies lie on the same line all the time of motion are investigated.

Differential equations of the three-body collinear restricted problem in a rotating non-inertial central coordinate system in pulsating variables are derived. Three new differential equations of motion for the collinear restricted three-body problem in three regions of possible location of a massless body with stationary solutions corresponding to the three Euler libration points have been derived. The circular collinear restricted three-body problem is investigated in detail. The corresponding Jacob integrals are obtained. New exact non-stationary partial analytical solutions of the three new differential equations of motion of the collinear restricted three-body problem have been found in the case of the collinear circular restricted three-body problem .

**2. Differential equations of the collinear restricted three-body problem in a special non-inertial central coordinate system and the invariant of forces center.** In [11] differential equations of the collinear restricted three-body problem in a special non inertial central coordinate system  $Gxyz$  have been derived in the form are

$$\ddot{\vec{r}}_2 + f\left(\frac{m_3}{\Delta_{23}^3} + \frac{m_1}{\Delta_{21}^3}\right)\vec{r}_2 + f\left(\frac{km_3}{(1+k)\Delta_{23}^3} - \frac{m_1}{(1+k)\Delta_{21}^3}\right)\vec{r}_{31} = \vec{W} \tag{2.1}$$

$$\vec{W} = \vec{W}(t) = -f\frac{(m_1 - km_3)}{k+1}\frac{\vec{r}_{31}}{r_{31}^3} + 2\dot{\vec{r}}_{31}\frac{d}{dt}\left(\frac{1}{1+k}\right) + \vec{r}_{31}\frac{d^2}{dt^2}\left(\frac{1}{1+k}\right), \tag{2.2}$$

where  $\vec{r}_{31} = \vec{r}_1 - \vec{r}_3$  ,  $f$  is the gravitational constant,  $\vec{r}_1, \vec{r}_3$  are radius vectors of the primary bodies,  $\vec{r}_2$  is the radius vector of a massless body,  $\Delta_{ij}$  is the distance between the bodies,  $k = r_3/r_1$  . In deriving this differential equation (2.1), (2.2) the center-of-forces invariant in the form

$$\left[\frac{m_3}{\Delta_{23}^3}r_3 - \frac{m_1}{\Delta_{21}^3}r_1\right] \cdot \{r_2 \sin \alpha\} = 0 \tag{2.3}$$

In this paper we investigate the collinear restricted three-body problem , considering only the case where

$$\{r_2 \sin \alpha\} = 0 . \tag{2.4}$$

It follows from this equality that in this case the three bodies lie on the same straight line all the time they are moving. This straight line is on a fixed plane of motion of the main two bodies described by the differential equation

$$\ddot{\vec{r}}_{31} = -f\frac{m_3 + m_1}{r_{31}^3}\vec{r}_{31} . \tag{2.5}$$

Equation (2.5) is the well-known equation of the classical two-body problem in a special non-inertial central coordinate system. From the integral

$$\vec{r}_{31} \times \dot{\vec{r}}_{31} = \vec{c}_{31} = \overrightarrow{const} \tag{2.6}$$

follows that the orbit is planar, without loss of generality, one can assume that the orbit of the two main body problem lies on the main plane  $Gxy$  . Therefore  $z_2 = 0$  , i.e. *the collinear restricted three-body problem is planar.*

The solution of the differential equation of motion of the two-body problem (2.5) in a special non-inertial central coordinate system will be written in the form [4-6]

$$r_{31} = r = \frac{p}{1 + e \cos \theta} , \quad r^2 \dot{\theta} = c_{31} = c = const \neq 0 \tag{2.7}$$

$$p = a(1 - e^2) , \quad c^2 = \mu_{31}p , \quad \mu_{31} = f(m_1 + m_3) \tag{2.8}$$

$$x_{31} = r \cos \theta , \quad y_{31} = r \sin \theta , \quad z_{31} = 0 , \quad r_{31}^2 = r^2 . \tag{2.9}$$

In the case of  $r_2 = 0$  , a massless body lies at the origin of the coordinate system. If in equality (2.4)

$$r_2 \neq 0 , \quad \sin \alpha = 0 \tag{2.10}$$

then three combinations of locations of three bodies on the same line are possible.

In scalar form, equations (2.1) , (2.2) can be written as

$$\ddot{x}_2 + f\left(\frac{m_3}{\Delta_{23}^3} + \frac{m_1}{\Delta_{21}^3}\right)x_2 + f\left(\frac{km_3}{(1+k)\Delta_{23}^3} - \frac{m_1}{(1+k)\Delta_{21}^3}\right)x_{31} = W_x \quad , \quad (2.11)$$

$$W_x = -f\frac{(m_1 - km_3)}{k+1}\frac{x_{31}}{r_{31}^3} + 2\dot{x}_{31}\dot{s} + x_{31}\ddot{s} \quad , \quad (2.12)$$

$$\ddot{y}_2 + f\left(\frac{m_3}{\Delta_{23}^3} + \frac{m_1}{\Delta_{21}^3}\right)y_2 + f\left(\frac{km_3}{(1+k)\Delta_{23}^3} - \frac{m_1}{(1+k)\Delta_{21}^3}\right)y_{31} = W_y \quad , \quad (2.13)$$

$$W_y = -f\frac{(m_1 - km_3)}{k+1}\frac{y_{31}}{r_{31}^3} + 2\dot{y}_{31}\dot{s} + y_{31}\ddot{s} \quad , \quad (2.14)$$

where, for convenience, it has been renamed

$$s = 1/(1+k) \quad . \quad (2.15)$$

The resulting differential equations of motion (2.11)-(2.15) will be called *the basic scalar differential equations of motion* for the collinear restricted three-body problem in the special non-inertial central coordinate system.

Note that the centre of force is always on the line connecting the two primary bodies. Therefore, any point lying on this line can be chosen as the centre of force. Next, we will analyse this fact and specify a specific point for determining the centre of force.

Note that in fact the system of equations (2.11) to (2.15) contains two unknowns  $k(t)$  and  $r_2(t)$ . Therefore, in fact, we have two scalar equations with two unknowns.

**3. Differential equations of motion of a collinear restricted three-body problem in a special non-inertial central rotating coordinate system in pulsating variables.** Consider the basic equations of motion of the collinear restricted three-body problem (2.11)-(2.15) in a special non-inertial central coordinate system. Let us consider the general case  $k \neq const$  . In the solution (2.7)-(2.9) of the two-body problem  $c_{31} = const \neq 0$  , one can investigate elliptic, hyperbolic, parabolic restricted collinear three-body problems.

Let's move to a rotating coordinate system. Let the new axis  $G\xi_{ep}^\zeta$  pass through the points with masses of primary bodies and  $m_1, m_3$  . Since, we consider rectilinear motion along the axis  $G\xi_{ep}^\zeta$  , so there is no  $G\eta_{ep}$  motion along the axis. Hence, we obtain  $\eta_{ep} = const = 0$  . Therefore, the transition is done by formulae

$$x_2 = \xi_{ep} \cos \theta, \quad y_2 = \xi_{ep} \sin \theta, \quad r_2^2 = \xi_{ep}^2 = \rho_{ep}^2, \quad r_{31}^2 = r^2 \quad (3.1)$$

where and  $\theta = \theta(t)$  are defined  $r = r(t)$  by the solution of the two-body problem (2.7)-(2.9).

Calculating, we obtain

$$\ddot{x}_2 = (\ddot{\xi}_{ep} - \dot{\theta}^2 \xi_{ep}) \cos \theta - (2\dot{\theta}\dot{\xi}_{ep} + \ddot{\theta}\xi_{ep}) \sin \theta, \quad \ddot{y}_2 = (2\dot{\theta}\dot{\xi}_{ep} + \ddot{\theta}\xi_{ep}) \sin \theta + (\ddot{\xi}_{ep} - \dot{\theta}^2 \xi_{ep}) \cos \theta$$

As a result, we obtain the transformed equations of motion in a rotating coordinate system as

$$\begin{aligned} & (\ddot{\xi}_{ep} - \dot{\theta}^2 \xi_{ep}) \cos \theta - (2\dot{\theta}\dot{\xi}_{ep} + \ddot{\theta}\xi_{ep}) \sin \theta + f\left(\frac{m_3}{\Delta_{23}^3} + \frac{m_1}{\Delta_{21}^3}\right)\xi_{ep} \cos \theta + f\left(\frac{km_3}{(1+k)\Delta_{23}^3} - \frac{m_1}{(1+k)\Delta_{21}^3}\right)x_{31} = \\ & = -f\frac{(m_1 - km_3)}{k+1}\frac{x_{31}}{r_{31}^3} + 2\dot{s}\dot{x}_{31} + x_{31}\ddot{s}, \end{aligned} \quad (3.2)$$

$$\begin{aligned} & (\ddot{\xi}_{ep} - \dot{\theta}^2 \xi_{ep}) \sin \theta + (2\dot{\theta}\dot{\xi}_{ep} + \ddot{\theta}\xi_{ep}) \cos \theta + f\left(\frac{m_3}{\Delta_{23}^3} + \frac{m_1}{\Delta_{21}^3}\right)\xi_{ep} \sin \theta + f\left(\frac{km_3}{(1+k)\Delta_{23}^3} - \frac{m_1}{(1+k)\Delta_{21}^3}\right)y_{31} = \\ & = -f\frac{(m_1 - km_3)}{k+1}\frac{y_{31}}{r_{31}^3} + 2\dot{s}\dot{y}_{31} + y_{31}\ddot{s}. \end{aligned} \quad (3.3)$$



Multiplying (3.2) by  $(+\cos\theta)$  and (3.3) by  $(+\sin\theta)$  then summing them we get

$$\ddot{\xi}_{ep} - \dot{\theta}^2 \xi_{ep} + f \left( \frac{m_3}{\Delta_{23}^3} + \frac{m_1}{\Delta_{21}^3} \right) \xi_{ep} + f \left( \frac{km_3}{(1+k)\Delta_{23}^3} - \frac{m_1}{(1+k)\Delta_{21}^3} \right) r = W_\xi \tag{3.4}$$

$$W_\xi = -f \frac{m_1 - km_3}{k+1} \frac{r}{r^3} + 2\dot{r}\dot{s} + r\ddot{s} \tag{3.5}$$

Further, by multiplying (3.2) by  $(-\sin\theta)$  and (3.3) by  $(+\cos\theta)$  then summing them we obtain

$$(2\dot{\theta}\dot{\xi}_{ep} + \ddot{\theta}\xi_{ep}) + 2\dot{s}r\dot{\theta} = 0 \tag{3.6}$$

As a consequence of the centrality of forces (integral of areas) we have  $(2\dot{\theta}\dot{\xi}_{ep} + \ddot{\theta}\xi_{ep}) = 0$ . Therefore, given that  $\dot{\theta} \neq 0$ ,  $r \neq 0$  from equality (3.6) we obtain

$$\dot{s} = 0. \tag{3.7}$$

Consequently, given the notation (2.15) we have

$$k = const. \tag{3.8}$$

Thus, we have established that the origin of the non-inertial central coordinate system is a fixed point on the segment  $r_{31}$ . As noted above, any point lying on a straight line connecting two primary bodies can be chosen as the centre of forces - the origin of the non-inertial central coordinate system. Therefore, it becomes clear that the barycenter of two bodies may also be chosen as centre of force ( $k = m_1/m_3 = const$ ). Next, for convenience, let us consider a non-inertial central coordinate system with  $k = const > 0$ . For certain cases, let us define certain values  $k = const$ .

Accordingly, the distances between the bodies are

$$\Delta_{21ep} = \left[ (\xi_{ep} - \xi_1 r)^2 \right]^{1/2} = \left| \xi_{ep} - \frac{1}{1+k} r \right|, \quad \Delta_{23ep} = \left[ (\xi_{ep} - \xi_3 r)^2 \right]^{1/2} = \left| \xi_{ep} + \frac{k}{1+k} r \right|, \tag{3.9}$$

$$\xi_1 = 1/(1+k) = const, \quad \xi_3 = -k/(1+k) = const. \tag{3.10}$$

Next, move to a pulsating coordinate  $\xi$  with a new independent variable using the formulas  $\theta$

$$\xi_{ep} = r\xi, \quad dt = (r^2/c)d\theta, \tag{3.11}$$

where  $\theta = \theta(t)$  and  $r = r(t)$  are defined  $c = const \neq 0$  by the solution of the two-body problem (2.7)-(2.9). By calculating, we obtain

$$\dot{\xi}_{ep} = \dot{\theta}(r'\xi + r\xi'), \quad \ddot{\xi}_{ep} = \dot{\theta}(\dot{\theta}'(r'\xi + r\xi') + \dot{\theta}(r''\xi + 2r'\xi' + r\xi'')),$$

where the dashed line denotes the differentials in the variable  $\theta$ . Given the relations  $2r'\dot{\theta} + \dot{\theta}'r = 0$ ,  $\dot{\theta}r'' + \dot{\theta}'r' - \dot{\theta}r = -(c/p)$  differential equations of motion (3.4)-(3.5) in pulsating variables

$$\xi'' = \mu_{31} \frac{r}{c^2} \left\{ \xi - \frac{f}{\mu_{31}} \left( \frac{m_3}{\Delta_{23}^3} + \frac{m_1}{\Delta_{21}^3} \right) \xi - \frac{f}{\mu_{31}} \left( \frac{km_3}{\Delta_{23}^3} - \frac{m_1}{\Delta_{21}^3} \right) \frac{1}{1+k} + \frac{B_2}{\mu_{31}} \right\}, \tag{3.12}$$

where dimensionless values are indicated

$$\Delta_{21} = \Delta_{21\xi} = \left| \xi - \frac{1}{1+k} \right|, \quad \xi_1 = \frac{1}{1+k} = const, \quad \Delta_{23} = \Delta_{23\xi} = \left| \xi + \frac{k}{1+k} \right|, \quad \xi_3 = -\frac{k}{1+k} = const.$$

Substituting in equation (3.12) the solutions of the two-body problem (2.7) - (2.9) we finally obtain the differential equation of motion of the collinear restricted three-body problem in a special non-inertial rotating coordinate system in pulsating variables

$$\xi'' = \frac{1}{1 + e \cos \theta} \left\{ \xi - \frac{1}{m_1 + m_3} \left( \frac{m_3}{\Delta_{23}^3} + \frac{m_1}{\Delta_{21}^3} \right) \xi - \frac{1}{m_1 + m_3} \left( \frac{km_3}{\Delta_{23}^3} - \frac{m_1}{\Delta_{21}^3} \right) \frac{1}{1+k} + B \right\}, \quad (3.13)$$

$$B = \frac{B_2}{\mu_{31}} = \frac{km_3 - m_1}{(k+1)(m_1 + m_3)} = \frac{k - \nu}{(k+1)(1+\nu)} = \text{const}, \quad \nu = \frac{m_1}{m_3}. \quad (3.14)$$

Relationships (3.13)-(3.14) can be written in a more convenient form

$$\xi'' = \frac{1}{1 + e \cos \theta} \left\{ \xi - (1 - \mu) \cdot \frac{\xi + (k/(k+1))}{|\xi + (k/(k+1))|^3} - \mu \cdot \frac{\xi - (1/(k+1))}{|\xi - (1/(k+1))|^3} + (1 - \mu) - \frac{1}{1+k} \right\}, \quad (3.15)$$

where dimensionless values are indicated

$$\mu = \frac{m_1}{m_1 + m_3}, \quad 1 - \mu = \frac{m_3}{m_1 + m_3}, \quad 0 < \mu \leq \frac{1}{2}. \quad (3.16)$$

The differential equation (3.15) is called *the basic differential equation of the collinear restricted three-body problem* in a special non-inertial rotating coordinate system in pulsating variables.

As noted above, a massless body can be placed in three different positions on a straight line connecting the two primary bodies. It is necessary to consider each position of the massless body separately.

**4. New differential equations of motion of the collinear restricted three-body problem in three regions of possible motion and non-stationary exact partial analytical solutions of the collinear circular restricted three-body problem.** Let us consider the first case when a massless body is between two primary bodies during the whole period of motion - the region of possible motion  $L_1$ . Let us denote by the distance from the body of smaller mass to the massless body as follows

$$\frac{1}{1+k} - \xi = z. \quad (4.1)$$

Then we get

$$\xi = \frac{1}{1+k} - z, \quad (4.2)$$

$$\xi - \frac{1}{1+k} = -z, \quad \xi + \frac{k}{1+k} = 1 - z, \quad \left| \xi - \frac{1}{1+k} \right| = z, \quad \left| \xi + \frac{k}{1+k} \right| = 1 - z. \quad (4.3)$$

As a result, given (4.1), (4.2), (4.3), from equation (3.15), we obtain

$$\begin{aligned} z'' &= \frac{1}{1 + e \cos \theta} \left\{ z + (\mu - 1) - \frac{\mu - 1}{(1 - z)^2} - \frac{\mu}{z^2} \right\} = \\ &= \frac{1}{1 + e \cos \theta} \cdot \left\{ \frac{1}{(1 - z)^2 z^2} [z^5 - (3 - \mu)z^4 + (3 - 2\mu)z^3 - \mu z^2 + 2\mu z - \mu] \right\} \end{aligned} \quad (4.4)$$

Equation (4.4) describes changes of length of segment (4.1) in a rectilinear restricted three-body problem in the region of possible motion where the known stationary solution - libration point -  $L_1$  is located. Exactly analogously, we obtain differential equations of motion of the collinear restricted three-body problem in the remaining two cases when a massless body lies in the regions of possible motion  $L_2$  and  $L_3$ .

In the case of

$$e = 0, \quad r_{31} = r = a = \text{const} \quad (4.5)$$

i.e. in the circular collinear restricted three-body problem, the differential equation (4.4) becomes autonomous, hence the Jacobi integral takes place. Therefore, in case (4.5), differential equation (4.4) reduces to quadrature. A detailed study of the found exact new partial non-stationary analytical solutions of the collinear three-body bounded problem will be done in a separate paper.

**5. Conclusion.** The basic differential equations of motion for the collinear restricted three-body problem when three bodies lie on the same line during all motion have been investigated. New differential equations of the restricted collinear problem of three bodies in the rotating non-inertial central coordinate system in pulsating variables were derived. New differential equations of the three-body collinear restricted problem in three regions of possible motion of the massless body on the straight line joining the primary bodies have been derived. In these three regions of possible motion, there are three stationary solutions of the differential equations, the Euler libration points. The obtained new differential equations for the motion of the collinear restricted three-body problem that describe the circular, elliptic, parabolic and hyperbolic collinear restricted three-body problem.

In the case of the circular collinear restricted three-body problem, the derived differential equations of motion become autonomous and hence integrable. New exact non-stationary partial analytical solutions are established.

In the future, a detailed analysis of the obtained new exact non-stationary partial analytical solutions of the collinear restricted three-body problem is planned. The basic idea of this paper and preliminary results were stated in [11,15].

**М. Ж. Минглибаев<sup>1,2</sup>, Т. М. Жұмабек<sup>1</sup>**

<sup>1</sup> аль-Фараби атындағы ҚазҰУ, Алматы, Қазақстан;

<sup>2</sup> В. Г. Фесенков атындағы Астрофизика институты, Алматы, Қазақстан

### ШЕКТЕЛГЕН ҮШ ДЕНЕ МӘСЕЛЕСІНЕ

**Аннотация.** Жұмыста аналитикалық түрде классикалық шектелген үш дене мәселесі басы мәселенің күштер центрінде болатын арнаулы инерциалды емес централды санақ жүйесінде зерттелінген. Бұл санақ жүйесінде күштер центрінің инвариантының аналитикалық түрі берілген. Күштер центрінің инвариантының бар болуы мәселені дұрыс екіге бөліп қарастыруды мүмкін етеді. Біріншісі үшбұрышты шектелген үш дене мәселесі. Екіншісі коллинеар шектелеген үш дене мәселесі. Бұл жұмыста коллинеарлық шектелген үш дене мәселесі зерттелінген. Арнаулы инерциалды емес централды санақ жүйесінде шектелеген үш дене мәселесінің күштер центрінің инвариантын қасиеттерін қолдана отыра, үш дене бір түзудің бойында жатқанда коллинеарлық шектелген үш дене мәселесінің базалық дифференциалдық тендеулері зерттелінді. Коллинеарлы шектелеген үш дене мәселесінің айналмалы инерциалды емес централды санақ жүйесінде пульсациялаушы айнымалыларында дифференциалдық тендеулері алынды. Үш мүмкін болатын массасы өте аз дененің орналасу аймағы үшін коллинеарлы шектелген үш дене мәселесінің қозғалысының жаңа дифференциалдық тендеулері алынды және олардың стационарлық шешімдері Эйлердің үш либрация нүктелеріне сәйкес келеді. Коллинеарлы шеңберлік шектелеген үш дене мәселесі терең зерттелінді. Сәйкес Якоби интегралы алынды. Коллинеарлы шеңберлік шектелеген үш дене мәселесінің қозғалысының жаңа дифференциалдық тендеулерінің жаңа нақты бейстационар дербес аналитикалық шешімдері алынды.

**Түйін сөздер:** шектелген үш дене мәселесі, инерциалды емес санақ жүйесі, либрация нүктелері, нақты бейстационар дербес түзу сызқты шешімдер.

**М. Дж. Минглибаев<sup>1,2</sup>, Т. М. Жумабек<sup>1</sup>**

<sup>1</sup> КазНУ им. аль-Фараби, Алматы, Казахстан;

<sup>2</sup> Астрофизический институт им. В. Г. Фесенкова, Алматы, Казахстан

### К ОГРАНИЧЕННОЙ ЗАДАЧЕ ТРЕХ ТЕЛ

**Аннотация.** В работе аналитически исследована классическая ограниченная задача трех тел в специальной неинерциальной центральной системе координат, с началом в центре сил исследуемой задачи. В этой системе координат приведены аналитическое выражение инварианта центра сил. Наличие инварианта

центра сил допускает корректное разделение задачи на две задачи. Первая треугольная ограниченная задача трех тел. Вторая коллинеарная ограниченная задача трех тел. В настоящей работе исследована коллинеарная ограниченная задача трех тел. Используя свойства инварианта центра сил ограниченной задачи трех тел в специальной неинерциальной центральной системе координат, исследованы базовые дифференциальные уравнения движения коллинеарной ограниченной задачи трех тел, когда три тела все время движения лежат на одной и той же прямой. Выведены дифференциальные уравнения коллинеарной ограниченной задачи трех тел в вращающейся неинерциальной центральной системе координат в пульсирующих переменных. Получены новые дифференциальные уравнения движения коллинеарной ограниченной задачи трех тел, в трех областях возможного расположения безмассового тела, стационарные решения которых соответствует трем точкам либрации Эйлера. Подробно исследована круговая коллинеарная ограниченная задачи трех тел. Получены соответствующие интегралы Якобы. Установлены новые точные нестационарные частные аналитические решения полученных новых дифференциальных уравнений движения коллинеарной ограниченной задачи трех тел, в рассмотренном случае.

**Ключевые слова:** ограниченная задача трех тел, неинерциальная система координат, точки либрации, точные нестационарные частные прямолинейные решения.

**Information about authors:**

Minglibayev Mukhtar Zhumabekovich, Doctor of Physical and Mathematical Sciences, Professor of al-Farabi Kazakh National University, Chief Researcher of Fesenkov Astrophysical Institute, Almaty, Kazakhstan; minglibayev@gmail.com; <https://orcid.org/0000-0002-8724-2648>;

Zhumabek Torebek Mukhtaruly, PhD student at al-farabi Kazakh National University, Almaty, Kazakhstan; torebekzhumabek@hotmail.com; <https://orcid.org/0000-0001-6865-8309>

**REFERENCES**

- [1] Sebehely V. Theory of orbits. A restricted three-body problem. Moscow: Nauka, 1982 656 p.
- [2] Markeev A.P. Libration points in celestial mechanics and cosmodynamics. Moscow: Nauka, 1978. 312 p.
- [3] Bruno A.D. The restricted three-body problem . Planar periodic orbits. Moscow: Nauka, 1990. 295 с. ISBN 5-02-000683-1.
- [4] Duboshin G.N. Celestial Mechanics. Analytical and qualitative methods. 2nd ed. M.: Nauka, 1978. 456 p.
- [5] Grebenikov E.A. Mathematical Problems of Homographic Dynamics. M.: RUDN, 2011. 253 p. ISBN 978-5-209-03989-1
- [6] Demin V.G., Kosenko I.I., Krasilnikov P.S., Furta S.D. Selected Problems of Celestial Mechanics. Izhevsk: Udmurtian University, 1999. 210с.
- [7] Wintner A. The Analytical Foundations of Celestial Mechanics. Dover Publications, 464 p. ISBN-13: 978-0486780603
- [8] Marshal K. The three-body problem. Moscow. Izhevsk: Inst. comp. research, 2014. 640p. ISBN 5-93972-387-X
- [9] Morbidelli A. Modern celestial mechanics. Aspects of Solar System Dynamics. M. Izhevsk: Institute for Computer Research, 2014. – 432p. ISBN 978-5-4344-0209-5
- [10] Zotos E.E. Classifying of orbits in the restricted three-body problem // Nonlinear Dynamics. 2015. V. 82, P. 1233-1250. DOI: 10.1007/s11071-015-2229-4
- [11] Minglibaev M.Zh., Zhumabek T.M. , Memerova G.M. Investigation of the restricted three-body problem in a special non-inertial central coordinate system. // Bulletin of Karaganda University, series "Mathematics". 2017. №3(87). P. 95-109. ISSN 0142-0843
- [12] Minglibayev M.Zh. , Zhumabek T.M. New exact particular analytical solutions of the triangular restricted three-body problem. // Bulletin of the Karaganda university, mathematics series. 2020. V 97(1). P.111-121. DOI: 10.31489/2020M1/111-121. ISSN: 2663-4872 (Online)
- [13] Minglibaev M.J., Zhumabek T.M. To the isosceles restricted three-body problem // Proceedings of the National Academy of Sciences of Kazakhstan, Physics and Mathematics Series. 2016г. №6 (310). P. 67-73. ISSN 2518-1726 (Online), ISSN 1991-346X (Print)
- [14] Zhumabek T.M., Minglibaev M.J. On one particular case of the planar restricted three-body problem // Mathematical Journal. Institute of Mathematics and Mathematical Modelling. Almaty. 2016г. №4 (62). P. 99-120. ISSN 2413 -6468.
- [15] Minglibaev M.J., Zhumabek T.M. New exact partial solutions of the restricted three-body problem // Abstracts of the International Scientific Conference "Actual problems of mathematics and informatics", dedicated to the 80th anniversary of academician K.A. Kasymov, Almaty, Kazakhstan, December 21-23, 2015. P. 86 – 88.

**Publication Ethics and Publication Malpractice**  
**in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

(Правила оформления статьи для публикации в журнале смотреть на сайтах:

[www.nauka-nanrk.kz](http://www.nauka-nanrk.kz)

<http://physics-mathematics.kz/index.php/en/archive>

**ISSN 2518-1726 (Online), ISSN 1991-346X (Print)**

Редакторы: *М. С. Ахметова, Д. С. Аленов, Р.Ж. Мрзабаева*  
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 15.04.2021.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.

11,6 п.л. Тираж 300. Заказ 2.