

ISSN 2518-1726 (Online),  
ISSN 1991-346X (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ  
Әль-фараби атындағы Қазақ ұлттық университетінің

# Х А Б А Р Л А Р Ы

---

---

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Қазақстан Республикасының  
Ғылым Академиясының  
Әль-Фараби атындағы  
Қазақ ұлттық университетінің

## NEWS

OF THE NATIONAL ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
Al-farabi kazakh  
national university

**SERIES**  
**PHYSICO-MATHEMATICAL**

**1 (323)**

**JANUARY – FEBRUARY 2019**

PUBLISHED SINCE JANUARY 1963

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

Б а с р е д а к т о р ы  
ф.-м.ғ.д., проф., ҚР ҰҒА академигі **Ғ.М. Мұтанов**

Р е д а к ц и я а л қ а с ы:

**Жұмаділдаев А.С.** проф., академик (Қазақстан)  
**Кальменов Т.Ш.** проф., академик (Қазақстан)  
**Жантаев Ж.Ш.** проф., корр.-мүшесі (Қазақстан)  
**Өмірбаев У.У.** проф. корр.-мүшесі (Қазақстан)  
**Жүсіпов М.А.** проф. (Қазақстан)  
**Жұмабаев Д.С.** проф. (Қазақстан)  
**Асанова А.Т.** проф. (Қазақстан)  
**Бошқаев К.А.** PhD докторы (Қазақстан)  
**Сұраған Д.** корр.-мүшесі (Қазақстан)  
**Quevedo Hernando** проф. (Мексика),  
**Джунушалиев В.Д.** проф. (Қырғыстан)  
**Вишневский И.Н.** проф., академик (Украина)  
**Ковалев А.М.** проф., академик (Украина)  
**Михалевич А.А.** проф., академик (Белорус)  
**Пашаев А.** проф., академик (Әзірбайжан)  
**Такибаев Н.Ж.** проф., академик (Қазақстан), бас ред. орынбасары  
**Тигиняну И.** проф., академик (Молдова)

«ҚР ҰҒА Хабарлары. Физика-математикалық сериясы».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.)  
Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде  
01.06.2006 ж. берілген №5543-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.  
Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,  
<http://physics-mathematics.kz/index.php/en/archive>

---

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор  
д.ф.-м.н., проф. академик НАН РК **Г.М. Мутанов**

Редакционная коллегия:

**Джумадильдаев А.С.** проф., академик (Казахстан)  
**Кальменов Т.Ш.** проф., академик (Казахстан)  
**Жантаев Ж.Ш.** проф., чл.-корр. (Казахстан)  
**Умирбаев У.У.** проф. чл.-корр. (Казахстан)  
**Жусупов М.А.** проф. (Казахстан)  
**Джумабаев Д.С.** проф. (Казахстан)  
**Асанова А.Т.** проф. (Казахстан)  
**Бошкаев К.А.** доктор PhD (Казахстан)  
**Сураган Д.** чл.-корр. (Казахстан)  
**Quevedo Hernando** проф. (Мексика),  
**Джунушалиев В.Д.** проф. (Кыргызстан)  
**Вишневский И.Н.** проф., академик (Украина)  
**Ковалев А.М.** проф., академик (Украина)  
**Михалевич А.А.** проф., академик (Беларусь)  
**Пашаев А.** проф., академик (Азербайджан)  
**Такибаев Н.Ж.** проф., академик (Казахстан), зам. гл. ред.  
**Тигиняну И.** проф., академик (Молдова)

«Известия НАН РК. Серия физико-математическая».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов  
Министерства культуры и информации Республики Казахстан №5543-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел.: 272-13-19, 272-13-18,  
<http://physics-mathematics.kz/index.php/en/archive>

---

© Национальная академия наук Республики Казахстан, 2019

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75.

E d i t o r i n c h i e f  
doctor of physics and mathematics, professor, academician of NAS RK **G.M. Mutanov**

E d i t o r i a l b o a r d:

**Dzhumadildayev A.S.** prof., academician (Kazakhstan)  
**Kalmenov T.Sh.** prof., academician (Kazakhstan)  
**Zhantayev Zh.Sh.** prof., corr. member. (Kazakhstan)  
**Umirbayev U.U.** prof. corr. member. (Kazakhstan)  
**Zhusupov M.A.** prof. (Kazakhstan)  
**Dzhumabayev D.S.** prof. (Kazakhstan)  
**Asanova A.T.** prof. (Kazakhstan)  
**Boshkayev K.A.** PhD (Kazakhstan)  
**Suragan D.** corr. member. (Kazakhstan)  
**Quevedo Hernando** prof. (Mexico),  
**Dzhunushaliyev V.D.** prof. (Kyrgyzstan)  
**Vishnevskiy I.N.** prof., academician (Ukraine)  
**Kovalev A.M.** prof., academician (Ukraine)  
**Mikhalevich A.A.** prof., academician (Belarus)  
**Pashayev A.** prof., academician (Azerbaijan)  
**Takibayev N.Zh.** prof., academician (Kazakhstan), deputy editor in chief.  
**Tiginyanu I.** prof., academician (Moldova)

**News of the National Academy of Sciences of the Republic of Kazakhstan. Physical-mathematical series.**

**ISSN 2518-1726 (Online), ISSN 1991-346X (Print)**

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 5543-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,  
<http://physics-mathematics.kz/index.php/en/archive>

---

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN  
PHYSICO-MATHEMATICAL SERIES

ISSN 1991-346X

<https://doi.org/10.32014/2019.2518-1726.4>

Volume 1, Number 323 (2019), 28 – 37

UDC 517.927

**A. Seitmuratov, B. Zharmenova, A. Dautbayeva,  
A. K. Bekmuratova, E. Tulegenova, G. Ussenova**

The Korkyt Ata Kyzylorda State University, Kyzylorda  
angisin\_@mail.ru, 81\_bota@mail.ru, hbekmuratova@mail.ru, aicos@mail.ru,  
etulegenova@mail.ru, usen\_gulnur@mail.ru

## NUMERICAL ANALYSIS OF THE SOLUTION OF SOME OSCILLATION PROBLEMS BY THE DECOMPOSITION METHOD

**Abstract:** Rectangular flat plates are one of the main elements of building structures and constructions. While solving applied problems of oscillation of rectangular flat elements then a wide class of oscillation problems occur related to various boundary-value problems: approximate oscillation equations, various boundary conditions at the edges of a flat element and initial conditions. In the theory of oscillation, an important point is to determine the frequencies of intrinsic variations, to solve problems on forced variations of a plane element, and to study the dissemination of harmonic waves in them. In this paper, we present the results on the investigation of natural and forced oscillations of flat elements taking into account the stratification of element's material of rheological viscous properties, the influence of the environment a deformable base, anisotropy, etc. The influence of these factors makes it much more difficult to study the problems of natural and forced oscillations of a flat element on dissemination of harmonic waves in them.

**Key words:** natural oscillations, forced oscillations, frequency equations, transcendental equations, decomposition method, relaxation time, voltage, plate.

In the study of harmonic waves in deformable bodies, there is introduced a concept of phase velocity as the rate of change of the environmental state, while the phase velocity is expressed in terms of the natural oscillation frequencies, and therefore the study of harmonic wave dissemination is directly related to the problems of determining natural shapes and frequencies of oscillation concerning flat elements.

In this paper, we present the results on the investigation of the natural and forced oscillations of flat elements taking into account the stratification of the element's material, rheological viscous properties, the influence of the environment, a deformable base, anisotropy, etc. The influence of these factors makes it much more difficult to study the problems of natural and forced oscillations of a flat element on dissemination of harmonic waves in them.

Therefore, the work is devoted to the formulation of various boundary-value problems of rectangular flat element oscillations taking into account the viscosity as well as the abovementioned factors of geometric and mechanical nature.

First of all we consider the frequency equation

$$\alpha_0 \cos(\alpha_0 l_1) \sin(\alpha_1 l_1) - \alpha_1 \sin(\alpha_0 l_1) \cos(\alpha_1 l_1) = 0. \quad (1)$$

and its equivalent equation

$$\alpha_0 \alpha_1 \sum_{i=0}^{\infty} \sum_{j=0}^{\infty} (-1)^{i+j} \frac{\alpha_1^{2i} \alpha_0^{2j} - \alpha_0^{2i} \alpha_1^{2j}}{(2i+1)!(2j)!} l^{2(i+j)} = 0 \quad (2)$$

One of these frequency equations follows from the condition  $a = 0$  that leads to the frequency equation

$$\xi^4 - \frac{8[(2-\nu)\gamma + \frac{3}{2}(1-\nu)]}{(7-8\nu)}\xi^2 + \frac{8\gamma^2}{(7-8\nu)} = 0; \quad (3)$$

The frequency equation (3) also follows from the equation

$$\begin{aligned} \xi^4 + \frac{2}{\tau_0}\xi^3 + \frac{8}{(7-8\nu)}\left[(2-\nu)\gamma + \frac{(7-8\nu)}{8\tau_0^2} + \frac{3}{2}(1-\nu)\right]\xi^2 + \frac{12(1-\nu)}{(7-8\nu)\tau_0}[1 + 2(2-\nu)\gamma]\xi + \\ + \frac{8}{(7-8\nu)}\gamma^2 = 0, \end{aligned} \quad (4)$$

for elastic plate or from equation

$$B_0\xi^4 + \frac{2B_0}{\tau_0}\xi^3 + \left(1 + \frac{B_0}{\tau_0^2} + B_1\gamma\right)\xi^2 + \frac{1}{\tau_0}(1 + B_1\gamma)\xi + B_2\gamma^2 = 0 \quad (5)$$

for hinged plate.

If we consider other approximate frequency equations derived from equation (2), for example, the equation

$$\xi^2 = \frac{2\gamma + 10l^{-2}}{(2-\nu)}; \quad (6)$$

the root of which is equal to

$$\xi = \sqrt{\frac{2\gamma + 10l^{-2}}{(2-\nu)}} \quad (7)$$

The conditions of convergence (2), described by inequalities

$$|a_0^2 a_1^2| \leq q_{i,j}^2 = q_{i,j}^2 = q^2 \frac{(2i+3)(2j+2)}{l^2} \quad (8)$$

or

$$D^2 - E \leq C_{i,j}^2 \quad (9)$$

also contain the left side of equation (3) and indicate that all the roots of the transcendental equation (2) are between the roots  $\xi_1$  и  $\xi_2$  and which are the lower and upper boundaries of all frequencies of the transcendental equation (1).

A similar conclusion follows from the transcendental equations

$$2 - \frac{a_0^2 + a_1^2}{a_0 a_1} \sin(a_0 l_1) \sin(a_1 l_1) - 2 \cos(a_0 l_1) \cos(a_1 l_1) = 0 \quad (10)$$

Of other transcendental equations.

Thus, the natural oscillation frequencies of a rectangular hinged plate  $\xi_1$  и  $\xi_2$ , based on an approximate equation of fourth order oscillations in derivatives are the lower and upper boundary of natural oscillation frequencies of a rectangular plate under more difficult conditions for fixing its edges.

других трансцендентных уравнений.

The obtained results belonged to the class of boundary-value problems, when two of the opposite edges of a rectangular plate are hinged, and the other two edges have different fixation conditions or are free from stresses.

If all four edges are arbitrarily fixed, then it is not possible to obtain exact frequency equations as described above.

For such problems, you can successfully apply an approximate method of obtaining frequency equations based on the decomposition method developed in the works of Professor G.I.Pshenichniy [74] for static problems.

Let us consider a number of problems of oscillation of flat rectangular elements under arbitrary boundary conditions along the edges of an element in order to determine the natural oscillation frequencies by the decomposition method.

We present the formulation of the method in the case of a flat element, when the material of the element is elastic. In the future, the method will be applied to elements of a high elastic material.

In the case of a flat element made of an elastic material, an approximate fourth order transverse-oscillation equation is written as

$$\Delta^2 W - D_0 \frac{\partial^2}{\partial t^2} \Delta W + D_1 \frac{\partial^4 W}{\partial t^4} + D_2 \frac{\partial^2 W}{\partial t^2} = 0, \quad (11)$$

where the coefficients are determined by the geometry and material properties of the flat element.

The solution of equation (11) will be sought in the form

$$W = \exp\left(i \frac{b}{h}\right) W_0(x, y) \quad (12)$$

Substituting (4.6.2) into equations (4.6.1), for  $W_0$  we obtain the equation

$$\Delta^2 W_0 + D_0 \left(\frac{b}{h}\right)^2 \xi^2 \Delta W_0 + \xi^2 \left(\frac{b}{h}\right)^2 \left[ D_1 \left(\frac{b}{h}\right)^2 \xi^2 - D_2 \right] W_0 = 0 \quad (13)$$

To use the decomposition method, it is more convenient to introduce new independent and dependent variables.

$$\begin{aligned} \alpha &= \frac{\pi}{l_1} x; & \beta &= \frac{\pi}{l_2} y; & W_0 &= \frac{l_1^4}{\pi^4} v; \\ \lambda &= \frac{l_1}{l_2}; & \lambda_1 &= \frac{l_1}{\pi h} \end{aligned} \quad (14)$$

In variables (14), equation (13) takes the form

$$\begin{aligned} &\left[ \frac{\partial^4 v}{\partial \alpha^4} + 2\lambda^2 \frac{\partial^4 v}{\partial \alpha^2 \partial \beta^2} + \lambda^4 \frac{\partial^4 v}{\partial \beta^4} \right] + \lambda_1^2 D_0 \left(\frac{b}{h}\right)^2 \xi^2 \left[ \frac{\partial^2 v}{\partial \alpha^2} + \lambda^2 \frac{\partial^2 v}{\partial \beta^2} \right] + \lambda_1^4 \left(\frac{b}{h}\right)^2 \xi^2 \times \\ &\times \left[ D_1 \left(\frac{b}{h}\right)^2 \xi^2 - D_2 \right] v = 0 \end{aligned} \quad (15)$$

The method of decomposition in the theory of oscillations in general formulation reduces to the following.

The formulation of auxiliary problems is formulated.

1. Find a solution to the equation

$$\frac{\partial^4 v_1}{\partial \alpha^4} = f^{(1)}(\alpha, \beta) \quad (16)$$

under boundary conditions

$$L_1(\alpha, \beta) = 0; \quad L_2(\alpha, \beta) = 0; \quad (\alpha = 0; \pi) \quad (17)$$

2. Find a solution to the equation

$$\lambda^4 \frac{\partial^4 v_2}{\partial \beta^4} = f^{(2)}(\alpha, \beta) \quad (18)$$

under boundary conditions

$$L_3(\alpha, \beta) = 0; \quad L_4(\alpha, \beta) = 0; \quad (\beta = 0; \pi) \quad (19)$$

The boundary conditions at the edges of the plate depend on the conditions of its fixation or on the free edge from stresses.

Rest of the equation (15)

$$2\lambda \frac{\partial^4 v_3}{\partial \alpha^2 \partial \beta^2} + \lambda D_0 \left(\frac{b}{h}\right)^2 \xi^2 \left( \frac{\partial^2 v_3}{\partial \alpha^2} + \lambda^2 \frac{\partial^2 v_3}{\partial \beta^2} \right) + \lambda_1^4 D_0 \left(\frac{b}{h}\right)^2 \xi^2 \left[ D_1 \left(\frac{b}{h}\right)^2 \xi^2 - D_2 \right] v_3 + \quad (20)$$

$$+ f^{(1)}(\alpha, \beta) + f^{(2)}(\alpha, \beta) = 0,$$

where  $f^{(j)}(\alpha, \beta)$  arbitrary functions the forms of which depend on the boundary-value problems.

Following the decomposition method, we assume that

$$v_3 = \frac{1}{2} [v_1 + v_2] \quad (21)$$

and the condition must be met at given points on the flat element.

The general solutions of the auxiliary problems equations (16) and (18) are

$$v_1 = f_1(\alpha, \beta) + \frac{\alpha^3}{6} \varphi_1(\beta) + \frac{\alpha^2}{2} \varphi_2(\beta) + \alpha \varphi_3(\beta) + \varphi_4(\beta); \quad (22)$$

$$v_2 = f_1(\alpha, \beta) + \frac{\beta^3}{6} \psi_1(\alpha) + \frac{\beta^2}{2} \psi_2(\alpha) + \beta \psi_3(\alpha) + \psi_4(\alpha);$$

where  $\varphi_j, \psi_j$  arbitrary functions of the arguments and are determined from the boundary conditions (17) и (19).

In the following, arbitrary functions in the general form will be represented as

$$f^{(j)}(\alpha, \beta) = \sum_{n=1}^{\infty} \sum_{j=1}^{\infty} a_{n,m}^{(j)} \sin(\alpha n) \sin(\beta m), \quad (23)$$

where  $a_{n,m}^{(j)}$  arbitrary constants, and functions  $f_j(\alpha, \beta)$  in common solutions (22) are equal

$$f_1(\alpha, \beta) = \sum_{n=1}^{\infty} \sum_{j=1}^{\infty} \frac{a_{n,m}^{(j)}}{n^4} \sin(\alpha n) \sin(\beta m);$$



$$f_2(\alpha, \beta) = \sum_{n=1}^{\infty} \sum_{j=1}^{\infty} \frac{a_{n,m}^{(2)}}{m^4} \sin(\alpha n) \sin(\beta m). \quad (24)$$

Using private solutions of problems under given boundary conditions and using approximate representations (21), to find the unknowns  $a_{n,m}^{(j)}$  we obtain a homogeneous linear system of algebraic equations whose nontrivial solution leads to the frequency equation.

We illustrate the decomposition method on a number of particular boundary-value problems of the oscillation of a flat element.

Problem 1. We consider the simplest problem when all edges are hinged. This problem was solved by the direct method (13) and the frequency equation (14) was obtained, where it is necessary to set the relaxation time to infinity.

Boundary conditions have the form

$$\begin{aligned} v_1 = \frac{\partial^2 v_1}{\partial \alpha^2} = 0 & \quad (\alpha = 0; \pi); \\ v_2 = \frac{\partial^2 v_2}{\partial \beta^2} = 0 & \quad (\beta = 0; \pi), \end{aligned} \quad (25)$$

satisfying which general solutions (22), we get

$$v_1 = f_1(\alpha, \beta); \quad \lambda^4 v_2 = f_2(\alpha, \beta) \quad (26)$$

or private solutions are equal

$$\varphi_j(\beta) = \psi_j(\alpha = 0) \quad j = (1, \dots, 4)$$

Satisfying solution (26) to conditions (21) and equation (20), for the frequency  $\xi$  we again obtain equation (14).

Thus, an approximate decomposition method gives the same result as the exact direct method. Consequently, the decomposition method can be applied with a sufficient degree of reliability in the solution of other boundary-value problems.

Problem 2. A rigidly fixed plate on the edges. Boundary conditions have the form

$$\begin{aligned} v_1 = \frac{\partial v_1}{\partial \alpha} = 0 & \quad (\alpha = 0; \pi); \\ v_1 = \frac{\partial v_2}{\partial \beta} = 0 & \quad (\beta = 0; \pi); \end{aligned} \quad (27)$$

Using general solutions (22) and boundary-value solutions (27), for the unknown quantities  $v_1, v_2$  get expressions

$$\begin{aligned} v_1 = f_1(\alpha, \beta) - \frac{\alpha^3}{\pi^2} \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{a_{n,m}^{(1)}}{n^3} [1 + (-1)^n] \sin(\beta m) + \\ + \frac{\alpha^2}{\pi} \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{a_{n,m}^{(1)}}{n^3} [2 + (-1)^n] \sin(\beta, m) - \alpha \frac{\alpha^3}{\pi^2} \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{a_{n,m}^{(1)}}{n^3} \sin(\beta m); \end{aligned}$$

$$\begin{aligned}
v_2 = f_2(\alpha, \beta) - \frac{\beta^3}{\pi^2} \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{a_{n,m}^{(1)}}{m^3} [1 + (-1)^m] \sin(\alpha m) + \\
+ \frac{\beta^2}{\pi} \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{a_{n,m}^{(1)}}{m^3} [2 + (-1)^m] \sin(\alpha m) - \beta \sum_{n=1}^{\infty} \sum_{m=1}^{\infty} \frac{a_{n,m}^{(1)}}{m^3} \sin(\alpha m).
\end{aligned} \tag{28}$$

We confine ourselves to the first coefficients in the series of arbitrary functions (23) and the condition  $v_1 = v_2; (\alpha, \beta) = \frac{\pi}{2}$ , we get a system of algebraic equations

$$\begin{aligned}
\left[ a_{1,1}^{(1)} + \lambda^{-4} a_{1,1}^{(2)} \right] \left\{ \lambda^2 \left( 1 - \frac{2}{\pi} \right) + \frac{(2-\nu)}{2} \lambda_1^2 \xi^2 \left[ \frac{2}{\pi} - 1 + \lambda^2 \left( \frac{\pi}{4} - 1 \right) \right] \right\} + \\
+ \frac{1}{2} \lambda_1^4 \xi^2 \left[ \frac{(7-8\nu)}{8} \xi^2 - \frac{3(1-\nu)}{2} \right] \left( 1 + \frac{\pi}{4} \right) + \frac{1}{2} \left\} = 0; \\
a_{1,1}^{(1)} = \lambda^{-4} a_{1,1}^{(2)}
\end{aligned} \tag{29}$$

Nontrivial solution of system (29) to the frequency equation

$$\begin{aligned}
\lambda_1^4 \frac{(7-8\nu)}{8} \xi^4 - \frac{\lambda_1^2}{2} \left[ 3 - (1-\nu)\lambda_1^2 + (2-\nu) \left( 2 - \frac{1}{\pi} \right) (1 + \lambda^6) \right] \xi^2 + \\
+ \left[ 2\lambda^2 \left( 1 - \frac{1}{\pi} \right) + (1 + \lambda^4) \right] = 0
\end{aligned} \tag{30}$$

**Problem 3.** The edges of the plate  $\beta = 0; \beta = \pi$  are rigidly fixed and the edges  $\alpha = 0; \alpha = \pi$  are free from stresses i.e. we have boundary conditions

$$\begin{aligned}
\frac{\partial^2 v_1}{\partial \alpha^2} + Q_0 v_1 = 0; \frac{\partial^3 v_1}{\partial \alpha^3} = 0, (\alpha = 0; \pi) \\
Q_0 = \left( \frac{3-2\nu}{7-4\nu} \right) \left[ 2\lambda^2 \frac{\partial^2}{\partial \beta^2} + \lambda_1^2 \xi^2 \right]; \\
v_2 = \frac{\partial v^2}{\partial \beta} = 0 (\beta = 0; \pi)
\end{aligned} \tag{31}$$

The solution of the problem to determine  $V_2$  has the form (28).

To find the unknown function  $V_1$  from boundary conditions

$$\frac{\partial^3 v_1}{\partial \alpha^3} = 0 \text{ at } \alpha = 0; \pi$$

we obtain

$$\varphi_1 = - \frac{\partial^3 f_1}{\partial \alpha^3} \Big|_{\alpha=0}; \varphi_1 = - \frac{\partial^3 f_1}{\partial \alpha^3} \Big|_{\alpha=\pi}; \tag{32}$$

which can be fulfilled at  $n = 2q$  that is odd values of unknowns  $a_{n,m}^{(1)}$  must be set to zero.

Conditions (31) at  $\alpha = 0$ ;  $\pi$  lead to the system

$$\begin{aligned} & [\pi\varphi_1 + \varphi_2] + \left(\frac{3-2\nu}{7-4\nu}\right) \left[ \left( \frac{\pi^3}{6} \frac{\partial^2 \varphi_1}{\partial \beta^2} + \frac{\pi^2}{2} \frac{\partial^2 \varphi_2}{\partial \beta^2} + \pi \frac{\partial^2 \varphi_3}{\partial \beta^2} + \frac{\partial^2 \varphi_4}{\partial \beta^2} \right) + \right. \\ & \left. + \lambda_1^2 \xi^2 \left( \frac{\pi^3}{6} \varphi_1 + \frac{\pi^2}{2} \varphi_2 \pi \varphi_3 + \varphi_4 \right) \right] = 0 \\ & \varphi_2 = - \left( \frac{3-2\nu}{7-4\nu} \right) \left( \frac{\partial^2 \varphi_4}{\partial \beta^2} + \lambda_1^2 \xi^2 \varphi_4 \right) \end{aligned} \quad (33)$$

Two equations (33) connect three unknown functions. Since we are looking for private solutions of problems without limiting the generality, the unknown function  $\varphi_3$  can be put equal to  $\varphi_3 = 0$ .

уравнения (33) связывают три неизвестные функции. Так как ищем частные решения задач, то не ограничивая общности, неизвестную функцию  $\varphi_3$  можно положить равной  $\varphi_3 = 0$ .

From the system (33) we get the equation for  $\varphi_4$  :

$$\begin{aligned} \frac{\partial^4 \varphi_4}{\partial \beta^4} + 2\lambda_1^2 \xi^2 \frac{\partial^2 \varphi_4}{\partial \beta^2} + \lambda_1^4 \xi^4 \varphi_4 = & - \frac{2}{\pi} \left( \frac{7-4\nu}{3-2\nu} \right)^2 \left\{ \pi \left[ 1 + \left( \frac{3-2\nu}{7-4\nu} \right) \frac{\pi^2}{6} \lambda_1^2 \xi^2 \right] \frac{\partial^3 f_1}{\partial \alpha^2} \Big|_{\alpha=0} + \right. \\ & \left. + \frac{\pi^3}{6} \left( \frac{3-2\nu}{7-4\nu} \right) \frac{\partial^5 f_1}{\partial \alpha^3 \partial \beta^2} \Big|_{\alpha=\pi} \right\}, \end{aligned} \quad (34)$$

whose particular solution is equal to

$$\varphi_4 = \sum_{q=1}^{\infty} \sum_{m=1}^{\infty} a_{2q,m}^{(1)} A_{q,m}^{(1)} \sin(\beta m), \quad (35)$$

где

$$A_{q,m}^{(1)} = \frac{(m^2 - 1)}{2q} (m^4 - 2m^2 \lambda_1^2 \xi^4)^{-1} \quad (36)$$

Restricting to the first components  $a_{2,1}^{(1)}$ ;  $a_{1,1}^{(2)}$ , as in the previous problem, we obtain the frequency equation

$$\begin{aligned} & \frac{\pi^2}{192} \lambda_1^4 (7-8\nu) \xi^4 - \left\{ \left( \frac{2-\nu}{2} \right) \lambda_1^2 \left[ \left( \frac{\pi^2}{24} - 1 \right) + \frac{\lambda^2 \pi^2 \left( 2 - \frac{\pi}{4} - \frac{2}{\pi} \right)}{24 \left( 1 - \frac{\pi}{4} \right)} \right] - \frac{3(1-\nu)}{48} \lambda_1^4 \pi^2 \right\} \xi^2 + \\ & + \left\{ \lambda^2 \left[ \frac{\pi^2 \left( 1 - \frac{2}{\pi} \right)}{24 \left( 1 - \frac{\pi}{4} \right)} - 1 \right] + \left[ 1 - \lambda^4 \frac{\pi^3}{48 \left( 1 - \frac{\pi}{4} \right)} \right] \right\} = 0 \end{aligned} \quad (37)$$

**Problem 4.** The edges of a plate ( $\beta = 0; \pi$ );  $\alpha = 0$  rigidly clamped and the edge  $\alpha = \pi$  is free from stress.

In this problem the desired function  $\mathbf{V}_2$  is determined in the previous problems and  $\mathbf{V}_1$  is equal to

$$v_1 = f_1(\alpha, \beta) + \frac{a^3}{6} \varphi_1(\beta) + \frac{a^2}{2} \varphi_2(\beta) + a \varphi_3 \beta;$$

$$\varphi_4 = 0; \quad \varphi_1 = -\frac{\partial^3 f_1}{\partial a^3} \Big|_{a=\pi}; \quad \varphi_3 = -\frac{\partial f_1}{\partial a} \Big|_{a=0}; \quad (38)$$

where

$$\frac{\pi^2}{2} \left( \frac{3-2\nu}{7-4\nu} \right) \frac{\partial^2 \varphi_2}{\partial \beta^2} + \left[ 1 + \left( \frac{3-2\nu}{7-4\nu} \right) \frac{\pi^2}{2} \lambda_1^2 \xi^2 \right] \varphi_2 = \left[ \pi \frac{\partial^3 f_1}{\partial a^3} \Big|_{a=\pi} + \frac{\pi^3}{6} \left( \frac{3-2\nu}{7-4\nu} \right) \frac{\partial^5 f_1}{\partial a^3 \partial \beta^2} \Big|_{a=\pi} + \right. \\ \left. + \left( \frac{3-2\nu}{7-4\nu} \right) \pi \frac{\partial^3 f_1}{\partial a^3} \Big|_{a=\pi} + \left( \frac{3-2\nu}{7-4\nu} \right) \pi \lambda_1^2 \xi^2 \frac{\partial f_1}{\partial \alpha} \Big|_{a=0} \right] \quad (39)$$

As in the previous problems, we obtain the frequency equation

$$\lambda^2 \left[ \left( 1 + \frac{\pi}{2} - B_1 + C_1 \left( 1 - \frac{2}{\pi} \right) \right) + \frac{(2-\nu)}{2} \lambda_1^2 \xi^2 \left\{ \left[ \left( B_1 - \frac{\pi}{2} - 1 \right) - \right. \right. \right. \\ \left. \left. - C_1 \left( 1 + \frac{\pi}{2} \right) \right] + \lambda^2 \left[ - \left( 1 - \frac{\pi}{2} - \frac{\pi^3}{48} + \frac{\pi^2}{8} B_1 \right) + C_1 \left( \frac{2}{\pi} - 1 \right) \right] \right\} + \\ + \lambda_1^4 \xi^2 \left[ \left( \frac{7-8\nu}{8} \right) \xi^2 - \frac{3}{2} (1-\nu) \right] \left[ \left( 1 - \frac{\pi^3}{48} - \frac{\pi}{2} + \frac{\pi^2}{48} B_1 \right) + \right. \\ \left. + C_1 \left( 1 - \frac{\pi}{4} \right) \right] + (1 + C_1 \lambda^4) = 0; \quad (40)$$

where  $B_1, C_1$  are equal to

$$B_1 = \left[ \frac{\pi}{4} - \frac{\pi^3}{6} \left( \frac{3-2\nu}{7-4\nu} \right) - \pi \left( \frac{3-2\nu}{7-4\nu} \right) + \pi \lambda_1^2 \xi^2 \left( \frac{3-2\nu}{7-4\nu} \right) \right] \times \\ \times \left[ 1 + \frac{\pi^2}{2} \left( \frac{3-2\nu}{7-4\nu} \right) \lambda_1^2 \xi^2 - \frac{\pi^2}{2} \left( \frac{3-2\nu}{7-4\nu} \right) \right]^{-1}; \quad (41)$$

$$C_1 = \left( 1 - \frac{\pi}{2} - \frac{\pi^3}{48} + \frac{\pi^2}{8} B_1 \right) \left( 1 - \frac{\pi}{4} \right)^{-1}$$

Frequency equation (40) defines three frequencies unlike the previous ones which is apparently, connected with the fact that the edge  $a = \pi$  is free from stresses and the waves are reflected from the rigidly fixed edge  $a = 0$ .

**А.Сейтмұратов, Б.Жәрменова, А.Дәулетбаева,  
Х.Бекмұратова, Э.Төлегенова, Г.Үсенова**

Қорқыт Ата атындағы Қызылорда мемлекеттік университеті, Қызылорда қ.

### **ДЕКОМПОЗИЦИЯ ӘДІСІМЕН ШЫҒАРЫЛҒАН КЕЙБІР ТЕРБЕЛІС ЕСЕБІНІҢ ШЕШІМДЕРІН САНДЫҚ ТАЛДАУ**

**Аннотация:** Тік бұрышты пішіндегі жазық пластинкалар құрылыс конструкцияларының және ғимараттарының негізгі элементтерінің бірі болып табылады. Тік бұрышты жазық элементтердің қолданбалы тербеліс есептерін шешу кезінде шеттік есептер үшін, жазық элементтердің бастапқы шарттары мен шетіндегі шегаралық шарттарына байланысты әр-түрлі жоғары санатты есептер пайда болады. Тербелістер теориясында меншікті тербелістің жиілігін анықтау, жазық элементтердің еріксіз тербеліс есебін шешу және ондағы гармоникалық толқындардың таралуын зерттеу негізгі кезең болып табылады. Бұл жұмыста жазық элементтердің өзіндік және еріксіз тербелісін, материал элементтерінің қатпарлылығын, тұтқыр реологиялық қасиетін, қоршаған ортаның әсерін, негізінің деформацияға ұшырауы, анизотропиясын және тағы басқа да жасалған зеріттеу шешімдері келтіріледі, себебі көрсетілген факторлардың әсері жазық элементтердің өзіндік және еріксіз тербелісі есебіндегі гармоникалық толқындардың таралу процесін зертеуді айтарлықтай қиындатады.

**Түйін сөздер:** өзіндік тербеліс, еріксіз тербеліс, жиіліктік тендеулері, трансценденттік тендеулер, декомпозиция әдісі, таралу уақыты, кернеу, пластинка

**А. Сейтмуратов, Б. Жарменова, А. Даулетбаева,  
Х. Бекмуратова, Э. Тулегенова, Г. Усенова**

Қызылординский государственный университет им.Коркыт Ата, г.Қызылорда

### **ЧИСЛЕННЫЙ АНАЛИЗ РЕШЕНИЯ НЕКОТОРЫХ ЗАДАЧ КОЛЕБАНИЯ МЕТОДОМ ДЕКОМПОЗИЦИИ**

**Аннотация:** Плоские пластинки прямоугольной формы являются одними из основных элементов строительных конструкций и сооружений. При решении прикладных задач колебания прямоугольных плоских элементов возникает широкий класс задач колебаний, связанных с различными краевыми задачами: приближёнными уравнениями колебания, различными граничными условиями на краях плоского элемента и начальными условиями. В теории колебания важным моментом является определение частот собственных колебаний, решение задач о вынужденных колебаниях плоского элемента и исследование распространения гармонических волн в них. В данной работе приводятся результаты по исследованию собственных и вынужденных колебаний плоских элементов с учётом слоистости материала элемента, реологических вязких свойств, влияния окружающей среды, деформируемого основания, анизотропии и т.д. Влияние указанных факторов значительно затрудняет исследование задач о собственных и вынужденных колебаниях плоского элемента, о распространении в них гармонических волн.

**Ключевые слова:** собственная колебания, вынужденная колебания, частотные уравнения, трансцендентные уравнения, метод декомпозиции, время релаксации, напряжения, пластинка

#### **Information about authors:**

Seitmuratov Angisin – Doktor of Physical and Matematical Sciences, Professoz, The Korkyt Ata Kyzylorda State University. Kyzylorda.

Zharmenova Botagoz Kuanyshevna- Master degree of mathematical sciences, The Korkyt Ata Kyzylorda State University, Kyzylorda.

Dauitbayeva Aigul - Candidate of Technical Sciences, senior lecturer. The Korkyt Ata Kyzylorda State University. Kyzylorda. Kazakhstan.

Bekmuratova Khadisha- Master degree of mathematical sciences, The Korkyt Ata Kyzylorda State University, Kyzylorda.

Tulegenova Elmira -Candidate of Economic Sciences, senior lecturer. The Korkyt Ata Kyzylorda State University. Kyzylorda. Kazakhstan.

Ussenova Gulnur- Doctorate, Kyzylorda State University named after Korkyt Ata.

## REFERENCES

- [1] Filippov, I.G., S.I. Filippov, 1995. Dynamic stability theory of rods. Proceedings of the Russian-Polish seminar. Theoretical Foundations of construction. Warsaw, pp.63 -69.
- [2] Filippov, I.G., 1979. An approximate method for solving dynamic viscoelastic media. – PMM, 43(1): 133 -137.
- [3] Filippov, I.G., S.I. Filippov, V.I. Kostin, 1995. Dynamics of two-dimensional composites. - Proceedings of the International Conference on Mechanics and Materials, USA, Los Angeles, pp.75 -79.
- [4] Seitmuratov, A.; Medeubaev N., Yeshmurat, G., Kudebayeva, G. Approximate solution of the an elastic layer vibration task being exposed of moving load. News of the national academy of sciences of the republic of Kazakhstan-Series physic-mathematical. Том: 2 Выпуск: 318 Стр.: 54-60. 2018.
- [5] Seitmuratov, A.Z., Nurlanova, B.M., Medeubaev N., Equations of vibration of a two-dimensionally layered plate strictly based on the decision of various boundary-value problems. Bulletin of the Karaganda university-mathematics. Том: 87 Выпуск: 3 Стр.: 109-116 .2017
- [6] Seitmuratov A., Yergalauova Z., Makhambayeva, Bexeitova, A. Axisymmetric problems of elastic layer oscillation limited by rigid or deformed boundaries. News of the national academy of sciences of the republic of Kazakhstan-Series of geology and technical sciences. Выпуск: 1 Стр.: 127-135 .2018
- [7] Seitmuratov, Z., Medeubaev, N.K., Madelhanova, A.Z., Kainbaeva, L.S., Djuzbaeva, A.M. Decisions of equalization of vibrations of hyperbolic type by the of decomposition method. 2017- News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences
- [8] Seytmuratov, A.Z., Zharylgapova, D.M., Medeubaev, N.K., Ibraeva, A.A. Applied tasks of plates fluctuation under more difficult boundary conditions .2017- News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences.
- [9] Seitmuratov, A., Ramazanov, M., Medeubaev, N., Kaliev, B. Mathematical theory of vibration of elastic or viscoelastic plates, under non-stationary external influences 2017- News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences.
- [10] Seitmuratov, A., Seylova, Z.T., Kanibaikyzy, K., Smakhanova, A.K., Serikbol, S.M. Approximate equation plate oscillation for transverse displacement of points of the median plane. 2018- News of the National Academy of Sciences of the Republic of Kazakhstan, Series of Geology and Technical Sciences.

---

**Publication Ethics and Publication Malpractice  
in the journals of the National Academy of Sciences of the Republic of Kazakhstan**

---

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct ([http://publicationethics.org/files/u2/New\\_Code.pdf](http://publicationethics.org/files/u2/New_Code.pdf)). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайтах:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

<http://physics-mathematics.kz/index.php/en/archive>

**ISSN 2518-1726 (Online), ISSN 1991-346X (Print)**

Редакторы *М. С. Ахметова, Т.А. Апендиев, Д.С. Аленов*  
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 05.02.2019.  
Формат 60x881/8. Бумага офсетная. Печать – ризограф.  
4,75 п.л. Тираж 300. Заказ 1.

---

*Национальная академия наук РК*  
*050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19*